

phpPoA2



Contents

AutoPoA.php	0
definitions.php	0
Define AS_T	0
Define AUTHN_FAILED	0
Define AUTHN_SUCCESS	0
Define AUTHZ_FAILED	0
Define AUTHZ_SUCCESS	0
Define CONFIG_ERR	0
Define GPOA_T	0
Define INVITE_ERR	0
Define NOAUTH_ERR	0
Define SYSTEM_ERR	0
Define USER_ERR	0
AuthenticationEngine.php	0
PAPICrypt.php	0
GenericConfigurator.php	0
GenericEngine.php	0
Hook.php	0
LitePoA.php	0
PoA.php	0
PoAConfigurator.php	0
PoAEventHandler.php	0
PoAException.php	0
PoALog.php	0
PoAUtills.php	0
openid-auto.php	0
openid-ext.php	0
openid-restricted.php	0
openid.php	0
papi1.5-slo-extra.php	0
papi1.5-slo.php	0
authz_convert.php	0
Define ROOT	0
invite_convert.php	0
Class AuthenticationEngine	0
Var \$engine_type	0
Method authenticate	0
Method getAttribute	0
Method getAttributes	0
Method isAuthenticated	0
Method logout	0
Class AuthorizationConfigurator	0
Method getDefaultBehaviour	0
Class AuthorizationEngine	0

Var \$engine_type	0
Method authorize	0
Method getAuthorizedList	0
Method isAuthorized	0
Method revoke	0
Class AutoPoA	0
Method authenticate	0
Method isAuthorized	0
Class GenericConfigurator	0
Var \$cfg	0
Var \$mandatory_options	0
Constructor construct	0
Method configure	0
Method validate	0
Class GenericEngine	0
Var \$cfg	0
Var \$engine_type	0
Var \$handler	0
Var \$hooks	0
Var \$valid_hooks	0
Constructor construct	0
Method addHook	0
Method clean	0
Method configure	0
Method registerHandler	0
Method removeHook	0
Method runHooks	0
Method setHandler	0
Class Hook	0
Var \$ callable_name	0
Var \$ hook	0
Var \$ name	0
Constructor construct	0
Method getName	0
Method run	0
Class LightOpenID	0
Var \$aliases	0
Var \$ax	0
Var \$ax_to_sreg	0
Var \$cainfo	0
Var \$capath	0
Var \$data	0
Var \$identifier_select	0
Var \$optional	0
Var \$required	0
Var \$returnUrl	0
Var \$server	0
Var \$setup_url	0
Var \$sreg	0

Var \$trustRoot	0
Var \$verify_peer	0
Var \$version	0
Constructor construct	0
Method authUrl	0
Method authUrl v1	0
Method authUrl v2	0
Method axParams	0
Method build_url	0
Method discover	0
Method getAttributes	0
Method getAxAttributes	0
Method getSregAttributes	0
Method hostExists	0
Method htmlTag	0
Method request	0
Method request_curl	0
Method request_streams	0
Method sregParams	0
Method validate	0
Method get	0
Method set	0
Class LitePoA	0
Var \$handler	0
Method checkAccess	0
Method setIDBuilder	0
Class PAPICrypt	0
Var \$privkey	0
Var \$privkeylen	0
Var \$pubkey	0
Var \$pubkeylen	0
Var \$symmetric	0
Constructor construct	0
Method decrypt	0
Method decrypt3DES	0
Method decryptAES	0
Method encrypt	0
Method encrypt3DES	0
Method encryptAES	0
Method endSymmetric	0
Method initialize3DES	0
Method initializeAES	0
Method setPrivateKey	0
Method setPublicKey	0
Method setSymmetricKey	0
Class PoA	0
Var \$attributes	0
Var \$authn_engine	0
Var \$authz_engines	0

Var \$autoload	0
Var \$cfg	0
Var \$db_manager	0
Var \$handler	0
Var \$local_site	0
Var \$log	0
Constructor __construct	0
Method addHook	0
Method authenticate	0
Method authorize	0
Method clean	0
Method getAttribute	0
Method getAttributes	0
Method getAuthorizationEngines	0
Method getAuthorizationLevels	0
Method isAuthenticated	0
Method isAuthorized	0
Method logout	0
Method removeHook	0
Method revoke	0
Class PoAConfigurator	0
Var \$mandatory_options	0
Constructor __construct	0
Method getAuthnEngine	0
Method getAuthnEngineConfFile	0
Method getAuthzEngineConfFile	0
Method getAuthzEngines	0
Method getAuthzLevels	0
Method getInviteErrorURL	0
Method getLanguage	0
Method getLogFile	0
Method getLogLevel	0
Method getNoAuthErrorURL	0
Method getSystemErrorURL	0
Method isDebug	0
Class PoAEventHandler	0
Constructor __construct	0
Method abort	0
Method autoloadHandler	0
Method errorHandler	0
Method exceptionHandler	0
Method setDebug	0
Method setLogger	0
Class PoAException	0
Constructor __construct	0
Method __toString	0
Class PoALog	0
Constructor __construct	0
Method getLogLevel	0

Method write	0
Class PoAUtils	0
Method lang_code	0
Method msg	0
AttributeFilterAuthzEngine.php	0
Define ATTRIBUTE BEFORE FILTERS	0
AttributeFilterConfigurator.php	0
papi1.5-attr-authz.php	0
Function attrHook	0
Class AttributeFilterAuthzEngine	0
Var \$valid_hooks	0
Method authorize	0
Method getAuthorizedList	0
Method isAuthorized	0
Method revoke	0
Class AttributeFilterConfigurator	0
Var \$mandatory_options	0
Method getAllowedAttributes	0
Method getDeniedAttributes	0
ASN1.php	0
Define TAG BER	0
Define TAG BITSTRING	0
Define TAG BOOLEAN	0
Define TAG INTEGER	0
Define TAG SEQUENCE	0
RSAPrivateKey.php	0
RSAPublicKey.php	0
Define PUBLIC KEY OID	0
Class ASN1	0
Var \$tag	0
Var \$value	0
Constructor __construct	0
Method bin2int	0
Method decode	0
Method encode	0
Method getInteger	0
Method getTag	0
Method getValue	0
Method getValues	0
Method int2bin	0
Method readByte	0
Method readBytes	0
Method setInteger	0
Method setValue	0
Method setValues	0
Method writeByte	0
Method writeBytes	0
Class RSAPrivateKey	0
Var \$bits	0

Var \$coefficient	0
Var \$der	0
Var \$exponent1	0
Var \$exponent2	0
Var \$modulus	0
Var \$pem	0
Var \$prime1	0
Var \$prime2	0
Var \$private_exponent	0
Var \$public_exponent	0
Constructor construct	0
Method decode	0
Method encode	0
Method fromDER	0
Method fromPEM	0
Method getBits	0
Method getCoefficient	0
Method getDER	0
Method getExponent1	0
Method getExponent2	0
Method getModulus	0
Method getPEM	0
Method getPrime1	0
Method getPrime2	0
Method getPrivateExponent	0
Method getPublicExponent	0
Method setCoefficient	0
Method setExponent1	0
Method setExponent2	0
Method setModulus	0
Method setPrime1	0
Method setPrime2	0
Method setPrivateExponent	0
Method setPublicExponent	0
Class RSAPublicKey	0
Var \$bits	0
Var \$der	0
Var \$exponent	0
Var \$modulus	0
Var \$pem	0
Constructor construct	0
Method decode	0
Method encode	0
Method fromDER	0
Method fromPEM	0
Method getBits	0
Method getDER	0
Method getExponent	0
Method getModulus	0

Method getPEM	0
Method setModulus	0
Method setPublicExponent	0
DBADB.php	0
GenericDB.php	0
GenericMySQLDB.php	0
MemcachedDB.php	0
Define KEY INDEX	0
Define KEY INVALIDATION TIME	0
SessionDB.php	0
Class DBADB	0
Var \$mandatory_options	0
Method check	0
Method close	0
Method configure	0
Method delete	0
Method fetch	0
Method fetch_all	0
Method open	0
Method replace	0
Class GenericDB	0
Var \$cfg	0
Var \$db	0
Var \$error	0
Var \$mandatory_options	0
Constructor construct	0
Method check	0
Method close	0
Method configure	0
Method delete	0
Method fetch	0
Method fetch_all	0
Method open	0
Method replace	0
Class GenericMySQLDB	0
Var \$create_sql	0
Var \$delete_sql	0
Var \$insert_sql	0
Var \$mandatory_options	0
Var \$prefix	0
Var \$search_all_sql	0
Var \$search_sql	0
Var \$update_sql	0
Method check	0
Method close	0
Method configure	0
Method delete	0
Method fetch	0
Method fetch_all	0

Method <code>getError</code>	0
Method <code>open</code>	0
Method <code>replace</code>	0
Class <code>MemcachedDB</code>	0
Var <code>\$expire_time</code>	0
Var <code>\$mandatory_options</code>	0
Var <code>\$mc</code>	0
Method <code>check</code>	0
Method <code>close</code>	0
Method <code>configure</code>	0
Method <code>delete</code>	0
Method <code>fetch</code>	0
Method <code>fetch_all</code>	0
Method <code>open</code>	0
Method <code>replace</code>	0
Class <code>SessionDB</code>	0
Var <code>\$session_name</code>	0
Method <code>check</code>	0
Method <code>close</code>	0
Method <code>delete</code>	0
Method <code>fetch</code>	0
Method <code>fetch_all</code>	0
Method <code>open</code>	0
Method <code>replace</code>	0
messages-en <code>EN.php</code>	0
Global Variable <code>\$messages</code>	0
messages-es <code>ES.php</code>	0
AuthorizedDB.php	0
AuthorizedDBADB.php	0
AuthorizedMemcachedDB.php	0
InviteAuthzEngine.php	0
Define <code>AUTHORIZED_DBA</code>	0
Define <code>AUTHORIZED_MYSQL</code>	0
Define <code>AUTHORIZED_SESSION</code>	0
Define <code>INVITES_BEFORE_AUTHORIZATION</code>	0
Define <code>INVITES_DBA</code>	0
Define <code>INVITES_MYSQL</code>	0
Define <code>INVITES_SESSION</code>	0
InviteConfigurator.php	0
InviteDB.php	0
InviteDBADB.php	0
InviteMemcachedDB.php	0
papi1.5-invite-authz.php	0
Class <code>AuthorizedDB</code>	0
Method <code>replace_authorization</code>	0
Class <code>AuthorizedDBADB</code>	0
Var <code>\$authorized</code>	0
Var <code>\$mandatory_options</code>	0
Method <code>fetch</code>	0

Method fetch_all	0
Method open	0
Method replace_authorization	0
Class AuthorizedMemcachedDB	0
Var \$authorized	0
Method open	0
Method replace_authorization	0
Class InviteAuthzEngine	0
Var \$authz_db	0
Var \$invites_db	0
Var \$valid_hooks	0
Method authorize	0
Method configure	0
Method emailVerify	0
Method finish	0
Method getAuthorizedList	0
Method getPendingInvites	0
Method invite	0
Method isAuthorized	0
Method removeInvite	0
Method revoke	0
Class InviteConfigurator	0
Var \$mandatory_options	0
Method doEmailVerify	0
Method getAdminEmail	0
Method getAuthorizedDBFile	0
Method getAuthorizedDBHost	0
Method getAuthorizedDBKeyExpirationTimeout	0
Method getAuthorizedDBName	0
Method getAuthorizedDBPassword	0
Method getAuthorizedDBServers	0
Method getAuthorizedDBType	0
Method getAuthorizedDBUser	0
Method getEmailVerifyAlgRegEx	0
Method getEmailVerifyAttribute	0
Method getEmailVerifyRegEx	0
Method getInvitesDBFile	0
Method getInvitesDBHost	0
Method getInvitesDBKeyExpirationTimeout	0
Method getInvitesDBName	0
Method getInvitesDBPassword	0
Method getInvitesDBServers	0
Method getInvitesDBType	0
Method getInvitesDBUser	0
Method getInviteSubject	0
Method getInviteText	0
Method getInviteURL	0
Method getUniqueAttributes	0
Class InviteDB	0

Method replace_invite	0
Class InviteDBADB	0
Var \$invite	0
Var \$mandatory_options	0
Method fetch	0
Method fetch_all	0
Method open	0
Method replace_invite	0
Class InviteMemcachedDB	0
Var \$invite	0
Var \$mandatory_options	0
Method fetch	0
Method fetch_all	0
Method open	0
Method replace_invite	0
OpenIDConfigurator.php	0
Class OpenIDConfigurator	0
Var \$mandatory_options	0
Method getLoginURL	0
Method getLogoutURL	0
Method getProviders	0
Method isAutoLogin	0
OpenIDAuthnEngine.php	0
Class OpenIDAuthnEngine	0
Var \$attributes	0
Var \$IOpenID	0
Var \$reqAttributes	0
Var \$status	0
Constructor construct	0
Method authenticate	0
Method configure	0
Method getAttribute	0
Method getAttributes	0
Method isAuthenticated	0
Method logout	0
PAPIAuthnEngine.php	0
Define ATTR_SEPARATOR	0
Define NAMEVALUE_SEPARATOR	0
Define NS_PAPI_ATTRIBUTES	0
Define NS_PAPI_PROTOCOL	0
Define PAPI_ATTRIBUTE_PARSER	0
Define PAPI_CLEAN_URL	0
Define PAPI_DBA	0
Define PAPI_MEMCACHED	0
Define PAPI_MYSQL	0
Define PAPI_REDIRECT_URL_FINISH	0
Define PAPI_RESTORE_ORIGINAL_REQUEST	0
Define PAPI_SESSION	0
Define PROTO_ATTR_ASSERTION	0

Define PROTO_ATTR_AS_ID	0
Define PROTO_ATTR_EXPIRE_TIME	0
Define PROTO_ATTR_KEY	0
Define PROTO_ATTR_PREFIX	0
Define REQUEST_LIFETIME	0
Define VALUE_SEPARATOR	0
PAPIConfigurator.php	0
PAPIDB.php	0
PAPIDBADB.php	0
PAPIMemcachedDB.php	0
PAPIMySQLDB.php	0
Define PAPI_DB_TABLE	0
PAPISessionDB.php	0
papi1.5-authn-attr.php	0
papi1.5-customattr.php	0
Function handler	0
papi1.5-papiopoa-hook.php	0
Function hook	0
Class AttributeHandler	0
Method handle	0
Class Example	0
Method hook	0
Class PAPIAuthnEngine	0
Var \$assertion	0
Var \$as_id	0
Var \$attributes	0
Var \$cfg	0
Var \$clean_url	0
Var \$cookie_name	0
Var \$crypto	0
Var \$db	0
Var \$enforcing	0
Var \$expiration_time	0
Var \$global_expire_time	0
Var \$id	0
Var \$key	0
Var \$lkey	0
Var \$opoa	0
Var \$pkey	0
Var \$skip_redirection	0
Var \$status	0
Var \$valid_hooks	0
Method attributeQuery	0
Method authenticate	0
Method configure	0
Method deleteCookie	0
Method deleteRequest	0
Method getAttribute	0
Method getAttributes	0

Method <code>getNewCookie</code>	0
Method <code>getRedirectLocation</code>	0
Method <code>getSingleLogoutLocation</code>	0
Method <code>getSingleLogoutResponseLocation</code>	0
Method <code>isAuthenticated</code>	0
Method <code>isSafe</code>	0
Method <code>loadRequest</code>	0
Method <code>logout</code>	0
Method <code>redirect</code>	0
Method <code>saveRequest</code>	0
Method <code>testCookie</code>	0
Method <code>testResponse</code>	0
Class <code>PAPICConfigurator</code>	0
Var <code>\$mandatory_options</code>	0
Method <code>getCookieDomain</code>	0
Method <code>getCookieTimeout</code>	0
Method <code>getDBFile</code>	0
Method <code>getDBHost</code>	0
Method <code>getDBKeyExpirationTimeout</code>	0
Method <code>getDBName</code>	0
Method <code>getDBPassword</code>	0
Method <code>getDBPrefix</code>	0
Method <code>getDBServers</code>	0
Method <code>getDBType</code>	0
Method <code>getDBUser</code>	0
Method <code>getFriendlyName</code>	0
Method <code>getHomeLocatorID</code>	0
Method <code>getID</code>	0
Method <code>getLKey</code>	0
Method <code>getLocation</code>	0
Method <code>getLogoutURL</code>	0
Method <code>getPubKeyFile</code>	0
Method <code>getRedirectType</code>	0
Method <code>getRedirectURL</code>	0
Method <code>getRequestLifetime</code>	0
Class <code>PAPIDB</code>	0
Method <code>purge</code>	0
Method <code>replaceContents</code>	0
Class <code>PAPIDBADB</code>	0
Var <code>\$context</code>	0
Method <code>fetch</code>	0
Method <code>purge</code>	0
Method <code>replaceContents</code>	0
Class <code>PAPIMemcachedDB</code>	0
Var <code>\$context</code>	0
Method <code>configure</code>	0
Method <code>purge</code>	0
Method <code>replaceContents</code>	0
Class <code>PAPIMySQLDB</code>	0

Var \$context	0
Var \$prefix	0
Var \$purge_sql	0
Constructor construct	0
Method fetch	0
Method purge	0
Method replaceContents	0
Class PAPISessionDB	0
Var \$context	0
Method fetch	0
Method purge	0
Method replaceContents	0
QueryFilterAuthzEngine.php	0
Define QUERY_BEFORE_FILTERS	0
QueryFilterConfigurator.php	0
papi1.5-query-authz.php	0
Function queryHook	0
Class QueryFilterAuthzEngine	0
Var \$valid_hooks	0
Method authorize	0
Method getAuthorizedList	0
Method isAuthorized	0
Method revoke	0
Class QueryFilterConfigurator	0
Var \$mandatory_options	0
Method getAllowedPatterns	0
Method getDeniedPatterns	0
SimpleSAMLphpAuthnEngine.php	0
Define NS_SAML2_PROTOCOL	0
Class SimpleSAMLphpAuthnEngine	0
Var \$attributes	0
Var \$simplesaml	0
Var \$status	0
Method authenticate	0
Method configure	0
Method getAttribute	0
Method getAttributes	0
Method isAuthenticated	0
Method logout	0
SourceIPAddrAuthzEngine.php	0
Define SOURCEADDR_BEFORE_FILTERS	0
SourceIPAddrConfigurator.php	0
papi1.5-ip-authz.php	0
Function ipHook	0
Class SourceIPAddrAuthzEngine	0
Var \$valid_hooks	0
Method authorize	0
Method getAuthorizedList	0
Method isAuthorized	0

Method revoke	0
Class SourceIPAddrConfigurator	0
Var \$mandatory_options	0
Method getAllowed	0
Method getDenied	0
IPFilters.conf.php	0
Appendix A - Class Trees	0
phpPoA2	0
CHANGELOG	0
INSTALL	0
README	0

AutoPoA.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

definitions.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

AS_T = 1 [*line 80*]

'AS' type redirection in the PAPI 1.5 protocol.

AUTHN_FAILED = false [*line 35*]

Authentication failed.

AUTHN_SUCCESS = true [*line 30*]

Authentication succeeded.

AUTHZ_FAILED = false [*line 45*]

Authorization failed.

AUTHZ_SUCCESS = true [*line 40*]

Authorization succeeded.

CONFIG_ERR = 2 [*line 60*]

A configuration related error.

GPOA_T = 0 [*line 75*]

'GPoA' type redirection in the PAPI 1.5 protocol.

INVITE_ERR = 3 [*line 65*]

An invitation related error.

NOAUTH_ERR = 0 [*line 50*]

Authentication failed error.

SYSTEM_ERR = 1 [*line 55*]

A system related error.

USER_ERR = 4 [*line 70*]

An error triggered by the user.

AuthenticationEngine.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

PAPICrypt.php

- **Package** phpPoA2
- **Version** 2.0
- **Copyright** Copyright 2005-2011 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

GenericConfigurator.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

GenericEngine.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

Hook.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

LitePoA.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

PoA.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

include_once ["LitePoA.php"](#)*[line 41]*

include_once ["AutoPoA.php"](#)*[line 40]*

require_once ["PoAEventHandler.php"](#)*[line 39]*

require_once ["PoAUtils.php"](#)*[line 38]*

PoAConfigurator.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

PoAEventHandler.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

PoAException.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

PoALog.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

PoAUtills.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

openid-auto.php

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Package** phpPoA2
- **Author** Miguel Macías < miguel.macias@upv.es >
- **Filesource** [Source Code for this file](#)

include ['../PoA.php'](#) *[line 9]*

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Author** Miguel Macías < miguel.macias@upv.es >
- **Filesource** [Source Code for this file](#)

openid-ext.php

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Package** phpPoA2
- **Author** Miguel Macías < miguel.macias@upv.es >
- **Filesource** [Source Code for this file](#)

include ['../PoA.php'](#) [line 9]

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Author** Miguel Macías < miguel.macias@upv.es >
- **Filesource** [Source Code for this file](#)

openid-restricted.php

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Package** phpPoA2
- **Author** Miguel Macías < miguel.macias@upv.es >
- **Filesource** [Source Code for this file](#)

include ['../PoA.php'](#) *[line 9]*

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Author** Miguel Macías < miguel.macias@upv.es >
- **Filesource** [Source Code for this file](#)

openid.php

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Package** phpPoA2
- **Author** Miguel Macías < miguel.macias@upv.es>
- **Filesource** [Source Code for this file](#)

include ['../PoA.php'](#) *[line 9]*

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Author** Miguel Macías < miguel.macias@upv.es>
- **Filesource** [Source Code for this file](#)

papi1.5-slo-extra.php

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

include ["./PoA.php"](#)*[line 9]*

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

papi1.5-slo.php

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

include ["./PoA.php"](#)*[line 9]*

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

authz_convert.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

ROOT = 'PATH_TO_YOUR_DB_DIR' [*line 30*]

Authorized DB converter tool from phpPoA1 to phpPoA2.

invite_convert.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

Class AuthenticationEngine

[line [31](#)]

Abstract authentication engine.

- **Package** phpPoA2
- **Abstract Element**

AuthenticationEngine::\$engine_type

mixed = "Authn" [[line 33](#)]

- **Access** protected

boolean function AuthenticationEngine::authenticate() [[line 41](#)]

Trigger the authentication of the user in the current context. May perform HTTP redirections or any other procedure to gather the authentication status if the user, so don't expect it to return control once called.

- **Abstract Element**
- **Access** public

string|array function AuthenticationEngine::getAttribute(\$name, [\$namespace = ""]) [[line](#)

[65](#)]

Function Parameters:

- *name* **\$name** The name of the attribute.
- *namespace* **\$namespace** The namespace of the attribute.

Get an specific attribute for the current user, by specifying its name and namespace. May trigger some attribute query procedure.

- **Abstract Element**
- **Access** public

array function AuthenticationEngine::getAttributes() [[line 55](#)]

Get an associative array with the set of common attributes for the current user. May trigger some attribute recollection.

- **Abstract Element**
- **Access** public

boolean function AuthenticationEngine::isAuthenticated() [*line* [48](#)]

Check the current authentication status withing this context. Does not trigger any authentication procedure.

- **Abstract Element**
- **Access** public

void function AuthenticationEngine::logout([\$slo = false]) [*line* [72](#)]

Function Parameters:

- *slo* **\$slo** Whether to perform the logout globally (Single Log Out) or not. Defaults to local.

Perform a logout (locally or global).

- **Abstract Element**
- **Access** public

Class AuthorizationConfigurator

[*line* [26](#)]

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Abstract Element**
- **License** [GNU General Public License](#)

boolean function AuthorizationConfigurator::getDefaultBehaviour() [*line 33*]

Determines the default behaviour of the authorization engine, whether it should authorize or not if no pattern (nor allowed nor denied) matches.

- **Access** public

Class AuthorizationEngine

[*line 26*]

- **Package** phpPoA2

- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Abstract Element**
- **License** [GNU General Public License](#)

AuthorizationEngine::\$engine_type

mixed = "Authz" [*line 28*]

- **Access** protected

boolean function AuthorizationEngine::authorize(\$user, \$attrs, \$ref, [\$expires = 0]) [*line 47*]

Function Parameters:

- **\$user**
- **\$attrs**
- **\$ref**
- **\$expires**

- **Abstract Element**
- **Access** public

array function AuthorizationEngine::getAuthorizedList() [*line 42*]

- **Abstract Element**
- **Access** public

boolean function AuthorizationEngine::isAuthorized(\$user, \$attrs) [*line 37*]

Function Parameters:

- *user* **\$user** The string that identifies the user.
- *attrs* **\$attrs** All attributes related to the user.

Check authorization for the specified user.

- **Abstract Element**
- **Access** public

boolean function AuthorizationEngine::revoke(\$mail) [*line 52*]

Function Parameters:

- **\$mail**

- **Abstract Element**
- **Access** public

Class AutoPoA

[[line 30](#)]

Class that automatically redirects to error pages if any error is detected.

- **Package** phpPoA2

void function AutoPoA::authenticate() [[line 32](#)]

- **Access** public

void function AutoPoA::isAuthorized(\$user, \$attrs, [\$engine = null]) [[line 40](#)]

Function Parameters:

- **\$user**
- **\$attrs**
- **\$engine**

- **Access** public

Class GenericConfigurator

[[line 31](#)]

Generic configuration class.

- **Package** phpPoA2
- **Abstract Element**

GenericConfigurator::\$cfg

mixed = array() [[line 33](#)]

- **Access** protected

GenericConfigurator::\$mandatory_options

mixed = array() [[line 34](#)]

- **Access** protected

Constructor *void* function GenericConfigurator::__construct(\$file, \$site) [[line 42](#)]

Function Parameters:

- *file* **\$file** The file which stores the configuration.
- *site* **\$site** The section of the configuration that applies for the current site.

Main constructor.

- **Throws** PoAException if any error occurs.

- **Access** public

void function GenericConfigurator::configure(\$file, \$site) [*line* [59](#)]

Function Parameters:

- *file* **\$file** The file which stores the configuration.
- *site* **\$site** The section of the configuration that applies for the current site.

Read the configuration from the specified file and section.

- **Throws** PoAException if any error occurs.
- **Access** protected

boolean function GenericConfigurator::validate([\$mandatory = null]) [*line* [84](#)]

Function Parameters:

- *mandatory* **\$mandatory** Optional. An array of mandatory attributes that should be searched within the current configuration.

Check all mandatory attributes are set.

- **Throws** PoAException if any error occurs.
- **Access** public

Class GenericEngine

[[line 31](#)]

A generic engine class.

- **Package** phpPoA2
- **Abstract Element**

GenericEngine::\$cfg

mixed = [[line 33](#)]

- **Access** protected

GenericEngine::\$engine_type

mixed = [[line 36](#)]

- **Access** protected

GenericEngine::\$handler

mixed = [[line 37](#)]

- **Access** protected

GenericEngine::\$hooks

mixed = array() [[line 34](#)]

- **Access** protected

GenericEngine::\$valid_hooks

mixed = array() [*line* [35](#)]

- **Access** protected

Constructor *void* function GenericEngine::__construct(\$file, \$site) [*line* [44](#)]

Function Parameters:

- *file* **\$file** The path to the configuration file. Can be in the include path.
- *section* **\$site** The section of the configuration file, if any.

Main constructor for the engine.

- **Access** public

boolean function GenericEngine::addHook(\$name, \$hook) [*line* [71](#)]

Function Parameters:

- *name* **\$name** The name of the hook.
- *hook* **\$hook** A mixed object. Can be the name of a function (string) or an array with two elements: the former, the name of a class or an object, and the latter the name of the method.

Adds a function to the specified hook, which will be executed at some point of the code.

- **Access** public

void function GenericEngine::clean() [*line* [150](#)]

Unregister error and exception handlers. Use it only for methods not declared in the interface that previously called registerHandler() method.

- **Access** protected

void function GenericEngine::configure(\$file, \$section) [*line* [54](#)]

Function Parameters:

- *file* **\$file** The path to the configuration file. Can be in the include path.
- *section* **\$section** The section of the configuration file, if any.

Configure the engine.

- **Access** public

void function GenericEngine::registerHandler() [*line* [140](#)]

Register error and exception handlers for logging. Use it only for methods not declared in the interface that could trigger errors.

- **Access** protected

boolean function GenericEngine::removeHook(\$name, \$hook) [*line* [93](#)]

Function Parameters:

- *name* **\$name** The name of the hook.
- *hook* **\$hook** A mixed object. Can be the name of a function (string) or an array with two elements: the former, the name of a class or an object, and the latter the name of the method.

Removes a function from the specified hook.

- **Access** public

void function GenericEngine::runHooks(\$hook, &\$params) [[line 118](#)]

Function Parameters:

- *hook* **\$hook** The name of the hook.
- *params* **&\$params** An array with all params (in order) that must be passed to the function.

Run all hooks attached to an specific action.

- **Access** protected

void function GenericEngine::setHandler(\$handler) [[line 132](#)]

Function Parameters:

- *handler* **\$handler** The event handler to use.

Set the event handler to the one specified.

- **Access** public

Class Hook

[line [30](#)]

Hook class that allows to run a function or a method specified by their name.

- **Package** phpPoA2

Hook::\$_callable_name

mixed = [line [33](#)]

- **Access** protected

Hook::\$_hook

mixed = [line [32](#)]

- **Access** protected

Hook::\$_name

mixed = [line [34](#)]

- **Access** protected

Constructor *boolean* function Hook::__construct(\$hook) [[line 42](#)]

Function Parameters:

- *hook* **\$hook** The name of a function or an array specifying a class and its method.

Build a new hook.

- **Throws** PoAException if something goes wrong.
- **Access** public

string function Hook::getName() [[line 120](#)]

Get the name of the hook.

- **Access** public

boolean function Hook::run(&\$args) [[line 103](#)]

Function Parameters:

- *args* **&\$args** An array with all the params the function receives.

Run the hook with the specified params.

- **Access** public

Class LightOpenID

[line 47]

This class provides a simple interface for OpenID (1.1 and 2.0) authentication.

Supports Yadis discovery. The authentication process is stateless/dumb.

Usage: Sign-on with OpenID is a two step process: Step one is authentication with the provider:

```
1 $openid = new LightOpenID;
2 $openid->identity = 'ID supplied by user';
3 header('Location: ' . $openid->authUrl());
```

The provider then sends various parameters via GET, one of them is openid_mode. Step two is verification:

```
1 if ($this->data['openid_mode']) {
2     $openid = new LightOpenID;
3     echo $openid->validate() ? 'Logged in.' : 'Failed';
4 }
```

Optionally, you can set \$returnUrl and \$realm (or \$trustRoot, which is an alias). The default values for those are:
\$openid->realm = (!empty(\$_SERVER['HTTPS']) ? 'https' : 'http') . '://' . \$_SERVER['HTTP_HOST']; \$openid->returnUrl = \$openid->realm . \$_SERVER['REQUEST_URI']; If you don't know their meaning, refer to any openid tutorial, or specification. Or just guess.

AX and SREG extensions are supported. To use them, specify \$openid->required and/or \$openid->optional before calling \$openid->authUrl(). These are arrays, with values being AX schema paths (the 'path' part of the URL). For example: \$openid->required = array('namePerson/friendly', 'contact/email'); \$openid->optional = array('namePerson/first'); If the server supports only SREG or OpenID 1.1, these are automatically mapped to SREG names, so that user doesn't have to know anything about the server.

To get the values, use \$openid->getAttributes().

The library requires PHP >= 5.1.2 with curl or http/https stream wrappers enabled.

- **Package** phpPoA2
- **Author** Mewp
- **Copyright** Copyright (c) 2010, Mewp
- **License** [MIT](#)

LightOpenID::\$aliases

mixed = [line 57]

- **Access** protected

LightOpenID::\$sax

mixed = false [line 58]

- **Access** protected

LightOpenID::\$sax_to_sreg

```
mixed = array(  
    'namePerson/friendly' => 'nickname',  
    'contact/email'       => 'email',  
    'namePerson'          => 'fullname',  
    'birthDate'           => 'dob',  
    'person/gender'       => 'gender',  
    'contact/postalCode/home' => 'postcode',  
    'contact/country/home' => 'country',  
    'pref/language'       => 'language',  
    'pref/timezone'       => 'timezone',  
) [line 59]
```

- **Static**
- **Access** protected

LightOpenID::\$sainfo

mixed = [line 54]

- **Access** public

LightOpenID::\$scapath

mixed = [line 53]

- **Access** public

LightOpenID::\$data

mixed = [line 55]

- **Access** public

LightOpenID::\$identifier_select

mixed = false
[line 57]

- **Access** protected

LightOpenID::\$optional

mixed = array() [line 51]

- **Access** public

LightOpenID::\$required

mixed = array() [line 50]

- **Access** public

LightOpenID::\$returnUrl

mixed = [line 49]

- **Access** public

LightOpenID::\$server

mixed = [line 57]

- **Access** protected

LightOpenID::\$setup_url

mixed = null [line 58]

- **Access** protected

LightOpenID::\$sreg

mixed = false [line 58]

- **Access** protected

LightOpenID::\$trustRoot

mixed = [line 57]

- **Access** protected

LightOpenID::\$verify_peer

mixed = [line 52]

- **Access** public

LightOpenID::\$version

mixed = [line 57]

- **Access** protected

Constructor *void* function LightOpenID::__construct() *[line 71]*

String function LightOpenID::authUrl([\$immediate = false], \$select_identifier) *[line 600]*

Function Parameters:

- *String* **\$select_identifier** Whether to request OP to select identity for an user in OpenID 2. Does not affect OpenID 1.
- **\$immediate**

Returns authentication url. Usually, you want to redirect your user to it.

- **Throws** `ErrorException`

void function LightOpenID::authUrl_v1(\$immediate) *[line 541]*

Function Parameters:

- **\$immediate**

- **Access** protected

void function LightOpenID::authUrl_v2(\$immediate) [*line 562*]

Function Parameters:

- **\$immediate**
- **Access** protected

void function LightOpenID::axParams() [*line 502*]

- **Access** protected

void function LightOpenID::build_url(\$url, \$parts) [*line 303*]

Function Parameters:

- **\$url**
- **\$parts**
- **Access** protected

String function LightOpenID::discover(\$url) [*line 341*]

Function Parameters:

- **\$url** **\$url** Identity URL.

Performs Yadis and HTML discovery. Normally not used.

- **Throws** `ErrorException`

void function `LightOpenID::getAttributes()` [*line 753*]

Gets AX/SREG attributes provided by OP. should be used only after successful validation.

Note that it does not guarantee that any of the required/optional parameters will be present, or that there will be no other attributes besides those specified. In other words. OP may provide whatever information it wants to. * SREG names will be mapped to AX names. * @return Array Array of attributes with keys being the AX schema names, e.g. 'contact/email'

- See <http://www.axschema.org/types/>

void function `LightOpenID::getAxAttributes()` [*line 678*]

- **Access** protected

void function `LightOpenID::getSregAttributes()` [*line 725*]

- **Access** protected

true, function `LightOpenID::hostExists($url)` [*line 132*]

Function Parameters:

- `$url` `$url` url to check

Checks if the server specified in the url exists.

void function LightOpenID::htmlTag(\$content, \$tag, \$attrName, \$attrValue, \$valueName) [line 326]

Function Parameters:

- **\$content**
- **\$tag**
- **\$attrName**
- **\$attrValue**
- **\$valueName**

Helper function used to scan for <meta>/<link> tags and extract information from them

- **Access protected**

void function LightOpenID::request(\$url, [\$method = 'GET'], [\$params = array()]) [line 293]

Function Parameters:

- **\$url**
- **\$method**
- **\$params**

- **Access protected**

void function LightOpenID::request_curl(\$url, [\$method = 'GET'], [\$params = array()]) [line 147]

Function Parameters:

- **\$url**

- **\$method**
- **\$params**

- **Access** protected

void function LightOpenID::request_streams(\$url, [\$method = 'GET'], [\$params = array()]) *[line 203]*

Function Parameters:

- **\$url**
- **\$method**
- **\$params**

- **Access** protected

void function LightOpenID::sregParams() *[line 475]*

- **Access** protected

Bool function LightOpenID::validate() *[line 616]*

Performs OpenID verification with the OP.

- **Throws** `ErrorException`

void function LightOpenID::__get(\$name) *[line 110]*

Function Parameters:

- **\$name**

void function LightOpenID::__set(\$name, \$value) [*line 88*]

Function Parameters:

- **\$name**
- **\$value**

Class LitePoA

[*line 33*]

Class that embeds all functionality (authentication, attribute collection and authorization) in one method, just like older versions of phpPoA.

- **Package** phpPoA2
- **Deprecated** This class is for backwards compatibility. Please avoid using it.

LitePoA::\$handler

mixed = [*line 35*]

- **Access** protected

A function LitePoA::checkAccess() [*line 55*]

A shortcut for the whole authentication and authorization process.

User will be authenticated, his attributes collected and then he will be checked for authorization with the identifier built with the ID builder function.

- **Deprecated** This method is for backwards compatibility. Please avoid using it.
- **Access** public

`void function LitePoA::setIDBuilder($handler) [line 43]`

Function Parameters:

- *handler* **\$handler** The name of the function.

Set an attribute handler to build identifiers for the users according to their attributes. Method must receive a hash of attributes ("name" => "value").

- **Access** public

Class PAPICrypt

[line [29](#)]

Cryptographic routines for PAPI protocol v1.

- **Package** phpPoA2

PAPICrypt::\$privkey

mixed = [line [34](#)]

- **Access** protected

PAPICrypt::\$privkeylen

mixed = [[line 35](#)]

- **Access** protected

PAPICrypt::\$pubkey

mixed = [[line 32](#)]

- **Access** protected

PAPICrypt::\$pubkeylen

mixed = [[line 33](#)]

- **Access** protected

PAPICrypt::\$symmetric

mixed = [[line 38](#)]

- **Access** protected

Constructor *void* function PAPICrypt::__construct([\$symmetric = ""], [\$pubkey = ""],
[\$privkey = ""], [\$passphrase = ""]) [[line 43](#)]

Function Parameters:

- **\$symmetric**
- **\$pubkey**
- **\$privkey**
- **\$passphrase**

- **Access** public

void function PAPICrypt::decrypt(\$input) [*line* [248](#)]

Function Parameters:

- **\$input**

- **Access** public

void function PAPICrypt::decrypt3DES(\$input) [*line* [206](#)]

Function Parameters:

- **\$input**

- **Access** public

void function PAPICrypt::decryptAES(\$input) [*line* [172](#)]

Function Parameters:

- **\$input**

- **Access** public

void function PAPICrypt::encrypt(\$input) [*line* [223](#)]

Function Parameters:

- **\$input**

- **Access** public

void function PAPICrypt::encrypt3DES(\$input) [*line* [189](#)]

Function Parameters:

- **\$input**

- **Access** public

void function PAPICrypt::encryptAES(\$input) [*line* [155](#)]

Function Parameters:

- **\$input**

- **Access** public

void function PAPICrypt::endSymmetric(\$module) [[line 147](#)]

Function Parameters:

- **\$module**

- **Access** protected

void function PAPICrypt::initialize3DES() [[line 128](#)]

- **Access** protected

void function PAPICrypt::initializeAES() [[line 109](#)]

- **Access** protected

void function PAPICrypt::setPrivateKey(\$privkey, [\$passphrase = ""]) [[line 85](#)]

Function Parameters:

- **\$privkey**
- **\$passphrase**

- **Access** public

void function PAPICrypt::setPublicKey(\$pubkey) [[line 61](#)]

Function Parameters:

- **\$pubkey**

- **Access** public

void function PAPICrypt::setSymmetricKey(\$symmetric) [[line 54](#)]

Function Parameters:

- **\$symmetric**

- **Access** public

Class PoA

[[line 47](#)]

Standard class that implements all the functionality of the phpPoA.

- **Package** phpPoA2

PoA::\$attributes

mixed = [[line 52](#)]

- **Access** protected

PoA::\$authn_engine

mixed = [[line 51](#)]

- **Access** protected

PoA::\$authz_engines

mixed = [[line 53](#)]

- **Access** protected

PoA::\$autoload

mixed = [[line 55](#)]

- **Access** protected

PoA::\$cfg

mixed = [[line 49](#)]

- **Access** protected

PoA::\$db_manager

mixed = [[line 54](#)]

- **Access** protected

PoA::\$handler

mixed = [[line 56](#)]

- **Access** protected

PoA::\$local_site

mixed = [[line 48](#)]

- **Access** protected

PoA::\$log

mixed = [[line 50](#)]

- **Access** protected

Constructor *void* function PoA::__construct(\$site, [\$file = null]) [[line 63](#)]

Function Parameters:

- *site* **\$site** The identifier to determine which configuration to apply.
- *file* **\$file** The path to the configuration file.

Main constructor. Configures the PoA and performs initialization.

- **Access** public

true function PoA::addHook(\$name, \$hook) [*line* [128](#)]

Function Parameters:

- *name* **\$name** The name of the hook. Refer to each individual engine for a complete list of available hooks.
- *hook* **\$hook** A hook object with the function or method to attach.

Attach a hook object to the appropriate entry point of the available authentication or authorization engines.

- **Access** public

AUTHN_SUCCESS function PoA::authenticate() [*line* [179](#)]

Perform a federated login for the user.

- **Access** public

AUTHZ_SUCCESS function PoA::authorize(\$user, \$attrs, [\$reference = null], [\$expires = 0], [\$engine = null]) [*line* [376](#)]

Function Parameters:

- *user* **\$user** The subject of authorization.
- *attrs* **\$attrs** The attributes of the user.
- *reference* **\$reference** An internal reference that may be valuable for the engine, typically referring to a previous invitation or similar.
- *expires* **\$expires** The time (POSIX) when authorization will expire. Use 0 if authorization should never expire. Defaults to 0.

- *engine* **\$engine** The authorization engine(s) to use. All engines are used if none specified. If more than one engine should be checked then this must be an array.

Authorize a given subject with the data retrieved from federated login.

Multiple authorization engines are supported, so authorization will be done in all of them.

- **Access** public

void function PoA::clean() [[line 114](#)]

- **Access** protected

the function PoA::getAttribute(\$name, \$namespace) [[line 266](#)]

Function Parameters:

- *name* **\$name** The name of the attribute.
- *namespace* **\$namespace** The namespace of the attribute, if any.

Get the value (or values) of an attribute, if present.

- **Access** public

an function PoA::getAttributes() [[line 243](#)]

Retrieve the attributes provided by the user when logged in.

- **Access** public

The function PoA::getAuthorizationEngines([\$engine = null]) [[line 457](#)]

Function Parameters:

- *engine* **\$engine** The name of the authorization engine to retrieve. If more than one engine should be returned then this must be an array.

Returns the authorization engines configured for the current PoA, or the one specified.

- **Access** public

An function PoA::getAuthorizationLevels(\$user, \$attributes) [[line 491](#)]

Function Parameters:

- *user* **\$user** The user identifier.
- *attributes* **\$attributes** An array of attributes available for the user.

Get the authorization levels that match for the user specified, according to the configuration.

An array with the names of the levels matching the user is returned. An empty array is returned if no match is found.

- **Access** public

AUTHN_SUCCESS function PoA::isAuthenticated() [[line 214](#)]

Query the current status of the user in the federation.

- **Access** public

AUTHZ_SUCCESS function PoA::isAuthorized(\$user, \$attrs, [\$engine = null]) [*line* [319](#)]

Function Parameters:

- *user* **\$user** The subject queried.
- *attrs* **\$attrs** The attributes of the user.
- *engine* **\$engine** The authorization engine(s) to use. All engines are used if none specified. If more than one engine should be checked then this must be an array.

Perform authorization for the a given subject.

Multiple authorization engines are supported, so authorization will succeed if any of these succeeds.

- **Access** public

true function PoA::logout(\$slo) [*line* [288](#)]

Function Parameters:

- *slo* **\$slo** Whether to perform a Single Log Out or a local logout.

Remove the user's session and trigger a logout for the specified authentication protocol.

- **Access** public

true function PoA::removeHook(\$name, \$hook) [[line 153](#)]

Function Parameters:

- *name* **\$name** The name of the hook. Refer to each individual engine for a complete list of available hooks.
- *hook* **\$hook** The hook object which shall be removed.

Remove a hook from the specified entry point of the available authentication or authorization engines.

- **Access** public

true function PoA::revoke(\$mail, [\$engine = null]) [[line 416](#)]

Function Parameters:

- *mail* **\$mail** The e-mail of the user.
- *engine* **\$engine** The authorization engine(s) to use. All engines are used if none specified. If more than one engine should be checked then this must be an array.

Revoke authorization for a given subject identified by an e-mail.

- **Access** public

Class PoAConfigurator

[[line 30](#)]

Main configurator for the phpPoA.

- **Package** phpPoA2

PoAConfigurator::\$mandatory_options

mixed = array('LogFile',
 'LogLevel') [*line 32*]

- **Access** protected

Constructor *void* function PoAConfigurator::__construct(\$site, [\$file = null]) [*line 35*]

Function Parameters:

- **\$site**
- **\$file**

- **Access** public

void function PoAConfigurator::getAuthnEngine() [*line 93*]

- **Access** public

void function PoAConfigurator::getAuthnEngineConfFile() [*line 105*]

- **Access** public

void function PoAConfigurator::getAuthzEngineConfFile(\$engine) [*line* [109](#)]

Function Parameters:

- **\$engine**

- **Access** public

void function PoAConfigurator::getAuthzEngines() [*line* [97](#)]

- **Access** public

void function PoAConfigurator::getAuthzLevels() [*line* [113](#)]

- **Access** public

void function PoAConfigurator::getInviteErrorURL() [*line* [89](#)]

- **Access** public

void function PoAConfigurator::getLanguage() [*line* [73](#)]

- **Access** public

void function PoAConfigurator::getLogFile() [*line* [65](#)]

- **Access** public

void function PoAConfigurator::getLogLevel() [*line* [77](#)]

- **Access** public

void function PoAConfigurator::getNoAuthErrorURL() [*line* [81](#)]

- **Access** public

void function PoAConfigurator::getSystemErrorURL() [*line* [85](#)]

- **Access** public

void function PoAConfigurator::isDebug() [*line* [69](#)]

- **Access** public

Class PoAEventHandler

[*line* [30](#)]

Class to handle events inside the library.

- **Package** phpPoA2

Constructor *void* function PoAEventHandler::__construct(\$site, [\$log = null], [\$debug = false]) [*line* [39](#)]

Function Parameters:

- **\$site**
- **\$log**
- **\$debug**

Main constructor.

- **Access public**

void function PoAEventHandler::abort(\$code, \$message) [*line* [64](#)]

Function Parameters:

- **\$code**
- **\$message**

Finish execution and print an error message with the current backtrace.

- **Access public**

void function PoAEventHandler::autoloadHandler(\$class_name) [*line* [83](#)]

Function Parameters:

- **\$class_name**

Override __autoload standard function to allow loading classes dinamically.

`void function PoAEventHandler::errorHandler($code, $message, $file, $line) [line 116]`

Function Parameters:

- *code* **\$code** The error code.
- *message* **\$message** The error message.
- *file* **\$file** The file that triggered the error.
- *line* **\$line** The line of the file where the error was triggered.

A generic error handler that logs the error message.

- **Access** public

`void function PoAEventHandler::exceptionHandler($exception) [line 105]`

Function Parameters:

- *exception* **\$exception** The caught exception.

A generic exception handler that logs the exception message.

- **Access** public

`void function PoAEventHandler::setDebug($debug) [line 57]`

Function Parameters:

- *debug* **\$debug** A boolean value telling whether to make debugging active or not.

Set debugging mode.

- **Access** public

void function PoAEventHandler::setLogger(\$log) [*line* [49](#)]

Function Parameters:

- *log* **\$log** The logger to use.

Set the logger.

- **Access** public

Class PoAException

[*line* [30](#)]

Exception handler class for the phpPoA.

- **Package** phpPoA2

Constructor *void* function PoAException::__construct(\$message, \$code, [\$args = null]) [*line* [33](#)]

Function Parameters:

- **\$message**
- **\$code**
- **\$args**

- **Access** public

void function PoAException::__toString() [*line* [40](#)]

- **Access** public

Class PoALog

[*line* [30](#)]

A simple class to write log messages to a file.

- **Package** phpPoA2

Constructor *void* function PoALog::__construct(\$level, \$file) [*line* [39](#)]

Function Parameters:

- *level* **\$level** The level of this log.
- *file* **\$file** The file where to write messages.

Build a new logger.

- **Access** public

integer function PoALog::getLogLevel() [*line* [72](#)]

Get the current log level.

- **Access** public

void function PoALog::write(\$msg, [\$level = E_USER_NOTICE]) [*line* [58](#)]

Function Parameters:

- *msg* **\$msg** The message to write.
- *level* **\$level** The level of the message.

Write a message to the log file if the current log level allows it.

- **Access** public

Class PoAUtils

[*line* [27](#)]

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es >
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

string function PoAUtils::lang_code(\$filename) [*line* [46](#)]

Function Parameters:

- *filename* **\$filename** The name of the file.

Return the language code identifying applicable to a messages file.

- **Static**
- **Access** public

string function PoAUtils::msg(\$s, [\$args = array()]) [*line* [35](#)]

Function Parameters:

- *s* **\$s** The identifier of the message.
- *args* **\$args** An array of arguments that the message expects.

Return the internationalized message identified by the code 's'.

- **Static**
- **Access** public

AttributeFilterAuthzEngine.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

ATTRIBUTE_BEFORE_FILTERS = "ATTRIBUTE_BEFORE_FILTERS" [*line 37*]

This hook is executed right after retrieving the arrays of allowed and denied attributes that will be checked immediately.

It can be used to configure the filters on runtime and modify the user's attributes. The hook receives the attributes, and the allowed and denied attribute arrays. Functions for this hook must be defined like this:

```
function attributeBeforeFilterHook(&$attrs, &$allowed, &$denied);
```

Please bear in mind that hooks must return TRUE or they'll keep other hooks from executing.

AttributeFilterConfigurator.php

- **Package** phpPoA2
- **Sub-Package** AttributeFilterAuthorizationEngine
- **Author** Jaime Perez < jaime.perez@rediris.es >
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

papi1.5-attr-authz.php

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Package** phpPoA2
- **Sub-Package** AttributeFilterAuthorizationEngine
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

void function attrHook(&\$attrs, &\$allowed, &\$denied) [*line 17*]

Function Parameters:

- **&\$attrs**
- **&\$allowed**
- **&\$denied**

include ["./PoA.php"](#) [*line 10*]

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

Class AttributeFilterAuthzEngine

[*line 46*]

Authorization engine that works by checking the attributes of the user. The first match of an attribute against one of the filters will trigger the authorization result, no matter if it's positive or negative.

- **Package** phpPoA2
- **Sub-Package** AttributeFilterAuthorizationEngine
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

AttributeFilterAuthzEngine::\$valid_hooks

mixed = array(ATTRIBUTE_BEFORE_FILTERS) [*line* [48](#)]

- **Access** protected

void function AttributeFilterAuthzEngine::authorize(\$user, \$attrs, \$ref, [\$expires = 0]) [*line* [93](#)]

Function Parameters:

- **\$user**
- **\$attrs**
- **\$ref**

- **\$expires**

- **Access** public

void function AttributeFilterAuthzEngine::getAuthorizedList() [*line* [86](#)]

- **Access** public

void function AttributeFilterAuthzEngine::isAuthorized(\$user, \$attrs) [*line* [50](#)]

Function Parameters:

- **\$user**
- **\$attrs**

- **Access** public

void function AttributeFilterAuthzEngine::revoke(\$mail) [*line* [97](#)]

Function Parameters:

- **\$mail**

- **Access** public

Class AttributeFilterConfigurator

[line 33]

Configurator for the Attribute Filter Authorization Engine.

- **Package** phpPoA2
- **Sub-Package** AttributeFilterAuthorizationEngine
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

AttributeFilterConfigurator::\$mandatory_options

mixed = array("Allowed", "Denied") [line 35]

- **Access** protected

array function AttributeFilterConfigurator::getAllowedAttributes() [line 42]

Returns an array of attributes that would be allowed if their values match any of the patterns for each attribute.

- **Access** public

array function AttributeFilterConfigurator::getDeniedAttributes() [*line* [51](#)]

Returns an array of attributes that would be denied if their values match any of the patterns for each attribute.

- **Access** public

ASN1.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

TAG_BER = 0x00 [*line 31*]

Basic tags.

TAG_BITSTRING = 0x03 [*line 34*]

TAG_BOOLEAN = 0x01 [*line 32*]

TAG_INTEGER = 0x02 [*line 33*]

TAG_SEQUENCE = 0x30 [*line 40*]

Constructed tags.

RSAPrivateKey.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2011 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

RSAPublicKey.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2011 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

PUBLIC_KEY_OID = "1.2.840.113549.1.1.1" [[line 30](#)]

The OID for public keys.

Class ASN1

[[line 50](#)]

This class implements ASN.1 encoding.

Please, be aware that this class is INCOMPLETE, as it is intended for BER/DER encoding primarily.

- **Package** phpPoA2
- **Sub-Package** crypto

ASN1::\$tag

mixed = [line [52](#)]

- **Access** public

ASN1::\$value

mixed = [line [53](#)]

- **Access** public

Constructor *void* function ASN1::__construct([\$tag = 0x00], [\$value = "]) [line [58](#)]

Function Parameters:

- **\$tag**
- **\$value**

Build a new ASN1 from its tag and value.

- **Access** public

void function ASN1::bin2int(\$bin) [line [260](#)]

Function Parameters:

- **\$bin**

Decode an integer from its binary representation.

- **Access** protected

void function ASN1::decode(&\$buffer) [line [97](#)]

Function Parameters:

- **&\$buffer**

Decode an object in ASN.1 format.

- **Access** public

void function ASN1::encode() [line [66](#)]

Encode this object into ASN.1.

- **Access** public

void function ASN1::getInteger() [line [181](#)]

Get the integer value of this ASN.1.

- **Access** public

void function ASN1::getTag() [*line* [144](#)]

Get the tag of this ASN.1.

- **Access** public

void function ASN1::getValue() [*line* [151](#)]

Get the binary value of this ASN.1.

- **Access** public

void function ASN1::getValues() [*line* [195](#)]

Get the sequence of values stored in this ASN.1.

- **Access** public

void function ASN1::int2bin(\$int) [*line* [275](#)]

Function Parameters:

- **\$int**

Encode an integer in binary representation.

- **Access** protected

void function ASN1::readByte(&\$buffer) [line [237](#)]

Function Parameters:

- **&\$buffer**

Read first byte from the buffer and move the internal pointer.

- **Access** protected

void function ASN1::readBytes(&\$buffer, \$length) [line [228](#)]

Function Parameters:

- **&\$buffer**
- **\$length**

Read n bytes from a buffer and mov the internal pointer.

- **Access** protected

void function ASN1::setInteger(\$int) [line [188](#)]

Function Parameters:

- **\$int**

Set the value of this ASN.1 from an integer.

- **Access public**

void function ASN1::setValue(\$value) [*line* [163](#)]

Function Parameters:

- **\$value**

Set the binary value of this ASN.1.

- **Access public**

void function ASN1::setValues(\$values) [*line* [211](#)]

Function Parameters:

- **\$values**

Set the value of this ASN.1 to be a sequence of values.

- **Access public**

void function ASN1::writeByte(&\$buffer, \$byte) [*line* [253](#)]

Function Parameters:

- **&\$buffer**
- **\$byte**

Write a byte to a buffer.

- **Access** protected

void function ASN1::writeBytes(&\$buffer, \$bytes) [*line* [244](#)]

Function Parameters:

- **&\$buffer**
- **\$bytes**

Write bytes to a buffer.

- **Access** protected

Class RSAPrivateKey

[*line* [33](#)]

Class to manage private keys.

- **Package** phpPoA2
- **Sub-Package** crypto

RSAPrivateKey::\$bits

mixed = [*line* [38](#)]

- **Access** protected

RSAPrivateKey::\$coefficient

mixed = [line [45](#)]

- **Access** protected

RSAPrivateKey::\$der

mixed = [line [36](#)]

- **Access** protected

RSAPrivateKey::\$exponent1

mixed = [line [43](#)]

- **Access** protected

RSAPrivateKey::\$exponent2

mixed = [line [44](#)]

- **Access** protected

RSAPrivateKey::\$modulus

mixed = [line [37](#)]

- **Access** protected

RSAPrivateKey::\$pem

mixed = [line [35](#)]

- **Access** protected

RSAPrivateKey::\$prime1

mixed = [line [41](#)]

- **Access** protected

RSAPrivateKey::\$prime2

mixed = [line [42](#)]

- **Access** protected

RSAPrivateKey::\$private_exponent

mixed = [line [40](#)]

- **Access** protected

RSAPrivateKey::\$public_exponent

mixed = [line [39](#)]

- **Access** protected

Constructor *void* function RSAPrivateKey::__construct([\$pem = "]) [line [50](#)]

Function Parameters:

- **\$pem**

Build a new private key from its PEM representation.

- **Access** public

void function RSAPrivateKey::decode() [line [92](#)]

Extract private key details from its DER representation.

- **Access** protected

void function RSAPrivateKey::encode() [line [120](#)]

Build a new private key represented by it DER and PEM formats from its modulus and public exponent.

- **Access** public

void function RSAPrivateKey::fromDER(\$der) [line [59](#)]

Function Parameters:

- **\$der**

Build the private key from its DER representation.

- **Access** public

void function RSAPrivateKey::fromPEM(\$pem) [*line* [74](#)]

Function Parameters:

- **\$pem**

Build the private key from its PEM representation.

- **Access** protected

void function RSAPrivateKey::getBits() [*line* [162](#)]

Get the length of the key in bits.

- **Access** public

void function RSAPrivateKey::getCoefficient() [*line* [197](#)]

Get the coefficient of the key.

- **Access public**

void function RSAPrivateKey::getDER() [line [134](#)]

Get the DER representation of the key.

- **Access public**

void function RSAPrivateKey::getExponent1() [line [183](#)]

Get the exponent 1 of the key.

- **Access public**

void function RSAPrivateKey::getExponent2() [line [190](#)]

Get the exponent 2 of the key.

- **Access public**

void function RSAPrivateKey::getModulus() [line [141](#)]

Get the modulus of the key.

- **Access public**

void function RSAPrivateKey::getPEM() [line [127](#)]

Get the PEM representation of the key.

- **Access public**

void function RSAPrivateKey::getPrime1() [*line* [169](#)]

Get the prime 1 of the key.

- **Access public**

void function RSAPrivateKey::getPrime2() [*line* [176](#)]

Get the prime 2 of the key.

- **Access public**

void function RSAPrivateKey::getPrivateExponent() [*line* [155](#)]

Get the private exponent of the key.

- **Access public**

void function RSAPrivateKey::getPublicExponent() [*line* [148](#)]

Get the public exponent of the key.

- **Access public**

`void function RSAPrivateKey::setCoefficient($coefficient) [line 253]`

Function Parameters:

- **\$coefficient**

Set the coefficient of the key.

- **Access public**

`void function RSAPrivateKey::setExponent1($exponent) [line 239]`

Function Parameters:

- **\$exponent**

Set the exponent 1 of the key.

- **Access public**

`void function RSAPrivateKey::setExponent2($exponent) [line 246]`

Function Parameters:

- **\$exponent**

Set the exponent 2 of the key.

- **Access public**

`void function RSAPrivateKey::setModulus($modulus) [line 204]`

Function Parameters:

- **\$modulus**

Set the modulus of the key.

- **Access** public

`void function RSAPrivateKey::setPrime1($prime) [line 225]`

Function Parameters:

- **\$prime**

Set the prime 1 of the key.

- **Access** public

`void function RSAPrivateKey::setPrime2($prime) [line 232]`

Function Parameters:

- **\$prime**

Set the prime 2 of the key.

- **Access** public

void function RSAPrivateKey::setPrivateExponent(\$exponent) [*line* [218](#)]

Function Parameters:

- **\$exponent**

Set the private exponent of the key.

- **Access** public

void function RSAPrivateKey::setPublicExponent(\$exponent) [*line* [211](#)]

Function Parameters:

- **\$exponent**

Set the public exponent of the key.

- **Access** public

Class RSAPublicKey

[*line* [38](#)]

Class to manage public keys.

- **Package** phpPoA2
- **Sub-Package** crypto

RSAPublicKey::\$bits

mixed = [[line 44](#)]

- **Access** protected

RSAPublicKey::\$der

mixed = [[line 41](#)]

- **Access** protected

RSAPublicKey::\$exponent

mixed = [[line 43](#)]

- **Access** protected

RSAPublicKey::\$modulus

mixed = [[line 42](#)]

- **Access** protected

RSAPublicKey::\$pem

mixed = [line [40](#)]

- **Access** protected

Constructor *void* function RSAPublicKey::__construct([\$pem = ""]) [line [49](#)]

Function Parameters:

- **\$pem**

Build a new public key from its PEM representation.

- **Access** public

void function RSAPublicKey::decode() [line [91](#)]

Extract public key details from its DER representation.

- **Access** protected

void function RSAPublicKey::encode() [line [121](#)]

Build a new public key represented by it DER and PEM formats from its modulus and public exponent.

- **Access** public

void function RSAPublicKey::fromDER(\$der) [line [58](#)]

Function Parameters:

- **\$der**

Build the public key from its DER representation.

- **Access** public

void function RSAPublicKey::fromPEM(\$pem) [line [73](#)]

Function Parameters:

- **\$pem**

Build the public key from its PEM representation.

- **Access** protected

void function RSAPublicKey::getBits() [line [156](#)]

Get the length of the key in bits.

- **Access** public

void function RSAPublicKey::getDER() [line [135](#)]

Get the DER representation of the key.

- **Access public**

void function RSAPublicKey::getExponent() [*line* [149](#)]

Get the exponent of the key.

- **Access public**

void function RSAPublicKey::getModulus() [*line* [142](#)]

Get the modulus of the key.

- **Access public**

void function RSAPublicKey::getPEM() [*line* [128](#)]

Get the PEM representation of the key.

- **Access public**

void function RSAPublicKey::setModulus(\$modulus) [*line* [163](#)]

Function Parameters:

- **\$modulus**

Set the modulus of the key.

- **Access public**

`void function RSAPublicKey::setPublicExponent($exponent) [line 170]`

Function Parameters:

- **\$exponent**

Set the public exponent of the key.

- **Access** public

DBADB.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

GenericDB.php

- **Package** phpPoA2
- **Author** Candido Rodriguez < candido.rodriguez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

GenericMySQLDB.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

MemcachedDB.php

- **Package** phpPoA2

```
KEY_INDEX = "INDEX" [line 30]  
KEY_INVALIDATION_TIME = 30 [line 27]
```

- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.5
- **Copyright** Copyright 2005-2012 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **License** [GNU General Public License](#)

SessionDB.php

- **Package** phpPoA2
- **Author** Candido Rodriguez < candido.rodriguez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

Class DBADB

[*line* [31](#)]

Berkeley DB backend.

- **Package** phpPoA2
- **Sub-Package** GenericDatabaseHandlers

DBADB::\$mandatory_options

mixed = array("DBFile") [[line 33](#)]

- **Access** protected

void function DBADB::check(\$key) [[line 47](#)]

Function Parameters:

- **\$key**

- **Access** public

void function DBADB::close() [[line 78](#)]

- **Access** public

void function DBADB::configure() [[line 35](#)]

- **Access** protected

void function DBADB::delete(\$key) [[line 71](#)]

Function Parameters:

- **\$key**

- **Access** public

void function DBADB::fetch(\$key) [[line 57](#)]

Function Parameters:

- **\$key**

- **Access** public

void function DBADB::fetch_all() [[line 61](#)]

- **Access** public

void function DBADB::open() [[line 42](#)]

- **Access** public

void function DBADB::replace(\$key, \$value) [[line 51](#)]

Function Parameters:

- **\$key**
- **\$value**

- **Access** public

Class GenericDB

[line [31](#)]

Provides the basic operations and defines the interface of any DB operating class.

- **Package** phpPoA2
- **Sub-Package** GenericDatabaseHandlers
- **Abstract Element**

GenericDB::\$cfg

mixed = [line [33](#)]

- **Access** protected

GenericDB::\$db

mixed = [line [35](#)]

- **Access** protected

GenericDB::\$error

mixed = null [line [34](#)]

- **Access** protected

GenericDB::\$mandatory_options

mixed = array() [[line 36](#)]

- **Access** protected

Constructor *void* function GenericDB::__construct(\$cfg) [[line 42](#)]

Function Parameters:

- *cfg* **\$cfg** A *Configurator object with the current configuration.

Main constructor.

- **Access** public

boolean function GenericDB::check(\$key) [[line 76](#)]

Function Parameters:

- *key* **\$key** The key to look for.

Checks if the specified key exists in the database.

- **Abstract Element**
- **Access** public

boolean function GenericDB::close() [[line 69](#)]

Closes the database.

- **Abstract Element**
- **Access** public

boolean function GenericDB::configure() [[line 54](#)]

Configure the database handler.

- **Access** protected

boolean function GenericDB::delete(\$key) [[line 105](#)]

Function Parameters:

- *key* **\$key** The key to remove.

Removes the specified key from the database.

- **Abstract Element**
- **Access** public

mixed|boolean function GenericDB::fetch(\$key) [[line 92](#)]

Function Parameters:

- *key* **\$key** The key to look for.

Gets the value of the specified key.

- **Abstract Element**
- **Access** public

array function GenericDB::fetch_all() [[line 98](#)]

Gets all the contents stored in the database.

- **Abstract Element**
- **Access** public

boolean function GenericDB::open() [[line 63](#)]

Opens the database.

- **Abstract Element**
- **Access** public

boolean function GenericDB::replace(\$key, \$value) [[line 85](#)]

Function Parameters:

- *key* **\$key** The key to replace.
- *value* **\$value** The new value for the specified key.

Replaces the specified key with a new value. If the key does not exist previously, it will be created.

- **Abstract Element**
- **Access** public

Class GenericMySQLDB

[[line 32](#)]

Generic MySQL database class.

- **Package** phpPoA2
- **Sub-Package** GenericDatabaseHandlers
- **Abstract Element**

GenericMySQLDB::\$create_sql

mixed = [[line 38](#)]

- **Access** protected

GenericMySQLDB::\$delete_sql

mixed = [[line 38](#)]

- **Access** protected

GenericMySQLDB::\$insert_sql

mixed = [[line 38](#)]

- **Access** protected

GenericMySQLDB::\$mandatory_options

```
mixed = array("DBHost",  
              "DBUser",  
              "DBPassword",  
              "DBName") [line 34]
```

- **Access** protected

GenericMySQLDB::\$prefix

```
mixed = [line 39]
```

- **Access** protected

GenericMySQLDB::\$search_all_sql

```
mixed = [line 38]
```

- **Access** protected

GenericMySQLDB::\$search_sql

```
mixed = [line 38]
```

- **Access** protected

GenericMySQLDB::\$update_sql

```
mixed = [line 38]
```


- **Access** protected

void function GenericMySQLDB::check(\$key) [[line 62](#)]

Function Parameters:

- **\$key**

void function GenericMySQLDB::close() [[line 95](#)]

void function GenericMySQLDB::configure() [[line 41](#)]

- **Access** protected

void function GenericMySQLDB::delete(\$key) [[line 90](#)]

Function Parameters:

- **\$key**

void function GenericMySQLDB::fetch(\$key) [[line 78](#)]

Function Parameters:

- **\$key**

void function GenericMySQLDB::fetch_all() [[line 84](#)]

void function GenericMySQLDB::getError() [[line 58](#)]

void function GenericMySQLDB::open() [[line 48](#)]

void function GenericMySQLDB::replace(\$key, \$value) [[line 68](#)]

Function Parameters:

- **\$key**
- **\$value**

Class MemcachedDB

[line 37]

Memcached NOSQL database backend.

- **Package** phpPoA2
- **Sub-Package** GenericDatabaseHandlers

MemcachedDB::\$expire_time

mixed = 0 [line 43]

- **Access** protected

MemcachedDB::\$mandatory_options

mixed = array("DBServers",
"DBPrefix") [line 39]

- **Access** protected

MemcachedDB::\$mc

mixed = [line 42]

- **Access** protected

void function MemcachedDB::check(\$key) [line 64]

Function Parameters:

- **\$key**
-
- **Access** public

void function MemcachedDB::close() [line 112]

- **Access** public

void function MemcachedDB::configure() [line 45]

- **Access** protected

void function MemcachedDB::delete(\$key) [line 102]

Function Parameters:

- **\$key**
-
- **Access** public

void function MemcachedDB::fetch(\$key) [line 79]

Function Parameters:

- **\$key**

- **Access** public

void function MemcachedDB::fetch_all() [*line 83*]

- **Access** public

void function MemcachedDB::open() [*line 52*]

- **Access** public

void function MemcachedDB::replace(\$key, \$value) [*line 69*]

Function Parameters:

- **\$key**
- **\$value**

- **Access** public

Class SessionDB

[*line [33](#)*]

Session database backend.

WARNING: please note that PHP only allows one session at a time, so using this backend will break any applications that make use of sessions beneath.

- **Package** phpPoA2
- **Sub-Package** GenericDatabaseHandlers

SessionDB::\$session_name

mixed = "session_db" [[line 35](#)]

- **Access** protected

void function SessionDB::check(\$key) [[line 41](#)]

Function Parameters:

- **\$key**

- **Access** public

void function SessionDB::close() [[line 99](#)]

- **Access** public

void function SessionDB::delete(\$key) [[line 83](#)]

Function Parameters:

- **\$key**

- **Access** public

void function SessionDB::fetch(\$key) [*line* [63](#)]

Function Parameters:

- **\$key**

- **Access** public

void function SessionDB::fetch_all() [*line* [73](#)]

- **Access** public

void function SessionDB::open() [*line* [37](#)]

- **Access** public

void function SessionDB::replace(\$key, \$value) [*line* [52](#)]

Function Parameters:

- **\$key**
- **\$value**

- **Access** public

messages-en_EN.php

- **Package** phpPoA2
- **Sub-Package** Internationalization
- **Author** Jaime Perez < jaime.perez@rediris.es >
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

\$messages

```
array = array(
'fatal-error'      => 'Fatal error',
'error-desc'       => 'There was an unexpected error. Please contact the administrator and specify
the session identifier and backtrace as shown below.',
'error-message'    => 'Error message',
'session-id'       => 'Session identifier',
'backtrace'        => 'Backtrace',

'invalid-php-version' => 'Invalid PHP version. PAPI extension requires at least PHP %s.',
'extension-required' => 'Extension "%s" is required, but it is not loaded.',
'library-required'  => 'Library "%s" is required, but it cannot be found.',
'authenticating-via' => 'Authenticating via the "%s" engine.',
'authorize-user-via' => 'Authorizing user "%s" via the
"%s" engine.',
'query-authz'       => 'Querying for authorization with all available engines.',
'query-authz-via'   => 'Querying for authorization with "%s".',
'authz-engine-err'  => 'Cannot run unknown authorization engine "%s", check
your configuration file.',
'authz-levels-err'  => 'No authorization levels defined for this PoA.'
```


'authn-engine-err' => 'No authentication engine found, check your configuration file.',
 'check-authn-status' => 'Checking current authentication status via the %s engine.',
 'invalid-config' => 'Invalid configuration object.',
 'config-not-found' => 'Cannot configure PoA, configuration file "%s" not found.',
 'config-err-php' => 'Cannot configure PoA, "\${%1\$s}" or "\${%1\$s}[%2\$s]" not set.',
 'config-err-ini' => 'Cannot configure PoA, "%s" section not found.',
 'config-param-err' => 'Cannot configure PoA, "%s" param not found.',
 'cannot-open-log' => 'Cannot open log file "%s".',
 'cannot-write-log' => 'Cannot write log file "%s".',
 'class-not-found' => 'Cannot find class "%s".',
 'authn-success' => 'Successful authentication with the "%s" engine.',
 'authn-err' => 'Authentication error.',
 'authz-err' => 'User "%s" not authorized.',
 'authz-expired' => 'Authorization has expired for user "%s".',
 'authz-default-fallback' => 'Cannot make any authorization decision, falling to default fallback.',
 'valid-cookie' => 'The cookie is valid',
 'cookie-not-found' => 'Cannot find cookie "%s".',
 'cookie-location-err' => 'Invalid cookie location: "%s".',
 'cookie-service-err' => 'Service ID "%s" does not match for cookie, should be "%s".',
 'cookie-expired-err' => 'Expired cookie.',
 'cookie-rejected-err' => 'Assertion matches rejection cookie filter "%s".',
 'cannot-set-cookie' => 'Cannot set cookie. Please check no output was already sent to the browser.',
 'empty-cookie-err' => 'Empty cookie "%s" found.',
 'empty-response-err' => 'Empty AS/GPoA response.',
 'pubkey-error' => 'Cannot read public key from file "%s".',
 'cannot-decrypt' => 'Cannot decrypt response, please check AS/GPoA public key.',
 'valid-response' => 'AS/GPoA response authenticates assertion "%s".',
 'expired-response' => 'AS/GPoA response is expired.',
 'unknown-request' => 'AS/GPoA response received for an unknown request.',
 'req-db-purged' => 'Purged %d outdated requests from the database.',
 'redirecting' => 'Redirecting the user to "%s".',
 'cannot-redirect' => 'Cannot redirect the user.',
 'cannot-save-request' => 'Cannot save the original request.',
 'cannot-open-req-db' => 'Cannot open request database.',
 'cannot-open-authz-db' => 'Cannot open authorized database.',
 'cannot-open-inv-db' => 'Cannot open invitations database.',
 'cannot-fetch-key' => 'Cannot find database key "%s".',
 'cannot-del-key' => 'Cannot delete database key "%s".',
 'as-id-error' => 'Authentication Server identifier "%s" does not match with expected "%s".',
 'continue' => 'Continue',
 'source-ip-allowed' => 'The source IP "%s" matches allowed filter "%s".',
 'source-ip-denied' => 'The source IP "%s" matches denial filter "%s".',
 'invalid-hook' => 'Trying to set hook "%s" with an invalid function or method.',
 'running-hook' => 'Running hook "%s" for "%s".',
 'add-hook' => 'Adding hook "%s" for "%s".',
 'remove-hook' => 'Removing hook "%s" for "%s".',
 'hook-error' => 'Invalid hook "%s".',
 'allowed-param-match' => 'The following request parameters are allowed: [%s].',
 'denied-param-match' => 'The following request parameters are denied: [%s].',
 'allowed-attr-match' => 'The following user attributes are allowed: [%s].',
 'denied-attr-match' => 'The following user attributes are denied: [%s].',

```

'invite-non-existent' => 'Cannot find invitation with reference "%.".',
'missing-attrs'      => 'None of the mandatory attributes were found.',
'missing-mail-attr'  => 'Cannot find "%." attribute, e-mail verification failed.',
'mail-attr-err'      => 'Email verification attribute unset or empty, verification failed.',
'mail-attr-alg-err'  => 'Cannot extract the algorithm from the attribute "%." with
value "%.".',
'mail-attr-val-err'  => 'Cannot extract the e-mail verification string from the attribute
"%." with value "%.".',
'mail-verify-err'    => 'Cannot verify e-mail "%.", cannot match any of the
received values.',
'mail-verify-ok'     => 'Verification success for e-mail "%." with algorithm
"%." and value "%.".',
'cannot-authorize'   => 'Cannot authorize user "%.".',
'cannot-del-invite'  => 'Cannot remove invite for user "%." with reference
"%.".',
'invite-sent-to'     => 'Invite sent to address "%.".',
'user-authorized'    => 'User "%." is now authorized.',
'user-authz-ok'      => 'User "%." is authorized.',
'user-authz-err'     => 'User "%." is not authorized.',
'user-already-authz' => 'User "%." is already authorized.',
'slo-conf-error'     => 'Cannot perform single logout, please review configuration.',
'already-logged-out' => 'User was not authenticated.',
'local-logout-success' => 'User was successfully logged out.',
'slo-logout'        => 'Single logout requested.',
'slo-requested'     => 'User requested single logout.',
) [line 42]

```

An array with all the internationalized messages used by phpPoA2.

- **Name** \$messages

messages-es_ES.php

- **Package** phpPoA2
- **Sub-Package** Internationalization
- **Author** Jaime Perez < jaime.perez@rediris.es >
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

AuthorizedDB.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

AuthorizedDBADB.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

AuthorizedMemcachedDB.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.5
- **Copyright** Copyright 2005-2011 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

InviteAuthzEngine.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

AUTHORIZED_DBA = 'AuthorizedDBADB' [[line 32](#)]

AUTHORIZED_MYSQL = 'AuthorizedMySQLDB' [[line 33](#)]

AUTHORIZED_SESSION = 'AuthorizedSessionDB' [[line 34](#)]

INVITES_BEFORE_AUTHORIZATION = "INVITES_BEFORE_AUTHORIZATION" [[line 48](#)]

This hook is executed right before it is checked whether the user was invited or not to continue with authorization.

It can be used to trick the engine to believe the user was previously invited (and therefore forcing authorization). The hook receives a boolean parameter representing whether the referenced invitation was found or not.

```
function invitesBeforeAuthorization(&$invite_exists);
```

Please bear in mind that hooks must return TRUE or they'll keep other hooks from executing.

INVITES_DBA = 'InviteDBADB' [[line 29](#)]

Supported database types.

```
INVITES_MYSQL = 'InviteMySQLDB' [line 30]  
INVITES_SESSION = 'InviteSessionDB' [line 31]
```


InviteConfigurator.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.5
- **Copyright** Copyright 2005-2012 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

InviteDB.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

InviteDBADB.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

InviteMemcachedDB.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.5
- **Copyright** Copyright 2005-2012 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

papi1.5-invite-authz.php

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Package** phpPoA2
- **Sub-Package** InviteAuthorizationEngine
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

include ["./PoA.php"](#)*[line 10]*

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

Class AuthorizedDB

[line 31]

Generic interface for a PAPI request database.

- **Package** phpPoA2
- **Sub-Package** InviteAuthorizationEngine

void function AuthorizedDB::replace_authorization(\$alias, \$attributes, \$email, \$expires) [[line 33](#)]

Function Parameters:

- **\$alias**
- **\$attributes**
- **\$email**
- **\$expires**

- **Access** public

Class AuthorizedDBADB

[[line 31](#)]

Authorization lists binding to a Berkeley DB backend.

- **Package** phpPoA2
- **Sub-Package** InviteAuthorizationEngine

AuthorizedDBADB::\$authorized

mixed = [[line 33](#)]

- **Access** protected

AuthorizedDBADB::\$mandatory_options

mixed = array("AuthorizedDBFile") [*line 34*]

- **Access** protected

void function AuthorizedDBADB::fetch(\$key) [*line 51*]

Function Parameters:

- **\$key**

- **Access** public

void function AuthorizedDBADB::fetch_all() [*line 61*]

- **Access** public

void function AuthorizedDBADB::open() [*line 36*]

- **Access** public

void function AuthorizedDBADB::replace_authorization(\$alias, \$attributes, \$email, \$expires) [*line 41*]

Function Parameters:

- **\$alias**
- **\$attributes**
- **\$email**
- **\$expires**

- **Access** public

Class AuthorizedMemcachedDB

[line [31](#)]

Authorization lists binding to a Berkeley DB backend.

- **Package** phpPoA2
- **Sub-Package** InviteAuthorizationEngine

AuthorizedMemcachedDB::\$authorized

mixed = [line [33](#)]

- **Access** protected

void function AuthorizedMemcachedDB::open() [line [35](#)]

- **Access** public

void function AuthorizedMemcachedDB::replace_authorization(\$alias, \$attributes, \$email, \$expires) [line [46](#)]

Function Parameters:

- **\$alias**
- **\$attributes**
- **\$email**
- **\$expires**

- **Access** public

Class InviteAuthzEngine

[line 55]

Invitation based authorization engine.

- **Package** phpPoA2
- **Sub-Package** InviteAuthorizationEngine
- **Author** Jaime Perez < jaime.perez@rediris.es >
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

InviteAuthzEngine::\$authz_db

mixed = [line [57](#)]

- **Access** protected

InviteAuthzEngine::\$invites_db

mixed = [line [58](#)]

- **Access** protected

InviteAuthzEngine::\$valid_hooks

mixed = array(INVITES_BEFORE_AUTHORIZATION) [line [59](#)]

- **Access** protected

boolean function InviteAuthzEngine::authorize(\$user, \$attrs, \$ref, [\$expires = 0]) [line [178](#)]

Function Parameters:

- *user* **\$user**
- *attrs* **\$attrs**
- *ref* **\$ref**
- *expires* **\$expires**

Authorize the specified user.

- **Access** public

void function InviteAuthzEngine::configure(\$file, \$section) [[line 66](#)]

Function Parameters:

- *file* **\$file** The configuration file.
- *section* **\$section** The section of the configuration file to use.

Configure the authorization engine.

- **Access** public

boolean function InviteAuthzEngine::emailVerify(\$mail, \$attrs) [[line 386](#)]

Function Parameters:

- *mail* **\$mail** The e-mail of the user.
- *attrs* **\$attrs** The array of attributes of the user.

Perform e-mail verification for the current user according to the configuration for this site.

- **Access** protected

void function InviteAuthzEngine::finish(\$value) [[line 460](#)]

Function Parameters:

- *value* **\$value** The value that must be returned. @return mixed The first param.

Close databases and return the same value received as a parameter.

- **Access** protected

array function InviteAuthzEngine::getAuthorizedList() [*line* [141](#)]

Get a list of all authorized users.

- **Access** public

array function InviteAuthzEngine::getPendingInvites() [*line* [158](#)]

Get a list of all pending invitations.

- **Access** public

boolean function InviteAuthzEngine::invite(\$mail, [\$expires = 0]) [*line* [325](#)]

Function Parameters:

- *mail* **\$mail** The e-mail of the user.
- *expires* **\$expires** The time (POSIX) when authorization will expire. Use 0 if authorization should never expire. Defaults to 0.

Send an invitation to an e-mail address (that is, send an e-mail to that address with instructions on how to get authorized and an URL to follow).

- **Access** public

boolean function InviteAuthzEngine::isAuthorized(\$user, \$attrs) [*line* [88](#)]

Function Parameters:

- *user* **\$user** The name of the user to check authorization for.
- *attrs* **\$attrs** The attributes of the user to match his identity.

Check if the specified user is authorized with the given attributes.

- **Access** public

boolean function InviteAuthzEngine::removeInvite(\$ref) [*line* [365](#)]

Function Parameters:

- *ref* **\$ref** The reference to the invite to remove.

Remove an invitation from the database.

- **Access** public

boolean function InviteAuthzEngine::revoke(\$mail) [*line* [291](#)]

Function Parameters:

- **\$mail**

Revoke authorization for the specified user.

- **Access** public

Class InviteConfigurator

[line 31]

Configurator for the Invitation based authorization engine.

- **Package** phpPoA2
- **Sub-Package** InviteAuthorizationEngine
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

InviteConfigurator::\$mandatory_options

```
mixed = array('InvitesDBType',
               'AuthorizedDBType',
               'AdminEmail',
               'InviteURL',
```

'InviteText',
'InviteSubject',
'UniqueAttributes') [[line 33](#)]

- **Access** protected

void function InviteConfigurator::doEmailVerify() [[line 113](#)]

- **Access** public

string function InviteConfigurator::getAdminEmail() [[line 45](#)]

Returns

- **Access** public

string function InviteConfigurator::getAuthorizedDBFile() [[line 204](#)]

Returns

- **Access** public

string function InviteConfigurator::getAuthorizedDBHost() [[line 212](#)]

Returns

- **Access** public

integer function InviteConfigurator::getAuthorizedDBKeyExpirationTimeout() [[line 252](#)]

- **Access** public

string function InviteConfigurator::getAuthorizedDBName() [[line 236](#)]

Returns

- **Access** public

string function InviteConfigurator::getAuthorizedDBPassword() [[line 228](#)]

Returns

- **Access** public

array(hostname, function InviteConfigurator::getAuthorizedDBServers()) [[line 244](#)]

- **Access** public

integer function InviteConfigurator::getAuthorizedDBType() [[line 196](#)]

Returns

- **Access** public

string function InviteConfigurator::getAuthorizedDBUser() [[line 220](#)]

Returns

- **Access** public

void function InviteConfigurator::getEmailVerifyAlgRegEx() [*line* [102](#)]

- **Access** public

void function InviteConfigurator::getEmailVerifyAttribute() [*line* [80](#)]

- **Access** public

void function InviteConfigurator::getEmailVerifyRegEx() [*line* [91](#)]

- **Access** public

string function InviteConfigurator::getInvitesDBFile() [*line* [140](#)]

Returns

- **Access** public

string function InviteConfigurator::getInvitesDBHost() [*line* [148](#)]

Returns

- **Access** public

integer function InviteConfigurator::getInvitesDBKeyExpirationTimeout() [*line [188](#)*]

- **Access** public

string function InviteConfigurator::getInvitesDBName() [*line [172](#)*]

Returns

- **Access** public

string function InviteConfigurator::getInvitesDBPassword() [*line [164](#)*]

Returns

- **Access** public

*array(hostname, function InviteConfigurator::getInvitesDBServers() [*line [180](#)*]*

- **Access** public

integer function InviteConfigurator::getInvitesDBType() [*line [132](#)*]

Returns

- **Access** public

string function InviteConfigurator::getInvitesDBUser() [*line* [156](#)]

Returns

- **Access** public

string function InviteConfigurator::getInviteSubject() [*line* [61](#)]

Returns

- **Access** public

string function InviteConfigurator::getInviteText() [*line* [53](#)]

Returns

- **Access** public

string function InviteConfigurator::getInviteURL() [*line* [124](#)]

Returns

- **Access** public

array function InviteConfigurator::getUniqueAttributes() [*line* [69](#)]

Returns

- **Access** public

Class InviteDB

[line [31](#)]

Generic interface for a database of invites.

- **Package** phpPoA2
- **Sub-Package** InviteAuthorizationEngine

void function InviteDB::replace_invite(\$key, \$email, \$expires) *[line [33](#)]*

Function Parameters:

- **\$key**
- **\$email**
- **\$expires**

- **Access** public

Class InviteDBADB

[line [31](#)]

Invites binding to a Berkeley DB backend.

- **Package** phpPoA2
- **Sub-Package** InviteAuthorizationEngine

InviteDBADB::\$invite

mixed = [line [33](#)]

- **Access** protected

InviteDBADB::\$mandatory_options

mixed = array("InvitesDBFile") [line [34](#)]

- **Access** protected

void function InviteDBADB::fetch(\$key) [line [49](#)]

Function Parameters:

- **\$key**

- **Access** public

void function InviteDBADB::fetch_all() [line [59](#)]

- **Access** public

void function InviteDBADB::open() [[line 36](#)]

- **Access** public

void function InviteDBADB::replace_invite(\$key, \$email, \$expires) [[line 41](#)]

Function Parameters:

- **\$key**
- **\$email**
- **\$expires**

- **Access** public

Class InviteMemcachedDB

[[line 31](#)]

Invites binding to a Berkeley DB backend.

- **Package** phpPoA2
- **Sub-Package** InviteAuthorizationEngine

InviteMemcachedDB::\$invite

mixed = [[line 33](#)]

- **Access** protected

InviteMemcachedDB::\$mandatory_options

mixed = array("InvitesDBFile") [*line* [34](#)]

- **Access** protected

void function InviteMemcachedDB::fetch(\$key) [*line* [49](#)]

Function Parameters:

- **\$key**

- **Access** public

void function InviteMemcachedDB::fetch_all() [*line* [59](#)]

- **Access** public

void function InviteMemcachedDB::open() [*line* [36](#)]

- **Access** public

void function InviteMemcachedDB::replace_invite(\$key, \$email, \$expires) [*line* [41](#)]

Function Parameters:

- **\$key**

- **\$email**
- **\$expires**

- **Access public**

OpenIDConfigurator.php

- **Package** phpPoA2
- **Author** Miguel Macías < miguel.macias@upv.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

Class OpenIDConfigurator

[line [31](#)]

Configurator class for the OpenID Authentication Engine.

- **Package** phpPoA2
- **Sub-Package** OpenIDAuthenticationEngine

OpenIDConfigurator::\$mandatory_options

mixed = array('Providers') [[line 33](#)]

- **Access** protected

string function OpenIDConfigurator::getLoginURL() [[line 39](#)]

- **Access** public

string function OpenIDConfigurator::getLogoutURL() [[line 47](#)]

- **Access** public

array function OpenIDConfigurator::getProviders() [[line 62](#)]

- **Access** public

boolean function OpenIDConfigurator::isAutoLogin() [[line 54](#)]

- **Access** public

OpenIDAuthnEngine.php

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Package** phpPoA2
- **Author** Miguel Macías < miguel.macias@upv.es >
- **Version** 2.0
- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

Class OpenIDAuthnEngine

[line 31]

Authentication engine for the OpenID protocol.

PLEASE NOTE THAT THIS ENGINE WORKS ONLY FOR WEB-BASED APPLICATIONS.

- **Package** phpPoA2
- **Sub-Package** OpenIDAuthnEngine

OpenIDAuthnEngine::\$attributes

mixed = [line [35](#)]

- **Access** protected

OpenIDAuthnEngine::\$lOpenID

mixed = [line [33](#)]

- **Access** protected

OpenIDAuthnEngine::\$reqAttributes

```
mixed = array (  
    'namePerson/friendly' => 'nickname',  
    'contact/email'      => 'email'  
) [line 38]
```

- **Access** protected

OpenIDAuthnEngine::\$status

mixed = [line [34](#)]

- **Access** protected

Constructor *void* function OpenIDAuthnEngine::__construct(\$file, \$site) [line [43](#)]

Function Parameters:

- **\$file**
- **\$site**

- **Access** public

void function OpenIDAuthnEngine::authenticate() [*line* [60](#)]

- **Access** public

void function OpenIDAuthnEngine::configure(\$file, \$site) [*line* [56](#)]

Function Parameters:

- **\$file**
- **\$site**

- **Access** public

void function OpenIDAuthnEngine::getAttribute(\$name, [\$namespace = null]) [*line* [124](#)]

Function Parameters:

- **\$name**
- **\$namespace**

- **Access** public

void function OpenIDAuthnEngine::getAttributes() [*line* [120](#)]

- **Access** public

void function OpenIDAuthnEngine::isAuthenticated() [*line* [116](#)]

- **Access** public

void function OpenIDAuthnEngine::logout([\$slo = false]) [*line* [132](#)]

Function Parameters:

- **\$slo**

- **Access** public

PAPIAuthnEngine.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.5
- **Copyright** Copyright 2005-2012 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

ATTR_SEPARATOR = "," *[line 29]*

Default assertion delimiters for standard PAPI 1.5 protocol.

NAMEVALUE_SEPARATOR = "=" *[line 31]*

NS_PAPI_ATTRIBUTES = 'urn:mace:rediris.es:papi:attributes' *[line 45]*

NS_PAPI_PROTOCOL = 'urn:mace:rediris.es:papi:protocol' *[line 44]*

Supported namespaces for attributes.

PAPI_ATTRIBUTE_PARSER = "PAPI_ATTRIBUTE_PARSER" *[line 105]*

This hook is executed when returning the attributes found for a user with `getAttributes()` method. It receives a string with the attributes and the array that results of proccessing the string. Functions for this hook must be defined like this:
`function attributeParser($assertion, &$attributes);`

Please bear in mind that hooks must return TRUE or they'll keep other hooks from executing.

PAPI_CLEAN_URL = "PAPI_CLEAN_URL" *[line 94]*

This hook is executed when a valid response is found from the AS/GPoA and the engine is about

to end the authentication result. It receives a boolean value that determines if the URL should be cleaned by means of a redirection to the initial URL. Functions for this hook must be defined like this:

```
function cleanURLHook(&$clean);
```

Please bear in mind that hooks must return TRUE or they'll keep other hooks from executing.

PAPI_DBA = 'PAPIDBADB' *[line 36]*

Supported database types.

PAPI_MEMCACHED = 'PAPIMemcachedDB' *[line 39]*

PAPI_MYSQL = 'PAPIMySQLDB' *[line 37]*

PAPI_REDIRECT_URL_FINISH = "PAPI_REDIRECT_URL_FINISH" *[line 71]*

This hook is executed at the end of the method that returns the URL where to redirect a user.

It can be used to alter parameters in the URL. The hook receives an array of parameters which should be directly modified. Functions for this hook must be defined like this:

```
function redirectURLFinishHook(&$params);
```

Please bear in mind that hooks must return TRUE or they'll keep other hooks from executing.

PAPI_RESTORE_ORIGINAL_REQUEST = "PAPI_RESTORE_ORIGINAL_REQUEST" *[line 82]*

This hook is executed when a valid response is found from the AS/GPoA and the original request of the user is about to be restored. It receives an array with the main PHP global variables of the original context. Functions for this hook must be defined like this:

```
function restoreOriginalRequestHook(&$env);
```

Please bear in mind that hooks must return TRUE or they'll keep other hooks from executing.

PAPI_SESSION = 'PAPISessionDB' *[line 38]*

PROTO_ATTR_ASSERTION = '__assertion' *[line 55]*

PROTO_ATTR_AS_ID = '__asid' *[line 52]*

PROTO_ATTR_EXPIRE_TIME = '__expiretime' *[line 54]*

PROTO_ATTR_KEY = '__key' *[line 53]*

PROTO_ATTR_PREFIX = '_papi_' *[line 51]*

Prefix for operational attributes inside the protocol and special attributes names.

REQUEST_LIFETIME = 300 [*line* [60](#)]

Default timeout for stored requests.

VALUE_SEPARATOR = "|" [*line* [30](#)]

PAPIConfigurator.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.5
- **Copyright** Copyright 2005-2012 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

PAPIDB.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

PAPIDBADB.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

PAPIMemcachedDB.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.5
- **Copyright** Copyright 2005-2012 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

PAPIMySQLDB.php

- **Package** phpPoA2

PAPI_DB_TABLE = 'requests' *[line 26]*

- **Author** Jaime Perez < jaime.perez@rediris.es >
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **License** [GNU General Public License](#)

PAPISessionDB.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

papi1.5-authn-attr.php

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Package** phpPoA2
- **Sub-Package** PAPIAuthenticationEngine
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

include ["./PoA.php"](#)*[line 10]*

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

papi1.5-customattr.php

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Package** phpPoA2
- **Sub-Package** PAPIAuthenticationEngine
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

void function handler(\$assertion, &\$attributes) [*line 20*]

Function Parameters:

- **\$assertion**
- **&\$attributes**

include ["./PoA.php"](#) [*line 10*]

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

papi1.5-papiopoa-hook.php

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Package** phpPoA2
- **Sub-Package** PAPIAuthenticationEngine
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

void function hook(&\$params) [*line* [14](#)]

Function Parameters:

- **&\$params**

include ["./PoA.php"](#) [*line* [10](#)]

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

Class AttributeHandler

[*line* [25](#)]

- **Package** phpPoA2

- **Sub-Package** PAPIAuthenticationEngine

void function AttributeHandler::handle(\$assertion, &\$attributes) [*line* [27](#)]

Function Parameters:

- **\$assertion**
- **&\$attributes**

- **Access** public

Class Example

[*line* [20](#)]

- **Package** phpPoA2
- **Sub-Package** PAPIAuthenticationEngine

void function Example::hook(&\$clean) [*line* [21](#)]

Function Parameters:

- **&\$clean**

- **Access** public

Class PAPIAuthnEngine

[[line 113](#)]

Authentication engine for the PAPI 1.5 protocol.

PLEASE NOTE THAT THIS ENGINE WORKS ONLY FOR WEB-BASED APPLICATIONS.

- **Package** phpPoA2
- **Sub-Package** PAPIAuthenticationEngine

PAPIAuthnEngine::\$assertion

mixed = [[line 115](#)]

- **Access** protected

PAPIAuthnEngine::\$as_id

mixed = [[line 119](#)]

- **Access** protected

PAPIAuthnEngine::\$attributes

mixed = [[line 118](#)]

- **Access** protected

PAPIAuthnEngine::\$cfg

mixed = [[line 126](#)]

- **Access** protected

PAPIAuthnEngine::\$clean_url

mixed = true [[line 128](#)]

- **Access** protected

PAPIAuthnEngine::\$cookie_name

mixed = "PAPILcook_" [[line 130](#)]

- **Access** protected

PAPIAuthnEngine::\$crypto

mixed = [[line 127](#)]

- **Access** protected

PAPIAuthnEngine::\$db

mixed = [[line 124](#)]

- **Access** protected

PAPIAuthnEngine::\$enforcing

mixed = true [[line 131](#)]

- **Access** protected

PAPIAuthnEngine::\$expiration_time

mixed = false [[line 117](#)]

- **Access** protected

PAPIAuthnEngine::\$global_expire_time

mixed = [[line 123](#)]

- **Access** protected

PAPIAuthnEngine::\$id

mixed = [[line 125](#)]

- **Access** protected

PAPIAuthnEngine::\$key

mixed = [[line 120](#)]

- **Access** protected

PAPIAuthnEngine::\$lkey

mixed = [line [121](#)]

- **Access** protected

PAPIAuthnEngine::\$opoa

mixed = "http" [line [132](#)]

- **Access** protected

PAPIAuthnEngine::\$pkey

mixed = [line [122](#)]

- **Access** protected

PAPIAuthnEngine::\$skip_redirection

mixed = false [line [129](#)]

- **Access** protected

PAPIAuthnEngine::\$status

mixed = [line [116](#)]

- **Access** protected

PAPIAuthnEngine::\$valid_hooks

```
mixed = array(PAPI_REDIRECT_URL_FINISH,  
              PAPI_RESTORE_ORIGINAL_REQUEST,  
              PAPI_CLEAN_URL,  
              PAPI_ATTRIBUTE_PARSER) [line 133]
```

- **Access** protected

void function PAPIAuthnEngine::attributeQuery(\$name) [*line 406*]

Function Parameters:

- **\$name**

- **Access** protected

void function PAPIAuthnEngine::authenticate() [*line 170*]

- **Access** public

void function PAPIAuthnEngine::configure(\$file, \$section) [*line 138*]

Function Parameters:

- **\$file**
- **\$section**

- **Access** public

true function PAPIAuthnEngine::deleteCookie() [*line* [461](#)]

Delete the current cookie, if any.

- **Access** protected

boolean function PAPIAuthnEngine::deleteRequest(\$key) [*line* [759](#)]

Function Parameters:

- *key* **\$key** The key that identifies the request.

Delete a request from the request database.

- **Access** protected

void function PAPIAuthnEngine::getAttribute(\$name, [\$namespace = NS_PAPI_ATTRIBUTES]) [*line* [338](#)]

Function Parameters:

- **\$name**
- **\$namespace**

- **Access** public

void function PAPIAuthnEngine::getAttributes() [[line 310](#)]

- **Access** public

string function PAPIAuthnEngine::getNewCookie() [[line 784](#)]

Generate a new cookie for the current user.

- **Access** protected

string function PAPIAuthnEngine::getRedirectLocation() [[line 604](#)]

Retrieve the URL where to redirect a user and store his request.

- **Access** protected

string function PAPIAuthnEngine::getSingleLogoutLocation() [[line 562](#)]

Retrieve the URL where to redirect a user to perform a single logout.

- **Access** protected

string function PAPIAuthnEngine::getSingleLogoutResponseLocation() [[line 587](#)]

Retrieve the URL where to redirect a user once he has successfully logged out.

- **Access** protected

void function PAPIAuthnEngine::isAuthenticated() [*line* [300](#)]

- **Access** public

boolean function PAPIAuthnEngine::isSafe() [*line* [796](#)]

Determines if it's safe to assume the user as authenticated.

- **Access** protected

hash function PAPIAuthnEngine::loadRequest(\$key) [*line* [703](#)]

Function Parameters:

- **key** **\$key** The key that identifies the request.

Load a request from the request database.

- **Access** protected

void function PAPIAuthnEngine::logout([\$slo = false]) [*line* [371](#)]

Function Parameters:

- **\$slo**

- **Access** public

`void` function PAPIAuthnEngine::redirect([\$location = ""]) [[line 542](#)]

Function Parameters:

- *location* **\$location** If set, the location where to redirect the user. If not, defaults are used.

Redirect user browser to the appropriate URL for authentication.

WARNING: This method ends execution.

- **Access** protected

string/boolean function PAPIAuthnEngine::saveRequest(\$key, \$hli) [[line 674](#)]

Function Parameters:

- *key* **\$key** The key identifier for this request.
- *hli* **\$hli** The home locator identifier that should be used for this request.

Save a request to the request database. The request includes: \$_REQUEST, \$_GET, \$_POST, \$_SERVER['QUERY_STRING'], \$_SERVER['REQUEST_METHOD'] and php://input.

- **Access** protected

boolean function PAPIAuthnEngine::testCookie([\$name = ""]) [[line 418](#)]

Function Parameters:

- *cookie* **\$name** The cookie.

Check if a cookie is valid.

- **Access** protected

boolean function PAPIAuthnEngine::testResponse(\$data, \$pubkey) [*line* [483](#)]

Function Parameters:

- *data* **\$data** The data received.
- *key* **\$pubkey** The public key of the AS/GPoA.

Check the response from the AS/GPoA.

- **Access** protected

Class PAPIConfigurator

[*line* [31](#)]

Configurator class for the PAPI Authentication Engine.

- **Package** phpPoA2
- **Sub-Package** PAPIAuthenticationEngine

PAPIConfigurator::\$mandatory_options

```
mixed = array('Location',
               'CookieDomain',
               'LKey',
```

```
'PubKeyFile',  
'CookieTimeout',  
'DBType',  
'RedirectURL',  
'RedirectType') [line 33]
```

- **Access** protected

string function PAPIConfigurator::getCookieDomain() [[line 54](#)]

- **Access** public

integer function PAPIConfigurator::getCookieTimeout() [[line 78](#)]

- **Access** public

string function PAPIConfigurator::getDBFile() [[line 94](#)]

- **Access** public

string function PAPIConfigurator::getDBHost() [[line 102](#)]

- **Access** public

integer function PAPIConfigurator::getDBKeyExpirationTimeout() [[line 150](#)]

- **Access** public

string function PAPIConfigurator::getDBName() [[line 126](#)]

- **Access** public

string function PAPIConfigurator::getDBPassword() [[line 118](#)]

- **Access** public

string function PAPIConfigurator::getDBPrefix() [[line 134](#)]

- **Access** public

array(hostname, function PAPIConfigurator::getDBServers()) [[line 142](#)]

- **Access** public

integer function PAPIConfigurator::getDBType() [[line 86](#)]

- **Access** public

string function PAPIConfigurator::getDBUser() [[line 110](#)]

- **Access** public

string function PAPIConfigurator::getFriendlyName() [[line 201](#)]

- **Access** public

string function PAPIConfigurator::getHomeLocatorID() [*line [185](#)*]

- **Access** public

string function PAPIConfigurator::getID() [*line [193](#)*]

- **Access** public

string function PAPIConfigurator::getLKey() [*line [62](#)*]

- **Access** public

string function PAPIConfigurator::getLocation() [*line [46](#)*]

- **Access** public

string function PAPIConfigurator::getLogoutURL() [*line [209](#)*]

- **Access** public

string function PAPIConfigurator::getPubKeyFile() [*line [70](#)*]

- **Access** public

integer function PAPIConfigurator::getRedirectType() [*line [166](#)*]

- **Access** public

string function PAPIConfigurator::getRedirectURL() [*line 158*]

- **Access** public

seconds function PAPIConfigurator::getRequestLifetime() [*line 217*]

- **Access** public

Class PAPIDB

[*line 31*]

Generic interface for a PAPI request database.

- **Package** phpPoA2
- **Sub-Package** PAPIAuthenticationEngine

the function PAPIDB::purge(\$gap) [*line 41*]

Function Parameters:

- *gap* **\$gap** The maximum gap to consider a request outdated, between the time it was stored and the current time.

Purge the database of outdated requests.

- **Access** public

void function PAPIDB::replaceContents(\$key, \$get, \$post, \$request, \$query, \$method, \$input, \$hli) [*line* [33](#)]

Function Parameters:

- **\$key**
- **\$get**
- **\$post**
- **\$request**
- **\$query**
- **\$method**
- **\$input**
- **\$hli**

- **Access** public

Class PAPIDBADB

[*line* [31](#)]

PAPI binding to a Berkeley DB backend.

- **Package** phpPoA2

- **Sub-Package** PAPIAuthenticationEngine

PAPIDBADB::\$context

mixed = [line [33](#)]

- **Access** protected

void function PAPIDBADB::fetch(\$key) [line [50](#)]

Function Parameters:

- **\$key**

- **Access** public

void function PAPIDBADB::purge(\$gap) [line [60](#)]

Function Parameters:

- **\$gap**

- **Access** public

void function PAPIDBADB::replaceContents(\$key, \$get, \$post, \$request, \$query, \$method, \$input, \$hli) [line [35](#)]

Function Parameters:

- **\$key**
- **\$get**

- **\$post**
- **\$request**
- **\$query**
- **\$method**
- **\$input**
- **\$hli**

- **Access** public

Class PAPIMemcachedDB

[line [31](#)]

PAPI binding to a Memcached DB backend.

- **Package** phpPoA2
- **Sub-Package** PAPIAuthenticationEngine

PAPIMemcachedDB::\$context

mixed = [line [33](#)]

- **Access** protected

void function PAPIMemcachedDB::configure() [[line 35](#)]

- **Access** protected

void function PAPIMemcachedDB::purge(\$gap) [[line 54](#)]

Function Parameters:

- **\$gap**

- **Access** public

void function PAPIMemcachedDB::replaceContents(\$key, \$get, \$post, \$request, \$query, \$method, \$input, \$hli)
[[line 40](#)]

Function Parameters:

- **\$key**
- **\$get**
- **\$post**
- **\$request**
- **\$query**
- **\$method**
- **\$input**
- **\$hli**

- **Access** public

Class PAPIMySQLDB

[line 33]

MySQL database frontend for the PAPI Authentication Engine.

- **Package** phpPoA2
- **Sub-Package** PAPIAuthenticationEngine

PAPIMySQLDB::\$context

mixed = [line 35]

- **Access** protected

PAPIMySQLDB::\$prefix

mixed = "papi_" [line 36]

- **Access** protected

PAPIMySQLDB::\$purge_sql

mixed = [line 37]

- **Access** protected

Constructor *void* function PAPIMySQLDB::__construct(\$cfg) [line 39]

Function Parameters:

- **\$cfg**
- **Access public**

void function PAPIMySQLDB::fetch(\$key) [line 78]

Function Parameters:

- **\$key**
- **Access public**

void function PAPIMySQLDB::purge(\$gap) [line 95]

Function Parameters:

- **\$gap**
- **Access public**

void function PAPIMySQLDB::replaceContents(\$key, \$get, \$post, \$request, \$query, \$method, \$input, \$hli) [line 55]

Function Parameters:

- **\$key**
- **\$get**
- **\$post**

- **\$request**
- **\$query**
- **\$method**
- **\$input**
- **\$hli**

- **Access** public

Class PAPISessionDB

[line [33](#)]

PAPI binding to a PHP Session DB backend.

WARNING: please note that PHP only allows one session at a time, so using this backend will break any applications that make use of sessions beneath.

- **Package** phpPoA2
- **Sub-Package** PAPIAuthenticationEngine

PAPISessionDB::\$context

mixed = *[line [35](#)]*

- **Access** protected

void function PAPISessionDB::fetch(\$key) [line [48](#)]

Function Parameters:

- **\$key**
- **Access** public

void function PAPISessionDB::purge(\$gap) [line [54](#)]

Function Parameters:

- **\$gap**
- **Access** public

void function PAPISessionDB::replaceContents(\$key, \$get, \$post, \$request, \$query, \$method, \$input, \$hli) [line [37](#)]

Function Parameters:

- **\$key**
- **\$get**
- **\$post**
- **\$request**
- **\$query**
- **\$method**
- **\$input**
- **\$hli**

- **Access** public

QueryFilterAuthzEngine.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

QUERY_BEFORE_FILTERS = "QUERY_BEFORE_FILTERS" [*line 37*]

This hook is executed right after retrieving the current URI, the params (both GET and POST) and the arrays of allowed and denied patterns that will be checked immediately.

It can be used to alter parameters and the URL, and also to configure the filters on runtime. The hook receives the URI string, an array of parameters, the allowed and the denied patterns. Functions for this hook must be defined like this:

```
function queryBeforeFilterHook(&$uri, &$params, &$allowed, &$denied);
```

Please bear in mind that hooks must return TRUE or they'll keep other hooks from executing.

QueryFilterConfigurator.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

papi1.5-query-authz.php

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Package** phpPoA2
- **Sub-Package** QueryFilterAuthorizationEngine
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

include ["./PoA.php"](#) [line 10]

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

void function queryHook(&\$uri, &\$params, &\$allowed, &\$denied) [line 17]

Function Parameters:

- **&\$uri**
- **&\$params**
- **&\$allowed**
- **&\$denied**

Class QueryFilterAuthzEngine

[line 46]

Authorization engine that works by checking the query string of the request.

PLEASE NOTE THAT THIS ENGINE SILENTLY IGNORES BOTH USER AND ATTRIBUTES. PLEASE NOTE THAT THIS ENGINE WORKS ONLY FOR WEB-BASED APPLICATIONS.

- **Package** phpPoA2
- **Sub-Package** QueryFilterAuthorizationEngine
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

QueryFilterAuthzEngine::\$valid_hooks

mixed = array(QUERY_BEFORE_FILTERS) [line 48]

- **Access** protected

void function QueryFilterAuthzEngine::authorize(\$user, \$attrs, \$ref, [\$expires = 0]) [line 97]

Function Parameters:

- **\$user**

- **\$attrs**
- **\$ref**
- **\$expires**

- **Access** public

void function QueryFilterAuthzEngine::getAuthorizedList() [*line* [90](#)]

- **Access** public

void function QueryFilterAuthzEngine::isAuthorized(\$user, \$attrs) [*line* [53](#)]

Function Parameters:

- **\$user**
- **\$attrs**

PLEASE NOTE THAT THIS ENGINE SILENTLY IGNORES BOTH USER AND ATTRIBUTES.

- **Access** public

void function QueryFilterAuthzEngine::revoke(\$mail) [*line* [101](#)]

Function Parameters:

- **\$mail**

- **Access** public

Class QueryFilterConfigurator

[line [31](#)]

Configurator for the query filter authorization engine.

- **Package** phpPoA2
- **Sub-Package** QueryFilterAuthorizationEngine
- **Author** Jaime Perez < jaime.perez@rediris.es >
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

QueryFilterConfigurator::\$mandatory_options

mixed = array("Allowed", "Denied") [line [33](#)]

- **Access** protected

array function QueryFilterConfigurator::getAllowedPatterns() [*line* [39](#)]

Returns the patterns that match allowed URIs or query parameters.

- **Access** public

array function QueryFilterConfigurator::getDeniedPatterns() [*line* [47](#)]

Returns the patterns that match denied URIs or query parameters.

- **Access** public

SimpleSAMLphpAuthnEngine.php

- **Package** phpPoA2

NS_SAML2_PROTOCOL = 'urn:oasis:names:tc:SAML:2.0:protocol' *[line 30]*

Supported namespaces for attributes.

require_once "simplesamlphp/lib/_autoload.php" *[line 26]*

- **Author** Elena Lozano < elena.lozano@rediris.es >
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **License** [GNU General Public License](#)

Class SimpleSAMLphpAuthnEngine

[line 38]

Authentication engine for the PAPI 1.5 protocol.

PLEASE NOTE THAT THIS ENGINE WORKS ONLY FOR WEB-BASED

APPLICATIONS.

- **Package** phpPoA2
- **Sub-Package** SimpleSAMLphpAuthnEngine

SimpleSAMLphpAuthnEngine::\$attributes

mixed = [line 42]

- **Access** protected

SimpleSAMLphpAuthnEngine::\$simplesaml

mixed = [line 40]

- **Access** protected

SimpleSAMLphpAuthnEngine::\$status

mixed = [line 41]

- **Access** protected

void function SimpleSAMLphpAuthnEngine::authenticate() [line 55]

- **Access** public

void function SimpleSAMLphpAuthnEngine::configure(\$file, \$site) [line 44]

Function Parameters:

- **\$file**
- **\$site**

- **Access** public

void function SimpleSAMLphpAuthnEngine::getAttribute(\$name, [\$namespace = NS_SAML2_PROTOCOL]) [line 75]

Function Parameters:

- **\$name**
- **\$namespace**

- **Access** public

void function SimpleSAMLphpAuthnEngine::getAttributes() [line 71]

- **Access** public

void function SimpleSAMLphpAuthnEngine::isAuthenticated() [line 67]

- **Access** public

void function SimpleSAMLphpAuthnEngine::logout([\$slo = false]) [line 83]

Function Parameters:

- **\$slo**
- **Access** public

SourceIPAddrAuthzEngine.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

SOURCEADDR_BEFORE_FILTERS = "SOURCEADDR_BEFORE_FILTERS" [*line 37*]

This hook is executed right after retrieving source address and the arrays of allowed and denied patterns that will be checked immediately.

It can be used to alter the source address, and also to configure the filters on runtime. The hook receives the source IP address, the allowed and the denied patterns. Functions for this hook must be defined like this:

```
function ipBeforeFilterHook(&$ipaddr, &$allowed, &$denied);
```

Please bear in mind that hooks must return TRUE or they'll keep other hooks from executing.

SourceIPAddrConfigurator.php

- **Package** phpPoA2
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

- **Filesource** [Source Code for this file](#)
- **License** [GNU General Public License](#)

papi1.5-ip-authz.php

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Package** phpPoA2
- **Sub-Package** SourceIPAddrAuthorizationEngine
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

include ["./PoA.php"](#) *[line 10]*

This is a sample file to demonstrate the functionality of the phpPoA2 package.

- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Filesource** [Source Code for this file](#)

void function ipHook(&\$ip, &\$allowed, &\$denied) *[line 14]*

Function Parameters:

- **&\$ip**
- **&\$allowed**
- **&\$denied**

Class SourceIPAddrAuthzEngine

[line 46]

Authorization engine that works by checking the source IP address of the request.

PLEASE NOTE THAT THIS ENGINE SILENTLY IGNORES BOTH USER AND ATTRIBUTES. PLEASE NOTE THAT THIS ENGINE WORKS ONLY FOR WEB-BASED APPLICATIONS.

- **Package** phpPoA2
- **Sub-Package** SourceIPAddrAuthorizationEngine
- **Author** Jaime Perez < jaime.perez@rediris.es>
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

SourceIPAddrAuthzEngine::\$valid_hooks

mixed = array(SOURCEADDR_BEFORE_FILTERS) [*line* [48](#)]

- **Access** protected

void function SourceIPAddrAuthzEngine::authorize(\$user, \$attrs, \$ref, [\$expires = 0]) [*line* [103](#)]

Function Parameters:

- **\$user**
- **\$attrs**

- **\$ref**
- **\$expires**

- **Access** public

void function SourceIPAddrAuthzEngine::getAuthorizedList() [*line* [96](#)]

- **Access** public

void function SourceIPAddrAuthzEngine::isAuthorized(\$user, \$attrs) [*line* [53](#)]

Function Parameters:

- **\$user**
- **\$attrs**

PLEASE NOTE THAT THIS ENGINE SILENTLY IGNORES BOTH USER AND ATTRIBUTES.

- **Access** public

void function SourceIPAddrAuthzEngine::revoke(\$mail) [*line* [107](#)]

Function Parameters:

- **\$mail**

- **Access** public

Class SourceIPAddrConfigurator

[line [31](#)]

Configurator class for the Source IP Address Authorization Engine.

- **Package** phpPoA2
- **Sub-Package** SourceIPAddrAuthorizationEngine
- **Author** Jaime Perez < jaime.perez@rediris.es >
- **Version** 2.0
- **Copyright** Copyright 2005-2010 RedIRIS, <http://www.rediris.es/>

This file is part of phpPoA2.

phpPoA2 is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

phpPoA2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with phpPoA2. If not, see <<http://www.gnu.org/licenses/>>.

SourceIPAddrConfigurator::\$mandatory_options

mixed = array("AllowFrom", "DenyFrom") [line [33](#)]

- **Access** protected

array function SourceIPAddrConfigurator::getAllowed() [*line* [39](#)]

Returns an array of IP addresses or networks that are authorized.

- **Access** public

array function SourceIPAddrConfigurator::getDenied() [*line* [50](#)]

Returns an array of IP addresses or networks that are not authorized.

- **Access** public

This is a sample configuration file.

- **Package** phpPoA2
- **Sub-Package** SourceIPAddressAuthorizationEngine

Appendix A - Class Trees

Package phpPoA2

ASN1

- [ASN1](#)

AttributeHandler

- [AttributeHandler](#)

AuthorizedDB

- [AuthorizedDB](#)

AuthorizedMemcachedDB

- GenericMemcachedDB
 - [AuthorizedMemcachedDB](#)

Example

- [Example](#)

GenericConfigurator

- [GenericConfigurator](#)
 - [AuthorizationConfigurator](#)
 - [AttributeFilterConfigurator](#)
 - [InviteConfigurator](#)
 - [QueryFilterConfigurator](#)
 - [SourceIPAddrConfigurator](#)
 - [OpenIDConfigurator](#)
 - [PAPConfigurator](#)
 - [PoAConfigurator](#)

GenericDB

- [GenericDB](#)
 - [DBADB](#)
 - [AuthorizedDBADB](#)
 - [InviteDBADB](#)
 - [PAPIDBADB](#)
 - [GenericMySQLDB](#)
 - [PAPIMySQLDB](#)
 - [MemcachedDB](#)
 - [PAPIMemcachedDB](#)
 - [SessionDB](#)
 - [PAPISessionDB](#)

GenericEngine

- [GenericEngine](#)
 - [AuthenticationEngine](#)
 - [OpenIDAuthnEngine](#)
 - [PAPIAuthnEngine](#)
 - [SimpleSAMLphpAuthnEngine](#)
 - [AuthorizationEngine](#)
 - [AttributeFilterAuthzEngine](#)
 - [InviteAuthzEngine](#)
 - [QueryFilterAuthzEngine](#)
 - [SourceIPAddrAuthzEngine](#)

Hook

- [Hook](#)

InviteDB

- [InviteDB](#)

InviteMemcachedDB

- GenericMemcachedDB
 - [InviteMemcachedDB](#)

LightOpenID

- [LightOpenID](#)

PAPICrypt

- [PAPICrypt](#)

PAPIDB

- [PAPIDB](#)

PoA

- [PoA](#)
 - [AutoPoA](#)
 - [LitePoA](#)

PoAEventHandler

- [PoAEventHandler](#)

PoAException

- Exception
 - [PoAException](#)

PoALog

- [PoALog](#)

PoAUtils

- [PoAUtils](#)

RSAPrivateKey

- [RSAPrivateKey](#)

RSAPublicKey

- [RSAPublicKey](#)

CHANGELOG

Version 2.5

<https://forja.rediris.es/svn/phppoa/tags/phpPoA-2.5>

(Feb 17, from trunk)

- * Memcached backend support for all database types (PAPI authentication engine and Invite authorization engine).
- * Fix to support HTTPS detection on IIS servers with ISAPI in PAPI authentication engine.

INSTALL

REQUISITES:

- * PHP >= 4.X
- * PHP-MCRYPT
- * PHP-DBA (if using DBA backends)
- * PHP-MYSQL (if using MySQL backends)
- * SimpleSAMLphp (if using SAML for authentication)

INSTALLATION:

1. Upgrade/install your PHP to meet the requirements.
2. Copy the package with all files right into your server.
3. Ensure the file PoA.php is in your include path.
4. Put the PoA.conf.php file in your include path, or set the PHP environment variable "poa_conf_file" to point to your PoA.conf.php file.
5. Configure the PoA.conf.php file for your PoAs, and any other configuration files you may need. Refer to the samples for more info on how to configure each engine.
6. Please make sure all the configuration files are outside the web server root directory.
7. If you are using PHP 5.2.X, then ensure the environment option "zend.ze1_compatibility_mode" is off.

README

phpPoA 2.0

Contents of the distribution:

README	This file
GPL	Text of the GNU General Public License, applicable to all the software
LICENSE	Copyright information and short text of the license, including responsibility disclaimer
doc	Documentation for this distribution
doc/api	API documentation for developers
doc/tutorials	User tutorials to demonstrate the use of the library
lib	Auxiliary classes that implement most of the functionality that is shipped with this distribution
lib/authn	Authentication engines
lib/authz	Authorization engines
lib/crypto	Cryptographic classes
lib/db	Database classes
lib/third-party	Third party libraries
messages	Support files for message internationalization
samples	Sample usage files, including configuration
tools	Useful tools that ship with the library
PoA.php	The main class of phpPoA2. Include only this file in your applications
AutoPoA.php	PoA class that automatically redirects on error
LitePoA.php	PoA class with backwards compatibility
PoAConfigurator.php	The main configuration class
PoAEventHandler.php	The main event handler used by phpPoA2
PoAException.php	Generic phpPoA exception implementation
PoALog.php	Logging class
PoAUtils.php	Utility class
definitions.php	Useful constants

Index

A

ASN1::setValue()	0
Set the binary value of this ASN.1.	
ASN1::setInteger()	0
Set the value of this ASN.1 from an integer.	
ASN1::readBytes()	0
Read <i>n</i> bytes from a buffer and mov the internal pointer.	
ASN1::readByte()	0
Read first byte from the buffer and move the internal pointer.	
ASN1::setValues()	0
Set the value of this ASN.1 to be a sequence of values.	
ASN1::writeByte()	0
Write a byte to a buffer.	
AuthorizedDBADB.php	0
AuthorizedDB.php	0
ASN1::writeBytes()	0
Write bytes to a buffer.	
ASN1::int2bin()	0
Encode an integer in binary representation.	
ASN1::getValues()	0
Get the sequence of values stored in this ASN.1.	
ASN1::bin2int()	0
Decode an integer from its binary representation.	
ASN1::\$value	0
ASN1::\$tag	0
ASN1::decode()	0
Decode an object in ASN.1 format.	
ASN1::encode()	0
Encode this object into ASN.1.	
ASN1::getValue()	0
Get the binary value of this ASN.1.	
ASN1::getTag()	0
Get the tag of this ASN.1.	
ASN1::getInteger()	0
Get the integer value of this ASN.1.	
AuthorizedMemcachedDB.php	0
AUTHORIZED_DBA	0
AuthorizedMemcachedDB::\$authorized	0
AuthorizedMemcachedDB	0
Authorization lists binding to a Berkeley DB backend.	
AuthorizedDBADB::replace_authorization()	0
AuthorizedMemcachedDB::open()	0
AuthorizedMemcachedDB::replace_authorization()	0
AttributeHandler::handle()	0
AttributeHandler	0

ATTR_SEPARATOR	0
<i>Default assertion delimiters for standard PAPI 1.5 protocol.</i>	
AuthorizedDBADB::open()	0
AuthorizedDBADB::fetch_all()	0
AuthorizedDB	0
<i>Generic interface for a PAPI request database.</i>	
AUTHORIZED_SESSION	0
AUTHORIZED_MYSQL	0
AuthorizedDB::replace_authorization()	0
AuthorizedDBADB	0
<i>Authorization lists binding to a Berkeley DB backend.</i>	
AuthorizedDBADB::fetch()	0
AuthorizedDBADB::\$mandatory_options	0
AuthorizedDBADB::\$authorized	0
ASN1	0
<i>This class implements ASN.1 encoding.</i>	
ASN1.php	0
AuthenticationEngine::logout()	0
<i>Perform a logout (locally or global).</i>	
AuthenticationEngine::isAuthenticated()	0
<i>Check the current authentication status withing this context. Does not trigger any authentication procedure.</i>	
AuthenticationEngine::getAttributes()	0
<i>Get an associative array with the set of common attributes for the current user. May trigger some attribute recollection.</i>	
AuthenticationEngine::getAttribute()	0
<i>Get an specific attribute for the current user, by specifying its name and namespace. May trigger some attribute query procedure.</i>	
AuthorizationConfigurator	0
AuthorizationConfigurator::getDefaultBehaviour()	0
<i>Determines the default behaviour of the authorization engine, whether it should authorize or not if no pattern (nor allowed nor denied) matches.</i>	
AuthorizationEngine::authorize()	0
AuthorizationEngine::\$engine_type	0
AuthorizationEngine	0
AuthenticationEngine::authenticate()	0
<i>Trigger the authentication of the user in the current context. May perform HTTP redirections or any other procedure to gather the authentication status if the user, so don't expect it to return control once called.</i>	
AuthenticationEngine::\$engine_type	0
AUTHN_SUCCESS	0
<i>Authentication succeeded.</i>	
AUTHN_FAILED	0
<i>Authentication failed.</i>	
AS_T	0
<i>'AS' type redirection in the PAPI 1.5 protocol.</i>	
AUTHZ_FAILED	0
<i>Authorization failed.</i>	
AUTHZ_SUCCESS	0
<i>Authorization succeeded.</i>	
AuthenticationEngine	0
<i>Abstract authentication engine.</i>	
authz_convert.php	0

AuthenticationEngine.php	0
AuthorizationEngine::getAuthorizedList()	0
AuthorizationEngine::isAuthorized()	0
<i>Check authorization for the specified user.</i>	
AttributeFilterAuthzEngine::isAuthorized()	0
AttributeFilterAuthzEngine::getAuthorizedList()	0
AttributeFilterAuthzEngine::authorize()	0
AttributeFilterAuthzEngine::revoke()	0
AttributeFilterConfigurator	0
<i>Configurator for the Attribute Filter Authorization Engine.</i>	
AttributeFilterConfigurator::getDeniedAttributes()	0
<i>Returns an array of attributes that would be denied if their values match any of the patterns for each attribute.</i>	
AttributeFilterConfigurator::getAllowedAttributes()	0
<i>Returns an array of attributes that would be allowed if their values match any of the patterns for each attribute.</i>	
AttributeFilterConfigurator::\$mandatory_options	0
AttributeFilterAuthzEngine::\$valid_hooks	0
AttributeFilterAuthzEngine	0
<i>Authorization engine that works by checking the attributes of the user. The first match of an attribute against one of the filters will trigger the authorization result, no matter if it's positive or negative.</i>	
AutoPoA::authenticate()	0
AutoPoA	0
<i>Class that automatically redirects to error pages if any error is detected.</i>	
AuthorizationEngine::revoke()	0
AutoPoA::isAuthorized()	0
AttributeFilterAuthzEngine.php	0
attrHook()	0
AttributeFilterConfigurator.php	0
ATTRIBUTE_BEFORE_FILTERS	0
<i>This hook is executed right after retrieving the arrays of allowed and denied attributes that will be checked immediately.</i>	
AutoPoA.php	0

C

constructor RSAPrivateKey::__construct()	0
<i>Build a new private key from its PEM representation.</i>	
constructor ASN1::__construct()	0
<i>Build a new ASN1 from its tag and value.</i>	
constructor PoALog::__construct()	0
<i>Build a new logger.</i>	
constructor RSAPublicKey::__construct()	0
<i>Build a new public key from its PEM representation.</i>	
constructor GenericDB::__construct()	0
<i>Main constructor.</i>	
CHANGELOG	0
constructor PAPIMySQLDB::__construct()	0
constructor OpenIDAuthnEngine::__construct()	0
constructor PoAException::__construct()	0
constructor PoAEventHandler::__construct()	0

<i>Main constructor.</i>	
constructor Hook::__construct()	0
<i>Build a new hook.</i>	
constructor GenericEngine::__construct()	0
<i>Main constructor for the engine.</i>	
constructor GenericConfigurator::__construct()	0
<i>Main constructor.</i>	
constructor LightOpenID::__construct()	0
constructor PAPICrypt::__construct()	0
constructor PoAConfigurator::__construct()	0
constructor PoA::__construct()	0
<i>Main constructor. Configures the PoA and performs initialization.</i>	
CONFIG_ERR	0
<i>A configuration related error.</i>	

D

DBADB::fetch()	0
DBADB::delete()	0
DBADB::fetch_all()	0
DBADB::open()	0
DBADB::replace()	0
DBADB::configure()	0
DBADB::close()	0
DBADB.php	0
DBADB	0
<i>Berkeley DB backend.</i>	
DBADB::\$mandatory_options	0
DBADB::check()	0
definitions.php	0

E

Example::hook()	0
Example	0

G

GenericMySQLDB::\$create_sql	0
GenericMySQLDB	0
<i>Generic MySQL database class.</i>	
GenericMySQLDB::\$delete_sql	0
GenericMySQLDB::\$insert_sql	0
GenericMySQLDB::\$mandatory_options	0
GenericDB::replace()	0
<i>Replaces the specified key with a new value. If the key does not exist previously, it will be created.</i>	
GenericDB::open()	0
<i>Opens the database.</i>	
GenericDB::configure()	0

<i>Configure the database handler.</i>	
GenericDB::close()	0
<i>Closes the database.</i>	
GenericDB::delete()	0
<i>Removes the specified key from the database.</i>	
GenericDB::fetch()	0
<i>Gets the value of the specified key.</i>	
GenericDB::fetch_all()	0
<i>Gets all the contents stored in the database.</i>	
GenericMySQLDB::\$prefix	0
GenericMySQLDB::\$search_all_sql	0
GenericMySQLDB::getError()	0
GenericMySQLDB::fetch_all()	0
GenericMySQLDB::open()	0
GenericMySQLDB::replace()	0
global \$messages	0
<i>An array with all the internationalized messages used by phpPoA2.</i>	
GenericMySQLDB::fetch()	0
GenericMySQLDB::delete()	0
GenericMySQLDB::\$update_sql	0
GenericMySQLDB::\$search_sql	0
GenericMySQLDB::check()	0
GenericMySQLDB::close()	0
GenericMySQLDB::configure()	0
GenericDB::check()	0
<i>Checks if the specified key exists in the database.</i>	
GenericDB::\$mandatory_options	0
GenericEngine::\$cfg	0
GenericEngine	0
<i>A generic engine class.</i>	
GenericEngine::\$engine_type	0
GenericEngine::\$handler	0
GenericEngine::\$hooks	0
GenericConfigurator::validate()	0
<i>Check all mandatory attributes are set.</i>	
GenericConfigurator::configure()	0
<i>Read the configuration from the specified file and section.</i>	
GenericEngine.php	0
GenericConfigurator.php	0
GenericConfigurator	0
<i>Generic configuration class.</i>	
GenericConfigurator::\$cfg	0
GenericConfigurator::\$mandatory_options	0
GenericEngine::\$valid_hooks	0
GenericEngine::addHook()	0
<i>Adds a function to the specified hook, which will be executed at some point of the code.</i>	
GenericDB	0
<i>Provides the basic operations and defines the interface of any DB operating class.</i>	
GenericMySQLDB.php	0
GenericDB::\$cfg	0
GenericDB::\$db	0
GenericDB::\$error	0
GenericDB.php	0

GenericEngine::setHandler()	0
<i>Set the event handler to the one specified.</i>	
GenericEngine::configure()	0
<i>Configure the engine.</i>	
GenericEngine::clean()	0
<i>Unregister error and exception handlers. Use it only for methods not declared in the interface that previously called registerHandler() method.</i>	
GenericEngine::registerHandler()	0
<i>Register error and exception handlers for logging. Use it only for methods not declared in the interface that could trigger errors.</i>	
GenericEngine::removeHook()	0
<i>Removes a function from the specified hook.</i>	
GenericEngine::runHooks()	0
<i>Run all hooks attached to an specific action.</i>	
GPOA_T	0
<i>'GPoA' type redirection in the PAPI 1.5 protocol.</i>	

H

Hook::run()	0
<i>Run the hook with the specified params.</i>	
handler()	0
hook()	0
Hook::getName()	0
<i>Get the name of the hook.</i>	
Hook::\$ name	0
Hook	0
<i>Hook class that allows to run a function or a method specified by their name.</i>	
Hook::\$ callable_name	0
Hook::\$ hook	0
Hook.php	0

I

InviteConfigurator::getInviteSubject()	0
<i>Returns</i>	
InviteConfigurator::getInvitesDBUser()	0
<i>Returns</i>	
InviteConfigurator::getInvitesDBType()	0
<i>Returns</i>	
InviteConfigurator::getInviteText()	0
<i>Returns</i>	
InviteConfigurator::getInviteURL()	0
<i>Returns</i>	
InviteDB	0
<i>Generic interface for a database of invites.</i>	
InviteConfigurator::getUniqueAttributes()	0
<i>Returns</i>	
InviteConfigurator::getInvitesDBServers()	0
InviteConfigurator::getInvitesDBPassword()	0
<i>Returns</i>	

InviteConfigurator::getEmailVerifyRegEx()	0
InviteConfigurator::getEmailVerifyAttribute()	0
InviteConfigurator::getEmailVerifyAlgRegEx()	0
InviteConfigurator::getInvitesDBFile()	0
<i>Returns</i>	
InviteConfigurator::getInvitesDBHost()	0
<i>Returns</i>	
InviteConfigurator::getInvitesDBName()	0
<i>Returns</i>	
InviteConfigurator::getInvitesDBKeyExpirationTimeout()	0
InviteDB::replace_invite()	0
InviteDBADB	0
<i>Invites binding to a Berkeley DB backend.</i>	
InviteMemcachedDB::open()	0
InviteMemcachedDB::fetch_all()	0
InviteMemcachedDB::fetch()	0
InviteMemcachedDB::replace_invite()	0
ipHook()	0
INSTALL	0
IPFilters.conf.php	0
<i>This is a sample configuration file.</i>	
InviteMemcachedDB::\$mandatory_options	0
InviteMemcachedDB::\$invite	0
InviteDBADB::fetch()	0
InviteDBADB::\$mandatory_options	0
InviteDBADB::\$invite	0
InviteDBADB::fetch_all()	0
InviteDBADB::open()	0
InviteMemcachedDB	0
<i>Invites binding to a Berkeley DB backend.</i>	
InviteDBADB::replace_invite()	0
InviteConfigurator::getAuthorizedDBUser()	0
<i>Returns</i>	
InviteConfigurator::getAuthorizedDBType()	0
<i>Returns</i>	
InviteAuthzEngine::\$authz_db	0
InviteAuthzEngine	0
<i>Invitation based authorization engine.</i>	
InviteMemcachedDB.php	0
InviteAuthzEngine::\$invites_db	0
InviteAuthzEngine::\$valid_hooks	0
InviteAuthzEngine::configure()	0
<i>Configure the authorization engine.</i>	
InviteAuthzEngine::authorize()	0
<i>Authorize the specified user.</i>	
InviteDBADB.php	0
InviteDB.php	0
INVITES_BEFORE_AUTHORIZATION	0
<i>This hook is executed right before it is checked whether the user was invited or not to continue with authorization.</i>	
InviteAuthzEngine.php	0
invite_convert.php	0
INVITES_DBA	0

Supported database types.

INVITES_MYSQL	0
InviteConfigurator.php	0
INVITES_SESSION	0
InviteAuthzEngine::emailVerify()	0
<i>Perform e-mail verification for the current user according to the configuration for this site.</i>	
InviteAuthzEngine::finish()	0
<i>Close databases and return the same value received as a parameter.</i>	
InviteConfigurator::getAuthorizedDBHost()	0
<i>Returns</i>	
InviteConfigurator::getAuthorizedDBFile()	0
<i>Returns</i>	
InviteConfigurator::getAdminEmail()	0
<i>Returns</i>	
InviteConfigurator::getAuthorizedDBKeyExpirationTimeout()	0
InviteConfigurator::getAuthorizedDBName()	0
<i>Returns</i>	
InviteConfigurator::getAuthorizedDBServers()	0
InviteConfigurator::getAuthorizedDBPassword()	0
<i>Returns</i>	
InviteConfigurator::doEmailVerify()	0
InviteConfigurator::\$mandatory_options	0
InviteAuthzEngine::invite()	0
<i>Send an invitation to an e-mail address (that is, send an e-mail to that address with instructions on how to get authorized and an URL to follow).</i>	
InviteAuthzEngine::getPendingInvites()	0
<i>Get a list of all pending invitations.</i>	
InviteAuthzEngine::getAuthorizedList()	0
<i>Get a list of all authorized users.</i>	
InviteAuthzEngine::isAuthorized()	0
<i>Check if the specified user is authorized with the given attributes.</i>	
InviteAuthzEngine::removeInvite()	0
<i>Remove an invitation from the database.</i>	
InviteConfigurator	0
<i>Configurator for the Invitation based authorization engine.</i>	
InviteAuthzEngine::revoke()	0
<i>Revoke authorization for the specified user.</i>	
INVITE_ERR	0
<i>An invitation related error.</i>	

K

KEY_INVALIDATION_TIME	0
KEY_INDEX	0

L

LightOpenID::getSregAttributes()	0
LightOpenID::hostExists()	0
<i>Checks if the server specified in the url exists.</i>	

LightOpenID::htmlTag()	0
<i>Helper function used to scan for <meta>/<link> tags and extract information</i>	
LightOpenID::request()	0
LightOpenID::getAxAttributes()	0
LightOpenID::getAttributes()	0
<i>Gets AX/SREG attributes provided by OP. should be used only after successful validation.</i>	
LightOpenID::axParams()	0
LightOpenID::build_url()	0
LightOpenID::discover()	0
<i>Performs Yadis and HTML discovery. Normally not used.</i>	
LightOpenID::request_curl()	0
LightOpenID::request_streams()	0
LitePoA::\$handler	0
LitePoA::checkAccess()	0
<i>A shortcut for the whole authentication and authorization process.</i>	
LitePoA::setIDBuilder()	0
<i>Set an attribute handler to build identifiers for the users according to their attributes. Method must receive a hash of attributes ("name" => "value").</i>	
LitePoA	0
<i>Class that embeds all functionality (authentication, attribute collection and authorization) in one method, just like older versions of phpPoA.</i>	
LightOpenID::set()	0
LightOpenID::sregParams()	0
LightOpenID::validate()	0
<i>Performs OpenID verification with the OP.</i>	
LightOpenID::get()	0
LightOpenID::authUrl_v2()	0
LightOpenID::authUrl_v1()	0
LightOpenID::\$capath	0
LightOpenID::\$data	0
LightOpenID::\$identifier_select	0
LightOpenID::\$cainfo	0
LightOpenID::\$ax_to_sreg	0
LightOpenID	0
<i>This class provides a simple interface for OpenID (1.1 and 2.0) authentication.</i>	
LightOpenID::\$aliases	0
LightOpenID::\$ax	0
LightOpenID::\$optional	0
LightOpenID::\$required	0
LightOpenID::\$verify_peer	0
LightOpenID::\$version	0
LightOpenID::authUrl()	0
<i>Returns authentication url. Usually, you want to redirect your user to it.</i>	
LightOpenID::\$trustRoot	0
LightOpenID::\$sreg	0
LightOpenID::\$returnUrl	0
LightOpenID::\$server	0
LightOpenID::\$setup_url	0
LitePoA.php	0

M

MemcachedDB::fetch_all()	0
MemcachedDB::fetch()	0
MemcachedDB::open()	0
MemcachedDB::replace()	0
messages-es_ES.php	0
messages-en_EN.php	0
MemcachedDB::delete()	0
MemcachedDB::configure()	0
MemcachedDB::\$expire_time	0
MemcachedDB	0
<i>Memcached NOSQL database backend.</i>	
MemcachedDB::\$mandatory_options	0
MemcachedDB::\$mc	0
MemcachedDB::close()	0
MemcachedDB::check()	0
MemcachedDB.php	0

N

NS_SAML2_PROTOCOL	0
<i>Supported namespaces for attributes.</i>	
NS_PAPI_PROTOCOL	0
<i>Supported namespaces for attributes.</i>	
NS_PAPI_ATTRIBUTES	0
NAMEVALUE_SEPARATOR	0
NOAUTH_ERR	0
<i>Authentication failed error.</i>	

O

OpenIDAuthnEngine::\$status	0
OpenIDAuthnEngine::\$reqAttributes	0
OpenIDAuthnEngine::\$IOpenID	0
OpenIDAuthnEngine::\$attributes	0
OpenIDAuthnEngine::authenticate()	0
OpenIDAuthnEngine::configure()	0
OpenIDAuthnEngine::logout()	0
OpenIDAuthnEngine::isAuthenticated()	0
OpenIDAuthnEngine::getAttributes()	0
OpenIDAuthnEngine::getAttribute()	0
OpenIDAuthnEngine	0
<i>Authentication engine for the OpenID protocol.</i>	
OpenIDAuthnEngine.php	0
<i>This file is part of phpPoA2.</i>	
OpenIDConfigurator.php	0
openid.php	0
<i>This is a sample file to demonstrate the functionality of the phpPoA2 package.</i>	
openid-restricted.php	0
<i>This is a sample file to demonstrate the functionality of the phpPoA2 package.</i>	

openid-ext.php	0
<i>This is a sample file to demonstrate the functionality of the phpPoA2 package.</i>	
OpenIDConfigurator	0
<i>Configurator class for the OpenID Authentication Engine.</i>	
OpenIDConfigurator::\$mandatory_options	0
OpenIDConfigurator::isAutoLogin()	0
OpenIDConfigurator::getProviders()	0
OpenIDConfigurator::getLogoutURL()	0
OpenIDConfigurator::getLoginURL()	0
openid-auto.php	0
<i>This is a sample file to demonstrate the functionality of the phpPoA2 package.</i>	

P

PAPIAuthnEngine::deleteRequest()	0
<i>Delete a request from the request database.</i>	
PAPIAuthnEngine::deleteCookie()	0
<i>Delete the current cookie, if any.</i>	
PAPIAuthnEngine::getAttribute()	0
PAPIAuthnEngine::getAttributes()	0
PAPIAuthnEngine::getNewCookie()	0
<i>Generate a new cookie for the current user.</i>	
PAPIAuthnEngine::configure()	0
PAPIAuthnEngine::authenticate()	0
PAPIAuthnEngine::\$skip_redirection	0
PAPIAuthnEngine::\$status	0
PAPIAuthnEngine::\$valid_hooks	0
PAPIAuthnEngine::attributeQuery()	0
PAPIAuthnEngine::getRedirectLocation()	0
<i>Retrieve the URL where to redirect a user and store his request.</i>	
PAPIAuthnEngine::getSingleLogoutLocation()	0
<i>Retrieve the URL where to redirect a user to perform a single logout.</i>	
PAPIAuthnEngine::saveRequest()	0
<i>Save a request to the request database. The request includes: \$_REQUEST, \$_GET, \$_POST, \$_SERVER['QUERY_STRING'], \$_SERVER['REQUEST_METHOD'] and php://input.</i>	
PAPIAuthnEngine::testCookie()	0
<i>Check if a cookie is valid.</i>	
PAPIAuthnEngine::testResponse()	0
<i>Check the response from the AS/GPoA.</i>	
PAPIConfigurator	0
<i>Configurator class for the PAPI Authentication Engine.</i>	
PAPIAuthnEngine::redirect()	0
<i>Redirect user browser to the appropriate URL for authentication.</i>	
PAPIAuthnEngine::logout()	0
PAPIAuthnEngine::getSingleLogoutResponseLocation()	0
<i>Retrieve the URL where to redirect a user once he has successfully logged out.</i>	
PAPIAuthnEngine::isAuthenticated()	0
PAPIAuthnEngine::isSafe()	0
<i>Determines if it's safe to assume the user as authenticated.</i>	
PAPIAuthnEngine::loadRequest()	0
<i>Load a request from the request database.</i>	

PAPIAuthnEngine::\$pkey	0
PAPIAuthnEngine::\$opoa	0
papi1.5-papiopoa-hook.php	0
<i>This is a sample file to demonstrate the functionality of the phpPoA2 package.</i>	
PAPIAuthnEngine	0
<i>Authentication engine for the PAPI 1.5 protocol.</i>	
PAPIAuthnEngine::\$assertion	0
PAPIAuthnEngine::\$as_id	0
papi1.5-customattr.php	0
<i>This is a sample file to demonstrate the functionality of the phpPoA2 package.</i>	
papi1.5-authn-attr.php	0
<i>This is a sample file to demonstrate the functionality of the phpPoA2 package.</i>	
PAPIMemcachedDB.php	0
PAPIMySQLDB.php	0
PAPI_DB_TABLE	0
PAPISessionDB.php	0
PAPIAuthnEngine::\$attributes	0
PAPIAuthnEngine::\$cfg	0
PAPIAuthnEngine::\$global_expire_time	0
PAPIAuthnEngine::\$id	0
PAPIAuthnEngine::\$key	0
PAPIAuthnEngine::\$lkey	0
PAPIAuthnEngine::\$expiration_time	0
PAPIAuthnEngine::\$enforcing	0
PAPIAuthnEngine::\$clean_url	0
PAPIAuthnEngine::\$cookie_name	0
PAPIAuthnEngine::\$crypto	0
PAPIAuthnEngine::\$db	0
PAPIConfigurator::\$mandatory_options	0
PAPIConfigurator::getCookieDomain()	0
PAPIMemcachedDB::purge()	0
PAPIMemcachedDB::configure()	0
PAPIMemcachedDB::replaceContents()	0
PAPIMySQLDB	0
<i>MySQL database frontend for the PAPI Authentication Engine.</i>	
PAPIMySQLDB::\$context	0
PAPIMemcachedDB::\$context	0
PAPIMemcachedDB	0
<i>PAPI binding to a Memcached DB backend.</i>	
PAPIDBADB::\$context	0
PAPIDBADB::fetch()	0
PAPIDBADB::purge()	0
PAPIDBADB::replaceContents()	0
PAPIMySQLDB::\$prefix	0
PAPIMySQLDB::\$purge_sql	0
PAPISessionDB::purge()	0
PAPISessionDB::replaceContents()	0
papi1.5-query-authz.php	0
<i>This is a sample file to demonstrate the functionality of the phpPoA2 package.</i>	
papi1.5-ip-authz.php	0
<i>This is a sample file to demonstrate the functionality of the phpPoA2 package.</i>	
PAPISessionDB::fetch()	0
PAPISessionDB::\$context	0

PAPIMySQLDB::fetch()	0
PAPIMySQLDB::purge()	0
PAPIMySQLDB::replaceContents()	0
PAPISessionDB	0
<i>PAPI binding to a PHP Session DB backend.</i>	
PAPIDBADB	0
<i>PAPI binding to a Berkeley DB backend.</i>	
PAPIDB::replaceContents()	0
PAPIConfigurator::getDBPrefix()	0
PAPIConfigurator::getDBServers()	0
PAPIConfigurator::getDBType()	0
PAPIConfigurator::getDBUser()	0
PAPIConfigurator::getDBPassword()	0
PAPIConfigurator::getDBName()	0
PAPIConfigurator::getCookieTimeout()	0
PAPIConfigurator::getDBFile()	0
PAPIConfigurator::getDBHost()	0
PAPIConfigurator::getDBKeyExpirationTimeout()	0
PAPIConfigurator::getFriendlyName()	0
PAPIConfigurator::getHomeLocatorID()	0
PAPIConfigurator::getRedirectURL()	0
PAPIConfigurator::getRequestLifetime()	0
PAPIDB	0
<i>Generic interface for a PAPI request database.</i>	
PAPIDB::purge()	0
<i>Purge the database of outdated requests.</i>	
PAPIConfigurator::getRedirectType()	0
PAPIConfigurator::getPubKeyFile()	0
PAPIConfigurator::getID()	0
PAPIConfigurator::getLKey()	0
PAPIConfigurator::getLocation()	0
PAPIConfigurator::getLogoutURL()	0
PAPIDBADB.php	0
PAPIDB.php	0
PoA::\$cfg	0
PoA::\$autoload	0
PoA::\$db_manager	0
PoA::\$handler	0
PoA::\$local_site	0
PoA::\$authz_engines	0
PoA::\$authn_engine	0
PAPICrypt::setPublicKey()	0
PAPICrypt::setSymmetricKey()	0
PoA	0
<i>Standard class that implements all the functionality of the phpPoA.</i>	
PoA::\$attributes	0
PoA::\$log	0
PoA::addHook()	0
<i>Attach a hook object to the appropriate entry point of the available authentication or authorization engines.</i>	
PoA::getAuthorizationLevels()	0
<i>Get the authorization levels that match for the user specified, according to the configuration.</i>	
PoA::isAuthenticated()	0

Query the current status of the user in the federation.	0
PoA::isAuthorized()	0
Perform authorization for the a given subject.	
PoA::logout()	0
Remove the user's session and trigger a logout for the specified authentication protocol.	
PoA::getAuthorizationEngines()	0
Returns the authorization engines configured for the current PoA, or the one specified.	
PoA::getAttributes()	0
Retrieve the attributes provided by the user when logged in.	
PoA::authenticate()	0
Perform a federated login for the user.	
PoA::authorize()	0
Authorize a given subject with the data retrieved from federated login.	
PoA::clean()	0
PoA::getAttribute()	0
Get the value (or values) of an attribute, if present.	
PAPICrypt::setPrivateKey()	0
PAPICrypt::initializeAES()	0
papi1.5-slo-extra.php	0
This is a sample file to demonstrate the functionality of the phpPoA2 package.	
papi1.5-slo.php	0
This is a sample file to demonstrate the functionality of the phpPoA2 package.	
PAPICrypt	0
Cryptographic routines for PAPI protocol v1.	
PAPICrypt::\$privkey	0
PoAUtills.php	0
PoALog.php	0
PoA.php	0
PoAConfigurator.php	0
PoAEventHandler.php	0
PoAException.php	0
PAPICrypt::\$privkeylen	0
PAPICrypt::\$pubkey	0
PAPICrypt::encrypt3DES()	0
PAPICrypt::encryptAES()	0
PAPICrypt::endSymmetric()	0
PAPICrypt::initialize3DES()	0
PAPICrypt::encrypt()	0
PAPICrypt::decryptAES()	0
PAPICrypt::\$pubkeylen	0
PAPICrypt::\$symmetric	0
PAPICrypt::decrypt()	0
PAPICrypt::decrypt3DES()	0
PoA::removeHook()	0
Remove a hook from the specified entry point of the available authentication or authorization engines.	
PoA::revoke()	0
Revoke authorization for a given subject identified by an e-mail.	
papi1.5-invite-authz.php	0
This is a sample file to demonstrate the functionality of the phpPoA2 package.	
PUBLIC_KEY_OID	0

<i>The OID for public keys.</i>	0
PAPIAuthnEngine.php	0
PAPI ATTRIBUTE_PARSER	0
<i>This hook is executed when returning the attributes found for a user with getAttributes() method. It receives a string with the attributes and the array that results of processing the string. Functions for this hook must be defined like this:</i>	
PAPI_CLEAN_URL	0
<i>This hook is executed when a valid response is found from the AS/GPoA and the engine is about</i>	
papi1.5-attr-authz.php	0
<i>This is a sample file to demonstrate the functionality of the phpPoA2 package.</i>	
PoAUtils::msg()	0
<i>Return the internationalized message identified by the code 's'.</i>	
PoALog::getLogLevel()	0
<i>Get the current log level.</i>	
PoALog::write()	0
<i>Write a message to the log file if the current log level allows it.</i>	
PoAUtils	0
PoAUtils::lang_code()	0
<i>Return the language code identifying applicable to a messages file.</i>	
PAPI_DBA	0
<i>Supported database types.</i>	
PAPI_MEMCACHED	0
PROTO_ATTR_EXPIRE_TIME	0
PROTO_ATTR_KEY	0
PROTO_ATTR_PREFIX	0
<i>Prefix for operational attributes inside the protocol and special attributes names.</i>	
PAPIConfigurator.php	0
PROTO_ATTR_AS_ID	0
PROTO_ATTR_ASSERTION	0
PAPI_MYSQL	0
PAPI_REDIRECT_URL_FINISH	0
<i>This hook is executed at the end of the method that returns the URL where to redirect a user.</i>	
PAPI_RESTORE_ORIGINAL_REQUEST	0
<i>This hook is executed when a valid response is found from the AS/GPoA and the original request of the user is about to be restored. It receives an array with the main PHP global variables of the original context. Functions for this hook must be defined like this:</i>	
PAPI_SESSION	0
PoALog	0
<i>A simple class to write log messages to a file.</i>	
PoAException::__toString()	0
PoAConfigurator::getAuthzLevels()	0
PoAConfigurator::getInviteErrorURL()	0
PoAConfigurator::getLanguage()	0
PoAConfigurator::getLogFile()	0
PoAConfigurator::getAuthzEngines()	0
PoAConfigurator::getAuthzEngineConfFile()	0
PoAConfigurator	0
<i>Main configurator for the phpPoA.</i>	
PoAConfigurator::\$mandatory_options	0
PoAConfigurator::getAuthnEngine()	0

PoAConfigurator::getAuthnEngineConfFile()	0
PoAConfigurator::getLogLevel()	0
PoAConfigurator::getNoAuthErrorURL()	0
PoAEventHandler::exceptionHandler()	0
<i>A generic exception handler that logs the exception message.</i>	
PoAEventHandler::setDebug()	0
<i>Set debugging mode.</i>	
PoAEventHandler::setLogger()	0
<i>Set the logger.</i>	
PoAException	0
<i>Exception handler class for the phpPoA.</i>	
PoAEventHandler::errorHandler()	0
<i>A generic error handler that logs the error message.</i>	
PoAEventHandler::autoloadHandler()	0
<i>Override __autoload standard function to allow loading classes dynamically.</i>	
PoAConfigurator::getSystemErrorURL()	0
PoAConfigurator::isDebug()	0
PoAEventHandler	0
<i>Class to handle events inside the library.</i>	
PoAEventHandler::abort()	0
<i>Finish execution and print an error message with the current backtrace.</i>	
PAPICrypt.php	0

Q

QueryFilterAuthzEngine::revoke()	0
QueryFilterAuthzEngine::isAuthorized()	0
<i>PLEASE NOTE THAT THIS ENGINE SILENTLY IGNORES BOTH USER AND ATTRIBUTES.</i>	
QueryFilterConfigurator	0
<i>Configurator for the query filter authorization engine.</i>	
QueryFilterConfigurator::\$mandatory_options	0
QueryFilterConfigurator::getDeniedPatterns()	0
<i>Returns the patterns that match denied URIs or query parameters.</i>	
QueryFilterConfigurator::getAllowedPatterns()	0
<i>Returns the patterns that match allowed URIs or query parameters.</i>	
QueryFilterAuthzEngine::getAuthorizedList()	0
QueryFilterAuthzEngine::authorize()	0
QueryFilterConfigurator.php	0
QUERY_BEFORE_FILTERS	0
<i>This hook is executed right after retrieving the current URI, the params (both GET and POST) and the arrays of allowed and denied patterns that will be checked immediately.</i>	
queryHook()	0
QueryFilterAuthzEngine	0
<i>Authorization engine that works by checking the query string of the request.</i>	
QueryFilterAuthzEngine::\$valid_hooks	0
QueryFilterAuthzEngine.php	0

R

RSAPublicKey	0
------------------------------	---

Class to manage public keys.	0
RSAPrivateKey::setPublicExponent()	0
Set the public exponent of the key.	
RSAPublicKey::\$bits	0
RSAPublicKey::\$der	0
RSAPublicKey::\$modulus	0
RSAPublicKey::\$exponent	0
RSAPrivateKey::setPrivateExponent()	0
Set the private exponent of the key.	
RSAPrivateKey::setPrime2()	0
Set the prime 2 of the key.	
RSAPrivateKey::setExponent1()	0
Set the exponent 1 of the key.	
RSAPrivateKey::setCoefficient()	0
Set the coefficient of the key.	
RSAPrivateKey::setExponent2()	0
Set the exponent 2 of the key.	
RSAPrivateKey::setModulus()	0
Set the modulus of the key.	
RSAPrivateKey::setPrime1()	0
Set the prime 1 of the key.	
RSAPublicKey::\$pem	0
RSAPublicKey::decode()	0
Extract public key details from its DER representation.	
RSAPublicKey::setModulus()	0
Set the modulus of the key.	
RSAPublicKey::getPEM()	0
Get the PEM representation of the key.	
RSAPublicKey::setPublicExponent()	0
Set the public exponent of the key.	
REQUEST_LIFETIME	0
Default timeout for stored requests.	
README	0
RSAPublicKey::getModulus()	0
Get the modulus of the key.	
RSAPublicKey::getExponent()	0
Get the exponent of the key.	
RSAPublicKey::fromDER()	0
Build the public key from its DER representation.	
RSAPublicKey::encode()	0
Build a new public key represented by it DER and PEM formats from its modulus and public exponent.	
RSAPublicKey::fromPEM()	0
Build the public key from its PEM representation.	
RSAPublicKey::getBits()	0
Get the length of the key in bits.	
RSAPublicKey::getDER()	0
Get the DER representation of the key.	
RSAPrivateKey::getPublicExponent()	0
Get the public exponent of the key.	
RSAPrivateKey::getPrivateExponent()	0
Get the private exponent of the key.	
RSAPrivateKey::\$modulus	0

RSAPrivateKey::\$exponent2	0
RSAPrivateKey::\$pem	0
RSAPrivateKey::\$prime1	0
RSAPrivateKey::\$private_exponent	0
RSAPrivateKey::\$prime2	0
RSAPrivateKey::\$exponent1	0
RSAPrivateKey::\$der	0
RSAPublicKey.php	0
RSAPrivateKey.php	0
RSAPrivateKey	0
<i>Class to manage private keys.</i>	
RSAPrivateKey::\$bits	0
RSAPrivateKey::\$coefficient	0
RSAPrivateKey::\$public_exponent	0
RSAPrivateKey::decode()	0
<i>Extract private key details from its DER representation.</i>	
RSAPrivateKey::getModulus()	0
<i>Get the modulus of the key.</i>	
RSAPrivateKey::getExponent2()	0
<i>Get the exponent 2 of the key.</i>	
RSAPrivateKey::getPEM()	0
<i>Get the PEM representation of the key.</i>	
RSAPrivateKey::getPrime1()	0
<i>Get the prime 1 of the key.</i>	
RSAPrivateKey::getPrime2()	0
<i>Get the prime 2 of the key.</i>	
RSAPrivateKey::getExponent1()	0
<i>Get the exponent 1 of the key.</i>	
RSAPrivateKey::getDER()	0
<i>Get the DER representation of the key.</i>	
RSAPrivateKey::fromDER()	0
<i>Build the private key from its DER representation.</i>	
RSAPrivateKey::encode()	0
<i>Build a new private key represented by it DER and PEM formats from its modulus and public exponent.</i>	
RSAPrivateKey::fromPEM()	0
<i>Build the private key from its PEM representation.</i>	
RSAPrivateKey::getBits()	0
<i>Get the length of the key in bits.</i>	
RSAPrivateKey::getCoefficient()	0
<i>Get the coefficient of the key.</i>	
ROOT	0
<i>Authorized DB converter tool from phpPoA1 to phpPoA2.</i>	

S

SOURCEADDR BEFORE FILTERS	0
<i>This hook is executed right after retrieving source address and the arrays of allowed and denied patterns that will be checked immediately.</i>	
SourceIPAddrConfigurator.php	0
SourceIPAddrAuthzEngine	0
<i>Authorization engine that works by checking the source IP address of the request.</i>	

SourceIPAddrAuthzEngine.php	0
SimpleSAMLphpAuthnEngine::logout()	0
SimpleSAMLphpAuthnEngine::getAttributes()	0
SimpleSAMLphpAuthnEngine::isAuthenticated()	0
SourceIPAddrAuthzEngine::\$valid_hooks	0
SourceIPAddrAuthzEngine::authorize()	0
SourceIPAddrConfigurator::\$mandatory_options	0
SourceIPAddrConfigurator::getAllowed()	0
<i>Returns an array of IP addresses or networks that are authorized.</i>	
SourceIPAddrConfigurator::getDenied()	0
<i>Returns an array of IP addresses or networks that are not authorized.</i>	
SourceIPAddrConfigurator	0
<i>Configurator class for the Source IP Address Authorization Engine.</i>	
SourceIPAddrAuthzEngine::revoke()	0
SourceIPAddrAuthzEngine::getAuthorizedList()	0
SourceIPAddrAuthzEngine::isAuthorized()	0
<i>PLEASE NOTE THAT THIS ENGINE SILENTLY IGNORES BOTH USER AND ATTRIBUTES.</i>	
SimpleSAMLphpAuthnEngine::getAttribute()	0
SimpleSAMLphpAuthnEngine::configure()	0
SessionDB::close()	0
SessionDB::delete()	0
SessionDB::fetch()	0
SessionDB::check()	0
SessionDB::\$session_name	0
SessionDB.php	0
SessionDB	0
<i>Session database backend.</i>	
SessionDB::fetch_all()	0
SessionDB::open()	0
SimpleSAMLphpAuthnEngine::\$simplesaml	0
SimpleSAMLphpAuthnEngine::\$status	0
SimpleSAMLphpAuthnEngine::authenticate()	0
SimpleSAMLphpAuthnEngine::\$attributes	0
SimpleSAMLphpAuthnEngine	0
<i>Authentication engine for the PAPI 1.5 protocol.</i>	
SessionDB::replace()	0
SimpleSAMLphpAuthnEngine.php	0
SYSTEM_ERR	0
<i>A system related error.</i>	

T

TAG_SEQUENCE	0
<i>Constructed tags.</i>	
TAG_INTEGER	0
TAG_BOOLEAN	0
TAG_BITSTRING	0
TAG_BER	0
<i>Basic tags.</i>	

U

USER_ERR	0
<i>An error triggered by the user.</i>	

V

VALUE_SEPARATOR	0
---	---