

Auto Multiple Choice

Design of MCQ tests with automated correction and grading <http://home.gna.org/auto-qcm/>

Copyright © 2008-2011 Alexis Bienvenüe

This document can be used according to the terms of the GNU General Public License, version 2 or later.

COLLABORATORS

	TITLE : Auto Multiple Choice		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY	Alexis Bienvenüe	May 10, 2011	
Translation from French	Jean Bérard	May 10, 2011	
Translation from French	Georges Khaznadar	May 10, 2011	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	License	1
2	Prerequisites	1
2.1	Operating system	1
2.2	Software	1
2.2.1	Recommended versions for software used by AMC	1
2.3	LaTeX	1
3	Usage notes	2
3.1	Numerical limitations	2
3.2	Versions	2
3.3	Installation	2
3.4	Access	2
4	Preparation of the LaTeX file	3
4.1	A simple example	3
4.2	An example with groups of questions and shuffling	4
4.3	An example with a separate answer sheet	6
4.4	Description of the LaTeX commands	8
4.4.1	Package options	8
4.4.2	Description of a copy	9
4.4.3	Questions and answers	9
4.4.4	Putting answers on multiple columns	10
4.4.5	Groups of questions	11
4.4.6	Check-box presentation style	12
4.4.7	Questions presentation style	12
4.4.8	Separate answer sheet presentation style	13
4.4.9	Code acquisition	13
4.4.10	Choice of shuffling parameters	13
4.4.11	Using references inside the test sheets	14
4.4.12	Customizing some texts inserted by AMC	14
4.5	Mathematical questions with randomized statements	14

5	Usage - Graphical interface	16
5.1	Creating a new project and subject	16
5.2	Preparing the subject	16
5.3	Printing and exam	17
5.4	Reading the copies	17
5.4.1	Automated input	17
5.4.2	Manual input	18
5.5	Correction	18
5.5.1	Process	18
5.5.2	Scoring strategy	18
5.5.3	Global scoring strategy	21
5.6	Identification of the students	21
5.6.1	List of the students	22
5.6.2	Association	22
5.6.2.1	Automated association	22
5.6.2.2	Manual association	22
5.7	Exporting the scores list	22
5.8	Annotation	23
6	Commands manual	23
6.1	auto-multiple-choice	23
6.2	AMC-prepare	24
6.3	AMC-imprime	24
6.4	AMC-analyse	25
6.5	AMC-note	26
6.6	AMC-association-auto	27
6.7	AMC-export	27
6.8	AMC-annotate	28
6.9	AMC-regroupe	30

Abstract

AMC is a set of utilities allowing the use of MCQ written in LaTeX, and their automated correction and grading from scans of the answer sheets. This document describes its use (for the version 0.468~svn 468).

The AMC project is hosted by [Gna](http://home.gna.org) ! : you can find the AMC web-site there <http://home.gna.org/auto-qcm/>, and the web-page where the project is hosted there <https://gna.org/projects/auto-qcm/>.

1 License

Auto Multiple Choice is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details. You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

2 Prerequisites

2.1 Operating system

The AMC utilities have been written for Linux. They might be adapted to MAC OS X or Windows without too many difficulties, but I won't do that in the near future. Please contact me if you are interested to do it : I can help you a little, and I will include changes in AMC if necessary.

2.2 Software

Note

If you install AMC with deb or RPM package (on debian, Ubuntu and derivatives, Mandriva, openSUSE, Fedora), every software used by AMC will be automatically installed.

The main packages/software that are required for the use of AMC are the following:

- LaTeX
- ImageMagick
- Perl, together with Gtk2-Perl and Glade::XML for the graphical user interface

2.2.1 Recommended versions for software used by AMC

A few bugs in old versions of software used by AMC are particularly detrimental to its operating normally:

- With old versions of Net : : CUPS (debian package `libnet-cups-perl`), the command for printing the test sheets leads to a premature exit from the AMC graphical user interface. This bug is fixed in versions 0.61 and later of Net : : CUPS.
- With old versions of ImageMagick, the merging of corrected answer sheets into a single PDF file per student does not work when answer sheets comprise more than one page. This bug is fixed in versions 6.5.5 and later of ImageMagick.

2.3 LaTeX

Some knowledge of LaTeX is useful for the design of MCQs. However, the templates that are provided should allow those who are not deterred by LaTeX/XML/HTML formats to quickly start writing their own MCQs.

3 Usage notes

3.1 Numerical limitations

In the present version (starting with version 0.156), the maximum number of students per test is limited to 4095, and the maximum number of pages per test is limited to 63.

The maximum number of answers for a given question is limited to 199.

LaTeX's own limitations may make compilation impossible, producing e.g. a « No room for a new \toks » error. In that case, try again using the package `etex`, thanks to the `\usepackage{etex}` command.

3.2 Versions

Even though it should not have too many consequences, it is recommended not to change the program version while working with a given project (between the time when the test sheets are printed and the time when tests are corrected and graded). There are a few modifications which may interfere with AMC operating normally if you apply them while working with a given project:

- If you have compiled and printed with a version of AMC earlier than 0.155, and then handle the project with version 0.156 or later, add the option `versionA` in the reference to the package `automultiplechoice` in the LaTeX file. Example:

```
\usepackage[box,completemulti,versionA]{automultiplechoice}
```

- From version 0.262 on, the drawing of the checkboxes changed to be slightly larger, which may alter the layout of the test sheets.
- From version 0.267, if you want to produce A4 format test sheets, you have to state it explicitly in the LaTeX file:

```
\documentclass[a4paper]{article}
```

- From version 0.394, if your LaTeX code needs package `graphicx`, you have to load it explicitly (earlier versions of AMC loaded it).

3.3 Installation

With debian, Ubuntu, or a derived operating system, you can use the debian official repository and ubuntu AMC repositories. On Mandriva, openSUSE or Fedora, you can use prebuilt RPM packages. The installation procedure is described on the [AMC web-site](#).

You can also download the source code archive on the project [download space](#), then use the following commands in a terminal:

```
tar xvzf auto-multiple-choice_xxxx_precomp.tar.gz
cd auto-multiple-choice-xxx
make
sudo make install
```

3.4 Access

Once the installation is made, the graphical user interface can be launched by choosing Applications → Education → Auto Multiple Choice in the Gnome general menu (or its KDE or other analog), but one can also use the **auto-multiple-choice** command.

4 Preparation of the LaTeX file

First of all, the MCQ has to be described as a LaTeX file using the `automultiplechoice` package. This chapter describes the relevant LaTeX commands. You can check the LaTeX file you are designing at any moment by compiling it with the **latex** command, then visualizing the resulting dvi file.

We start with a few examples giving quick illustrations of how to build LaTeX files for MCQs; the corresponding tex file are available as templates, so that one can create a new MCQ project starting with one of these templates.

4.1 A simple example

```

1 \documentclass[a4paper]{article}
2
3 \usepackage[utf8x]{inputenc}      ❶[1]
4 \usepackage[T1]{fontenc}
5
6 \usepackage[box,completemulti]{automultiplechoice}      ❷[2]
7 \begin{document}
8
9 \onecopy{10}{      ❸[3]
10
11 %%% beginning of the test sheet header:      ❹[4]
12
13 \noindent{\bf QCM \hfill TEST}
14
15 \vspace*{.5cm}
16 \begin{minipage}{.4\linewidth}
17 \centering\large\bf Test\ Examination on Jan., 1st, 2008\end{minipage}
18 \namefield{\fbox{      ❺[5]
19 \begin{minipage}{.5\linewidth}
20 \quad Firstname and lastname:
21
22 \quad \vspace*{.5cm}\dotfill
23 \quad \vspace*{1mm}
24 \quad \end{minipage}
25 }}
26
27 \begin{center}\em
28 Duration : 10 minutes.
29
30 No documents allowed. The use of electronic calculators is forbidden.
31
32
33 Questions using the sign \multiSymbole{} may have
34 zero, one or several correct answers. Other questions have a single correct answer.
35
36 Negative points may be attributed to \emph{very
37 bad} answers.
38 \end{center}
39 \vspace{1ex}
40
41 %%% end of the header
42
43 \begin{question}{prez}      ❻[6]
44 Among the following persons, which one has ever been a President of the French Republic?
45 \begin{choices}
46 \correctchoice{René Coty}
47 \wrongchoice{Alain Prost}
48 \wrongchoice{Marcel Proust}
49 \wrongchoice{Claude Monet}

```

```

50 \end{choices}
51 \end{question}
52
53 \begin{questionmult}{pref} ⑦[7]
54   Among the following cities, which ones are french prefectures?
55   \begin{choices}
56     \correctchoice{Poitiers}
57     \wrongchoice{Sainte-Menehould}
58     \correctchoice{Avignon}
59   \end{choices}
60 \end{questionmult}
61
62 \clearpage ⑧[8]
63
64 } ⑨[9]
65
66 \end{document}

```

A few extra details on this example:

- ① The packages `inputenc` and `fontenc` allow one to use the ISO-8859-1 (latin1) encoding. You can of course modify them depending on the encoding you want to use.
- ② The options used here for the `automultiplechoice` LaTeX package prevent questions from being split between two pages (`box`) and to automatically complete any multiple choice question by a standard answer allowing the student to mention that, in her/his opinion, none of the listed answers is correct (`completemulti`).
- ③ The **`onecopy`** command produces as many (distinct) realizations of the MCQ test as desired (here 10). See Section 4.4.2 for an alternative syntax using an environment.
- ④ Lines that start here describe the header of the test-sheet.
- ⑤ The **`namefield`** command specifies where students write their name.
- ⑥ The environments **`question`** and **`choices`** allow one to build a multiple choice question for which there is a single correct answer. A unique identifier for the question has to be specified (here: *prez*).
- ⑦ The environments **`questionmult`** and **`choices`** allow one to build a multiple choice question that may have zero, one or several correct answers. Student are asked to check all the boxes corresponding to an answer that she/he thinks is correct, or the last box (added automatically thanks to the `completemulti` option used in the reference to the package in line 6).
- ⑧ The **`clearpage`** is used to start the next realization of the MCQ test on a new double page.
- ⑨ This marks the end of the **`onecopy`** command (started at line 9).

4.2 An example with groups of questions and shuffling

In this example, we want the order in which questions appear in the MCQ test to be different from one realization of the test to the other, but still keeping together questions dealing with the same subject. To this end, we create two groups of questions, within which questions are shuffled at random.

```

1 \documentclass[a4paper]{article}
2
3 \usepackage[utf8x]{inputenc}
4 \usepackage[T1]{fontenc}
5
6 \usepackage[box,completemulti]{automultiplechoice}
7 \begin{document}
8
9 %%% preparation of the groups

```

```

10
11 \element{geographie}{
12   \begin{question}{Paris}
13     In which continent is Paris?
14     \begin{choices}
15       \correctchoice{Europe}
16       \wrongchoice{Africa}
17       \wrongchoice{Asia}
18       \wrongchoice{planet Mars}
19     \end{choices}
20   \end{question}
21 }
22
23 \element{geographie}{
24   \begin{question}{Cameroon}
25     Which is the capital city of Cameroon?
26     \begin{choices}
27       \correctchoice{Yaoundé}
28       \wrongchoice{Douala}
29       \wrongchoice{Abou-Dabi}
30     \end{choices}
31   \end{question}
32 }
33
34 \element{histoire}{
35   \begin{question}{Marignan}
36     In which year did the battle of Marignan take place?
37     \begin{choiceshoriz}
38       \correctchoice{1515}
39       \wrongchoice{1915}
40       \wrongchoice{1519}
41     \end{choiceshoriz}
42   \end{question}
43 }
44
45 \element{histoire}{
46   \begin{questionmult}{Nantes}
47     What can be said about the \emph{Édit de Nantes}?
48     \begin{choices}
49       \correctchoice{It was signed in 1598}
50       \correctchoice{It has been revoked by Louis XIV}
51       \wrongchoice{It was signed by Henri II}
52     \end{choices}
53   \end{questionmult}
54 }
55
56 %%% copies
57
58 \onecopy{10}{
59
60 %%% beginning of the test sheet header:
61
62 \noindent{\bf QCM   \hfill TEST}
63
64 \vspace*{.5cm}
65 \begin{minipage}{.4\linewidth}
66   \centering\large\bf History and geography\\ Examination on Jan. 1st, 2008
67 \end{minipage}
68 \namefield{\fbox{\begin{minipage}{.5\linewidth}
69 Firstname and lastname:
70
71 \vspace*{.5cm}\dotfill

```

```

72 \vspace*{1mm}
73 \end{minipage}}
74
75 %%% end of the header
76
77 \begin{center}
78   \hrule\vspace{2mm}
79   \bf\Large Geography
80   \vspace{1mm}\hrule
81 \end{center}
82
83 \shufflegroup{geographie}
84 \insertgroup{geographie}
85
86 \begin{center}
87   \hrule\vspace{2mm}
88   \bf\Large History
89   \vspace{2mm}\hrule
90 \end{center}
91
92 \shufflegroup{histoire}
93 \insertgroup{histoire}
94
95 \clearpage
96
97 }
98
99 \end{document}

```

4.3 An example with a separate answer sheet

In this example, one wants the check-boxes to be put together in a separate sheet. This makes cheating more difficult, and, more importantly, it is enough to scan a single sheet per student, which makes things easier if one has to do a manual scan. In this example, the number of questions is limited: they fit into a single page, so that such a layout would not be really useful in this particular case. It is up to you to modify this example in order to use this layout with a large number of questions!

```

1 \documentclass[a4paper]{article}
2
3 \usepackage[utf8x]{inputenc}
4 \usepackage[T1]{fontenc}
5
6 \usepackage[box,completemulti,separateanswersheet]{automultiplechoice} ❶[1]
7 \begin{document}
8
9 \AMCrandomseed{1237893}
10
11 \def\AMCformQuestion#1{\vspace{\AMCformVSpace}\par {\sc Question #1:} } ❷[2]
12
13 \element{general}{
14   \begin{question}{prez}
15     Among the following persons, which one has ever been a President of the French Republic ←
16     ?
17     \begin{choices}
18       \correctchoice{René Coty}
19       \wrongchoice{Alain Prost}
20       \wrongchoice{Marcel Proust}
21       \wrongchoice{Claude Monet}
22     \end{choices}
23   \end{question}

```

```

24
25 \element{general}{
26   \begin{questionmult}{pref}
27     Among the following cities, which ones are french prefectures?
28     \begin{choices}
29       \correctchoice{Poitiers}
30       \wrongchoice{Sainte-Menehould}
31       \correctchoice{Avignon}
32     \end{choices}
33   \end{questionmult}
34 }
35
36 \element{general}{
37   \begin{question}{nb-ue}
38     How many different states were members of the European Union in Jan. 2009?
39     \begin{choiceshoriz}[o]
40       \wrongchoice{15}
41       \wrongchoice{21}
42       \wrongchoice{25}
43       \correctchoice{27}
44       \wrongchoice{31}
45     \end{choiceshoriz}
46   \end{question}
47 }
48
49 \onecopy{5}{
50
51   %% beginning of the test sheet header:
52
53   \noindent{\bf QCM   \hfill TEST}
54
55   \vspace*{.5cm}
56   \begin{minipage}{.4\linewidth}
57     \centering\large\bf Test\ Examination on Jan. 1st, 2008
58   \end{minipage}
59
60   \begin{center}\em
61   Durée : 10 minutes.
62
63   No documents allowed. The use of electronic calculators is forbidden.
64
65
66
67   Questions using the sign \multiSymbole{} may have
68   zero, one or several correct answers. Other questions have a single correct answer.
69
70   Negative points may be attributed to \emph{very
71     bad} answers.
72
73   \end{center}
74   \vspace{1ex}
75
76   %% end of the header
77
78   \shufflegroup{general}
79   \insertgroup{general}
80
81   \AMCcleardoublepage   ③[3]
82
83   \AMCformBegin        ④[4]
84
85   %% beginning of the answer sheet header

```

```

86
87 {\large\bf Answer sheet:}
88 \hfill \namefield{\fbox{5[5]}
89   \begin{minipage}{.5\linewidth}
90     Firstname and lastname:
91
92     \vspace*{.5cm}\dotfill
93     \vspace*{1mm}
94   \end{minipage}
95 }
96
97 \begin{center}
98   \bf\em Answers must be given exclusively on this sheet:
99   answers given on the other sheets will be ignored.
100 \end{center}
101
102 %%% end of the answer sheet header
103
104
105 \AMCform 6[6]
106
107 \clearpage
108
109 }
110
111 \end{document}

```

The following remarks should make the above example clearer :

- ❶ The `separateanswersheet` option is what allows us to do what we wanted.
- ❷ One can re-define in this manner the way the questions are identified on the answer sheet (this line is optional).
- ❸ This page break is put before the special page where the check-boxes are put together. If one does recto-verso printing, it is preferable to use `\AMCcleardoublepage` so that this page is printed apart from the others. In the case of recto printing, one can simply use `\clearpage`.
- ❹ This command marks the beginning of the answer sheet part. Its use is necessary for the appropriate treatment of the questions which appear only in that part, e.g. those generated by `AMCcode`.
- ❺ Students should normally write their name on the answer sheet!
- ❻ The LaTeX command `AMCform` writes all the check-boxes.



Warning

When one uses a separate answer sheet, letters (or digits, if one uses the option `digits`, see Section 4.4.1) are written in the check-boxes. To achieve a correct detection of the checked boxes, one has to ask students to completely fill the relevant boxes (checking by simply drawing a cross would not suffice). One also has to tune the grey level threshold (defining the proportion of black dots in a box above which that box is considered to be checked) to a value of order 0.5.

4.4 Description of the LaTeX commands

4.4.1 Package options

To use the `automultiplechoice` package, one uses the line

```
\usepackage[...]{automultiplechoice}
```

where the dots are replaced by a list of options separated by commas. Here are the available options:

- `box`: puts every question in a block, so that it cannot be split by a page break.
- `completemulti`: automatically adds a « None of these answers are correct » choice at the end of each multiple question. Thus, for these questions, a distinction can be made between no answer and the answer consisting in treating none of the listed answers as correct.
- `noshuffle`: stops the automatic shuffling of the answers for every question
- `answers`: produces the corrected version of the MCQ test, not the test sheet itself.
- `separateanswersheet`: requires that all check-boxes be put together at the end of the test sheet (usually, this option is used when one wants to have only one sheet to scan per student - see the example in section Section 4.3).
- `digits`: if one uses the `separateanswersheet` option, the `digits` option requires the question to be identified with digits rather than with letters (which corresponds to the default setting). With this option, one has to take care that the number of answers does not exceed 9.

4.4.2 Description of a copy

The LaTeX source code describing the content of the test sheet has to be included in a call to the command `\onecopy`, the first argument being the number of distinct realizations to be produced, and the second argument being the code used to generate a realization.

```
\onecopy{50}{ ... }
```

If you have downloaded the LaTeX package `environ` *before* `automultiplechoice`, an alternative syntax is available, using the **examcopy** environment, where the number of realizations is an option (default is 5).

```
\begin{examcopy}[50]
...
\end{examcopy}
```

Note

The `environ` package is not available in the TeX Live 2007 distribution, which is still used in Ubuntu distributions up to version 9.10 (Karmic Koala).

4.4.3 Questions and answers

For simple questions (a single correct answer), one uses the following model:

```
\begin{question}{identifiant}
Here is the question...
\begin{choices}
\correctchoice{The correct answer}
\wrongchoice{A wrong answer}
\wrongchoice{Another wrong answer}
\end{choices}
\end{question}
```



Important

One must use a different identifier for every question. An identifier can be made of digits, letters, and simple characters (but do not use e.g. braces or brackets). Don't end your question identifier with a dot followed by digits, as this syntax is reserved to codes input.

Note

The maximum number of answers for a given question is limited to 199.

To keep the original order of the answers and prevent shuffling for this specific question, one can use the `o` option of the `choices` environment, replacing line 3 by the following:

```
\begin{choices}[o]
```

To put the answers on two columns, one can use the `multicol` package by putting in the preamble (just after the reference to the package `automultiplechoice` for instance) the following

```
\usepackage{multicol}
```

and by including the `choices` environment inside a `multicols` environment in the following manner:

```
\begin{multicols}{2}
  \begin{choices}
    \correctchoice{The correct answer}
    \wrongchoice{A wrong answer}
    \wrongchoice{Another wrong answer}
  \end{choices}
\end{multicols}
```

For even shorter answers, one can require questions to be printed following one another, using the `choiceshoriz` environment instead of `choices`.

Multiple questions (those for which no, one, or several answers can be correct) use the `questionmult` environment instead of `question`.

When the answer to the question is not supposed to be taken into account in the grading, one uses the `\QuestionIndicative` command, as in the following example:

```
\begin{question}{difficulty}\QuestionIndicative
  \scoring{auto=0,v=-1,e=-2}
  Did you find this class easy or difficult? Please answer on a scale from 0 (very ←
    difficult) to 5
  (very easy).
  \begin{choiceshoriz}[o]
    \correctchoice{0}
    \correctchoice{1}
    \correctchoice{2}
    \correctchoice{3}
    \correctchoice{4}
    \correctchoice{5}
  \end{choiceshoriz}
\end{question}
```

4.4.4 Putting answers on multiple columns

To put answers on several columns (and thus save space), one can embed the `choices` environment in a `multicols` environment, using the LaTeX package `multicol`.

If, moreover, the answers do not fit into a single line, an answer might be split over several columns, which might be a little puzzling for the reader. The `\AMCBoxedAnswers` command was defined in order to prevent this phenomenon, by embedding each answer into a box. Here is an example of use:

```
\begin{question}{two columns}
  What is a bird ?
  \begin{multicols}{2}\AMCBoxedAnswers
```



```

\begin{choices}
  \correctchoice{It is an animal with wings, laying eggs. There are birds with all ↵
    sorts of colors.}
  \wrongchoice{It is a large piece of furniture, made of wood, and used most of the ↵
    time to store
    household linen}
  \wrongchoice{It is a steam machine devised to seal cans at high speed.}
\end{choices}
\end{multicols}
\end{question}

```

Let us note that it is also possible to parametrize the vertical space between two answer blocks, thanks to the dimension *AMCinterBrep*:

```
\AMCinterBrep=.5ex
```

4.4.5 Groups of questions

Putting questions into groups allows one to shuffle questions inside these groups, in a different way for each realization of the test. Every group of questions must have a name formed solely with plain letters.

One can put questions in a group one by one, as in the following example.

```

\element{mygroup}{
  \begin{question}{easy}
    So, how much is one plus one?
    \begin{choiceshoriz}
      \correctchoice{two}
      \wrongchoice{zero}
      \wrongchoice{three}
    \end{choiceshoriz}
  \end{question}
}

```



Important

The formation of the group, using the **element** commands, must be made only once: thus, these commands have to be used *before* the **onecopy** command, which repeats some actions for every realization.

Once a group is formed, it is possible to shuffle questions inside this group using the **shufflegroup** command. For instance

```
\shufflegroup{mygroup}
```

Finally, the group content can be output to the test sheet using command **insertgroup**, as in

```
\insertgroup{mygroup}
```

Note

These last two commands (**shufflegroup** and **insertgroup**) are to be used inside the argument of the command **onecopy**, so that shuffling is performed before each realization.

Groups of questions can be manipulated more precisely thanks to the following commands:

- `\insertgroup[n]{mygroup}` (using optional parameter n) only inserts the n first elements from the group.

- `\cleargroup{mygroup}` clears all group content.
- `\copygroup{groupA}{groupB}` copies all the elements from group *groupA* to the end of group *groupB*. With an optional argument *n*, only the *n* first elements will be copied: `\copygroup[n]{groupA}{groupB}`.

With these commands, you can for exemple make a exam taking 4 questions from group GA at random, 5 questions from group GB at random, and all the questions from group GO, shuffling all these questions, with the following code (to be used inside the argument of the command **onecopy**):

```
\cleargroup{all}
\shufflegroup{GA}\copygroup[4]{GA}{all}
\shufflegroup{GB}\copygroup[5]{GB}{all}
\copygroup{GO}{all}
\shufflegroupe{all}
\insertgroup{all}
```

4.4.6 Check-box presentation style

The `\AMCboxDimensions` command allows one to modify one or several dimensions of the check-boxes.

- `size` is the size of the box;
- `rule` is the thickness of the boundary of the box;
- `down` controls by how much boxes are pushed down.

To obtain smaller boxes, one can e.g. use the command

```
\AMCboxDimensions{size=1.7ex,down=.2ex}
```

4.4.7 Questions presentation style

The way each question is presented can be modified by redefining the LaTeX command `AMCbeginQuestion`, whose default definition is the following:

```
\def\AMCbeginQuestion#1#2{\par\noindent{\bf Question #1} #2\hspace*{1em}}
```

The first parameter transmitted to this command is the number of the question to be displayed. The second parameter contains `\multiSymbole` in the case of a multiple question, and is void in all other cases. The `\multiSymbole` command too can be modified: its goal is to distinguish multiple questions from the others. By default, it displays a club.

```
\def\multiSymbole{$\clubsuit$}
```

Finally, one can modify the number of the next question with the `\AMCnumero` command. At the beginning of each realization of the test, a call to

```
\AMCnumero{1}
```

is performed, but this command can be used at any place.

The display of answers can be modified in the same fashion, if one uses the `choicescustom` environment instead of `choices` or `choiceshoriz`, redefining the three following LaTeX macros:

```
\def\AMCbeginAnswer{}
\def\AMCendAnswer{}
\def\AMCanswer#1#2{#1 #2}
```

4.4.8 Separate answer sheet presentation style

It is also possible to modify the layout of the separate answer sheet produced with the `separateanswersheet` option (see section Section 4.3).

1. If one only wants to modify the horizontal spacing between two check-boxes or the vertical spacing between two questions, one just has to redefine the following dimensions:

```
\AMCformHSpace=.3em
\AMCformVSpace=1.2ex
```

2. For a deeper modification of the display settings, one can also redefine the commands that are used at the beginning of each question and for each answer (here follows the default definitions):

```
\def\AMCformQuestion#1{\vspace{\AMCformVSpace}\par{\bf Question #1:}}
\def\AMCformAnswer#1{\hspace{\AMCformHSpace} #1}
```

These definitions have to be inserted just after `\begin{document}` in the LaTeX file.

4.4.9 Code acquisition

Code acquisition can be easily performed thanks to the LaTeX command **AMCcode**, for instance to allow each student to enter her/his student number by herself/himself on the answer sheet. The two arguments of this command are a code/question identifier, and the number of digits to be used by the code. One can e.g. use the following header

```
\noindent\AMCcode{studentid}{8}\hspace*{\fill}
\begin{minipage}{.5\linewidth}
$\longleftarrow{}$ please encode your student number below,
and write your first and last names below.

\vspace{3ex}

\namelfield{\fbox{
  \begin{minipage}{.9\linewidth}
    Firstname and lastname:

    \vspace*{.5cm}\dotfill
    \vspace*{1mm}
  \end{minipage}
}}
\end{minipage}
```

If the `separateanswersheet` option is used, the **AMCcode** command has to be placed after the **AMCdebutFormulaire** command.

4.4.10 Choice of shuffling parameters

One can modify the seed of the random number generator used to produce the shuffle, thanks to the following command (to be used just at the beginning of the document, and in any case outside the **onecopy** command):

```
\AMCrandomseed{1527384}
```

If the value that is assigned (to be chosen between 1 and 4194303) is modified, then the shuffling will differ. Of course, one must not modify this value after the test sheets have been printed.

4.4.11 Using references inside the test sheets

Using LaTeX commands `\label` and `\ref` within questions or answers is problematic since they will be called with the same arguments for every realization of the test, which will alter the numbering of references. To solve this problem, one should use instead the commands `\AMClabel` and `\AMCref`: they add the realization number to their argument before transmitting it to `\label` et `\ref`.

One also has to reset counters to zero at the beginning of each realization. For instance, if one wants to include references to pictures that are put together in a separate page, one might write something like

```
\element{animals}{
  \begin{figure}[p]
    \centering
    \includegraphics[width=.6\linewidth]{tiger}
    \caption{An animal}
    \AMClabel{tiger}
  \end{figure}

  \begin{question}{tiger}
    Which is the animal on figure~\AMCref{tiger}?
    \begin{choices}
      \correctchoice{A tiger}
      \wrongchoice{A giraffe}
      \wrongchoice{An elephant}
      \wrongchoice{A cat}
    \end{choices}
  \end{question}
}
```

and it is then important to add, just after the command `\onecopy` the line

```
\setcounter{figure}{0}
```

so that the numbering of figures starts at 1 for every realization. Without that last command, the numbering of figures would go on from one realization to the next one, which is clearly not desirable.

4.4.12 Customizing some texts inserted by AMC

Use `\AMCtext` for the following customizations:

- `\AMCtext{none}{sentence}` replaces « None of these answers are correct. » (the English default text) with the given *sentence* when using option `completemulti`.
- `\AMCtext{corrected}{title}` replaces « Corrected » (the English default text) with the given *title* on the corrected answer sheet.
- `\AMCtext{catalog}{title}` replaces « Catalog » (the English default text) with the given *title* on the questions catalog produced thanks to option `catalog`.
- You can also consider using commands like the following ones (here the second argument is set to the default English value):

```
\AMCtext{draft}{DRAFT}
\AMCtext{message}{For your examination, preferably print documents
                  compiled from auto-multiple-choice.}
```

4.5 Mathematical questions with randomized statements

Thanks to the LaTeX package `fp`, whose documentation is available at <http://tug.ctan.org/cgi-bin/ctanPackageInformation.py?id=fp>, and which can be downloaded with the command

```
\usepackage{fp}
```

added before that corresponding to `automultiplechoice`, one can create exercises with randomized numerical data. Let us start with a simple example.

```
\begin{question}{addition}
  \FPeval\VQa{trunc(1+random*8,0)} ❶[1]
  \FPeval\VQb{trunc(4+random*5,0)}
  \FPeval\VQsomme{clip(VQa+VQb)} ❷[2]
  \FPeval\VQnonA{clip(VQa+VQb-1)} ❸[3]
  \FPeval\VQnonB{clip(VQa*VQb)}
  \FPeval\VQnonC{clip(VQa-VQb)}

  What is the sum of \VQa{} et \VQb{} ?
  \begin{choiceshoriz}
    \correctchoice{\VQsomme}
    \wrongchoice{\VQnonA}
    \wrongchoice{\VQnonB}
    \wrongchoice{\VQnonC}
  \end{choiceshoriz}
\end{question}
```

The `\FPeval` command is used to perform computations:

- ❶ Since **random** returns a real number in the interval $[0,1]$, this command sets `VQa` to a random integer value between 1 et 8. The next line sets `VQb` to a random integer value between 4 et 8.
- ❷ Putting the correct answer in the variable `VQsomme`.
- ❸ Putting wrong answers in variables `VQnonA`, `VQnonB` et `VQnonC`...

Variable names beginning with `VQ` have been chosen so as to avoid interference with other LaTeX commands.

The `automultiplechoice` package moreover defines a `\choixIntervalle` command which makes this kind of construction simpler, as illustrated in the next example:

```
\begin{question}{inf-expo-indep}
  \FPeval\VQa{trunc(2 + random * 4,0)}
  \FPeval\VQb{trunc(6 + random * 5,0)}
  \FPeval\VQr{VQa/(VQa+VQb)}

  Let  $X$  and  $Y$  be two independent random variables, following the exponential
  distribution with
  respective parameters \VQa{} et \VQb{}.
  To which interval does the probability  $\mathbb{P}\{X<Y\}$  belong ?

  \begin{multicols}{5}
    \begin{choices}[o]
      \choixIntervalle{\VQr}{0}{1}{0.1} ❶[1]
    \end{choices}
  \end{multicols}
\end{question}
```

- ❶ This lines inserts ten answers corresponding to the intervals $[0,0.1[$ $[0.1,0.2[$... $[0.9,1[$, while indicating that the correct interval is the one containing `VQr`. The arguments of the `\choixIntervalle` command are the following:
 1. The correct answer,
 2. The left point of the first interval,
 3. The right point of the last interval,
 4. The length of each interval.

5 Usage - Graphical interface

We shall describe here a usage example with the graphic interface from the conception of the multiple-choice test until the edition of students' scores.

5.1 Creating a new project and subject

Let's open the graphic interface. This can be done ordinarily by selecting Applications → Education → Auto Multiple Choice in the general menu of Gnome (or its equivalent in KDE or other), but the command **auto-multiple-choice** can be used directly.

Let's now create a new project, thanks to Project → New. A window opens and allows us to see existing project names (if any) and choose a name for our new project (made with simple characters; « test » will be OK for our short test), which we write in the field Project name. Then we push the New project button.

Now we must choose a LaTeX file as a source for the multiple-choice. Several possibilities are shown:

- **model**: this choice allows to choose from models shipped with AMC an exam to customize later.
- **file**: this choice allows to choose a LaTeX file already prepared for this exam. Somebody may have prepared the exam for you, or you can have prepared the exam outside AMC, using your favorite LaTeX editor.
- **empty**: using this choice, an empty LaTeX file will be created. You have to edit it to compose the exam from zero.
- **archive**: use this choice if you have a zip or tgz archive containing the exam definition (LaTeX source file, along with image files, parameters file for example). This archive can be made by an external software. It can also be a backup of one of your AMC projects.

For our test, let us choose model. The next window presents the models: choose for example Simple example from [EN] Documentation group. Now we can edit it to modify the shape of the document or the questions, thanks to the Edit LaTeX file button which launches the default editor.

5.2 Preparing the subject

Preparing a project is done in two steps. First we must make the reference documents from the LaTeX source file. This can be done by clicking the Update documents. The following documents are produced:

- The *question*. This file can be printed to distribute its pages to students (see below).
- The *solution*. We can check that the chosen responses there are the good ones. It is also made to be distributed to students.
- The *adjustment* document. It contains information to locate framing marks, checkboxes, and also the area where students write their names are drawn on all the pages.

When produced, those documents can be viewed (and possibly printed) with a double-click on their names.

Now we can begin the last step of the preparation: analyzing the layout document. It can be launched with the button Calculate in the section Layout detection. This analysis detects, in every page of the subject, the exact position of every element which must be analyzed in the students' copies. This analysis can be a bit long (mainly when there are many pages in the subject). We can see the result in the right-side list, which displays for each page its number, its identifier (a code containing the student's number), the page number for this student, and a code to verify the identification), and also the date of the last update of the layout.

To check whether the layouts have been correctly detected, we can use the button Check layouts. A short insight allows to check that red checkboxes are correctly located over the boxes of the subject.

5.3 Printing and exam

**Warning**

You must create as many exam sheets as necessary for all your students, with different sheets numbers, and print them all. If you print one or several sheets and photocopy them to have enough for all the students, you won't be able to continue with AMC!

When the preparation is over, we can print the subject, and distribute it to the students... In simple cases, we can directly print from the viewer (after clicking the line Subject in the list of work documents). When it is better to print the copies separately (for example if copies contain multiple pages and when the printer allows to staple them together), we shall rather use the button Print copies after calculating the layout.

**Important**

When the subject is printed and distributed, we may no more modify the *work documents* because they must remain identical to distributed copies.

5.4 Reading the copies

Now we shall describe the input from students' copies, which can be done automatically and/or manually.

Let's move to the Data capture tab of the graphical interface.

5.4.1 Automated input

For automatic recognition of the checked boxes in the students' pages, they must be previously digitalized. I use a copier/scanner which does it automatically (all the pages in a bundle without interaction with me), with the following settings: 300 dpi, OCR mode (for the characters' recognition, black and white without greyscale - but the scanner does not process any character recognition), each scan delivered as a single TIFF file per page.

Note

To analyze the scans, we must have them in one or several image files (TIFF, JPG, PNG, etc.). Vector graphics formats (such as PDF, EPS, SVG) are not suitable.

Then we select this set of scan files in the dialog opened by the button Automated of the section Data capture after examination, then we validate with the button Use of this dialog. It's now time to drink a coffee because the analysis of copies can be very long (and can be done quietly because it requires no interaction).

The result of the analysis of each page is indicated in the lists of the section Diagnosis:

- The value *MSD* (mean square deviation) is an indication of the good framing of the marks (the four black dots surrounding each copy). When it is too great, the framing must be checked (right click on the page's line then choose page to view the scanned page and the boxes as they were detected).
- The value *sensitivity* is an indicator of proximity of the filling of the boxes with the threshold. If it is too great (from 8 to its max value 10), we must check whether the boxes recognized as checked are the good ones (a right click on the page's line then choose zoom to view the set of boxes in the copy, verify whether the detection worked correctly, and correct it if needed drag-and-dropping the boxes images).

5.4.2 Manual input

If we cannot use easily the scanner, or if, for a few copies, the automated input did not work as expected, we can manage the input manually. To do so, let's open the right window thanks to the button Manual of the section Input of the copies after exam. In that window, we can input the boxes which have been checked ourselves (by clicking them) on the wanted pages.

Note

Every manual input will overwrite results eventually coming from a previous or posterior automated input for the same page.

5.5 Correction

In the Marking tab of the graphic interface, the part Marking allows us to deduce the scores of the students from the inputs, but also to read the codes written by the students (see Section 4.4.9).

5.5.1 Process

The computation of the scores is launched with the button Mark, but we must previously make the following choice:

- If we check the box Update marking scale, the scoring strategy will be first extracted from the LaTeX source file. This allow to try many strategies at the end of the correction process. The method to specify the strategy in the LaTeX file will be explained in the section [Scoring strategy](#) (a default scoring strategy is used when no indication is given).

When we click the button Mark, the correction is made (this can take some time if we also asked for the reading of the scale).

5.5.2 Scoring strategy

The strategy used to score the copies is indicated in the LaTeX source file, with the command **scoring**. It can be used in an environment **question** or **questionmult**, to set it for every response, but also in the environment **choices**, to give scaling indications about a single response. The argument of the LaTeX command scoring is made of indications like *parameter=value*, separated by comas. The usable parameters are the following (the table shows also in which context those parameters can be used):

parameter	simple		multiple		value
	Q	A	Q	A	
e	●		●		The score given when responses are incoherent: many boxes checked for a simple question, or, for a multiple question, the box "none of the responses are correct" checked while another box is also checked.
v	●		●		The score given in case of no response (no box is checked).
d			●		An offset, i.e. a value added to every score not relevant of parameters e and v.
p			●		The bottom score. If the calculation of the score in that question yields a value below the bottom value, the score is set to the bottom value.
b	●		●	●	Score for a good response to a question.
m	●		●	●	Score for a bad response to a question.
		●			Without parameter name (syntax: <code>\scoring{2}</code>), this indicates the score to give if the student has checked <i>this</i> response.
auto	●				With this parameter, the value of the response numbered <i>i</i> will be <i>auto+i-1</i> . This option is mainly used with <code>\QuestionIndicative</code> (see section Questions and answers).
mz	●		●		This parameter is used for a "maximum or zero" scoring: if all the answers are correct, the score is <i>mz</i> . If not, the score is zero.
haut			●		When you give this parameter a value <i>n</i> , the score given for a perfect response will be <i>n</i> , and one point will be withdrawn for each error.
MAX	●		●		Gives the maximal value given for the question (for a "question scored 5", one can write MAX=5). To be used only when it is not the same value as when one replies every good response.

The default scale for a simple question is $e=0, v=0, b=1, m=0$, which gives one point for a good response and no point in the other cases. The default scaling for a multiple question is $e=0, v=0, b=1, m=0, p=-100, d=0$, which gives a point for every checked box, either good or not (good box checked or wrong box not checked).

The LaTeX command `\scoring` can also be used outside question definitions, for whole examination parameters:

- $SUF=x$ gives a total number of points sufficient to get the maximal mark. For example, with 10 for the maximal mark and parameter $SUF=8$, a student getting a total of 6 points will get mark $6/8*10=7.5$, whatever the value of the total number of points for a perfect answer sheet.

Using all of these parameters in combination allows to define many kinds of scoring strategies, as in the following example:

```

1 \documentclass{article}
2
3 \usepackage[utf8x]{inputenc}
4 \usepackage[T1]{fontenc}
5
6 \usepackage[bloc,completemulti]{automultiplechoice}
7
8 \begin{document}
9
10 \element{qqs}{
11 \begin{question}{good choice}
12   How many points would you like for this question?
13   \begin{choices}
14     \correctchoice{Maximum: 10}\scoring{10}
15     \wrongchoice{Only 5}\scoring{5}
16     \wrongchoice{Two will be enough}\scoring{2}
17     \wrongchoice{None, thanks}\scoring{0}
18   \end{choices}
19 \end{question}
20 }
21
22 \element{qqs}{
23 \begin{questionmult}{added}
24   Get free points checking the following boxes:
25   \begin{choices}
26     \correctchoice{2 points}\scoring{b=2}
27     \wrongchoice{One negative point!}\scoring{b=0,m=-1}
28     \correctchoice{3 points}\scoring{b=3}
29     \correctchoice{1 point}
30     \correctchoice{Half point}\scoring{b=0.5}
31   \end{choices}
32 \end{questionmult}
33 }
34
35 \element{qqs}{
36 \begin{questionmult}{3 or zero}\scoring{mz=3}
37   Only a perfect response will be scored 3 points - otherwise, null score.
38   \begin{choices}
39     \wrongchoice{Wrong}
40     \wrongchoice{Wrong}
41     \correctchoice{Right}
42     \correctchoice{Right}
43   \end{choices}
44 \end{questionmult}
45 }
46
47 \element{qqs}{
48 \begin{questionmult}{all for 2}\scoring{haut=2}
49   Perfect response scored 2 points, and give back one point for any error...
50   \begin{choices}

```

[illegible]

```
112 \end{document}
```

5.5.3 Global scoring strategy

To use a strategy globally for a set of questions, one can define it in a LaTeX command, as in the following example:

```
\def\barQmult{haut=3,p=-1}

\begin{questionmult}\scoring{\barQmult}
[...]
\end{questionmult}
```

Another possibility comes with the LaTeX commands **\scoringDefaultS** and **\scoringDefaultM**, to be used in the begin of the document (outside the command **\onecopy**), which allow to give default values for the scoring strategy of simple and multiple questions:

```
\scoringDefaultM{haut=3,p=-1}
```

In some cases, defining a global strategy can be interesting *depending of the number of proposed responses*. To do so, just input the value N . For example, to get a scale yielding 4 as the maximal score and such as the mean expected score of a student checking randomly the boxes is 1, one can use the scale $d=4, b=0, m=-(4-1)*2/N$ (which give the score -2 if every response is false, i.e. the wrong boxes have been checked and the right boxes are not). Operations allowed in those formulas are the four simple operations (+ - * /), cases operator (? :) and parenthesis.

Other variables can also be used:

- N is the number of proposed responses, without counting the response eventually added by the option `completemulti`.
- NB is the number of correct responses to the question (without taking in account checked or non-checked boxes).
- NBC is the count of correct responses which have been checked.
- NM is the number of wrong responses to the question (without taking in account checked or non-checked boxes).
- NMC is the count of wrong responses which have been checked.
- IS is set to 1 if the question is simple and 0 if not.
- $IMULT$ is set to 1 if the question is multiple and 0 if not.

5.6 Identification of the students

This stage is not mandatory. It deals with associating each copy with a student. The name of the student is not read in an automated fashion, but two reasonable possibilities are proposed:

1. It is possible to ask students to identify themselves on their copy with their student number, which will be written by checking one box per digit. A LaTeX command is designed to use this method on the copy (see the part Section 4.4.9). After the exam, copies will be identified automatically taking into account a list matching the students' numbers and their names.
2. With no input of the students' numbers, or in the case when the automated identification has not succeeded perfectly (for example when a student made a wrong input), the graphical interface allows an assisted manual association.

Let's first move to the Marking tab of the graphical interface.

5.6.1 List of the students

We must previously supply a list of students. This list can obviously be used for many multiple-choices tests. This list is a text file containing one student per line. We may also append a few complementary informations in the file, as in the following example (in the example above, email will not be used at all by AMC):

```
# STUDENTS / 1ST YEAR
surname:name:id:email
Bienvenue:Alexis:001:paamc@passoire.fr
Boulx:Jojo:002:jojo.boulx@rien.xx
Noël:Père:003:pere.noel@pole-nord.xx
```

The lines of the file which begin with the character `#` are comments. The first of the other lines contains (separated by the character `:`) the column titles. Then, with one line per student, we write the corresponding informations. There must be at least one column named `name` or `surname`.

Note

One can replace the separator `:` by a comma, a semicolon or a tabulation. However the same separator must be used everywhere in the file which contains the list of students. The used separator is detected by taking the character (out of the four possible characters) which appears most frequently in the first line which is not a comment.

The prepared list of students (either a simple list or with more informations) will then be selected with the button List of the students. We must also choose one of the columns as a unique key which will identify the students (generally, one chooses the column containing the student's number). Last, to prepare an automated association, we must choose the name of the relevant code used in the LaTeX command **AMCcode** (if used).

5.6.2 Association

5.6.2.1 Automated association

When we push the button Automatic in the part Students identification, matching of the codes given by the students begins. We can watch or improve the result later with a (partial) manual association.



Warning

To make an automated association, at least one command **AMCcode** is required (see Section 4.4.9) in the LaTeX source file, as well as a list of students with a column containing a reference (generally a number of student) which will be identical to the input given in the boxes produced by the command **AMCcode**.

5.6.2.2 Manual association

To open the window allowing recognition of the students' names, let's click on Manual button in the part Students identification. This window is made of an upper part which presents in sequence images of the names written by the students, a lower part containing a button for each student from the list we supplied, and a right part allowing to browse easily the copies to be identified. Let's click the button matching the name written in the upper part for each presented page (by default, only the copies not or badly identified are presented - this can be changed by checking the box associated). When every page is read, a blue background appears instead of the names, and we just need to click the Save button to end with association.

5.7 Exporting the scores list

At this stage, we can get the list of scores under various formats (currently CSV and OpenOffice), with the button Export. This export will be followed by the opening of the produced file by the appropriate software (if available).

5.8 Annotation

When we push the button Annotate papers, copies annotation will begin: on every scan, the following annotations will be made (these are the default annotations, they can be configured):

- The boxes wrongly checked by the student will be circled in red;
- the non-checked boxes which should have been are checked in red;
- the checked boxes which had to be checked are checked in blue;
- for each question, obtained and maximal scores are indicated;
- the global score of the copy is indicated on the first page of the copy.

The text written on the first page of the copies can be configured (Edit → Preferences → Annotation → Header or Edit → Preferences → Project → Papers annotation → Header text). Substitutions will be made within the provided text:

%S is replaced by the student total score.

%M is replaced by the maximum total score.

%s is replaced by the student mark.

%m is replaced by the maximum mark.

% (ID) is replaced by the student's name.

% (COL) is replaced by the value of column *COL* in the students list for the curent student.

This operation is made for each page, giving as a result JPG format annotated pages.

If we wish to distribute the annotated/corrected copies to students in electronic format, it is useful to make a PDF file for each student, from his/her JPG annotated pages. This is made by pushing the button Group. The name of the PDF file which will contain the corrected copy of a student is based on the template indicated in the field File name model. In that template, every substring as « (*col*) » is replaced by the contents of the column named *col* in the file containing the list of students (see section [List of the students](#)). If we let this field empty, a default value is built up based on the student's name and student number.

6 Commands manual

You may skip this part if you want to use only the graphical user interface (and that should usually be the case). However, every action carried out with the graphical interface can also be performed using the various commands whose syntax is described here.

6.1 auto-multiple-choice

auto-multiple-choice — Automated treatment of MCQs

Synopsis

```
auto-multiple-choice action [arguments...]
```

```
auto-multiple-choice [project]
```

Description

The **auto-multiple-choice** command transmits its arguments to the **AMC-action.pl** command.

The second form, which does not mention any action, calls the graphical interface **AMC-gui.pl**, possibly with the name of a project to be opened.

See also

Different AMC actions: AMC-prepare(1), AMC-imprime(1), AMC-analyse(1), AMC-note(1), AMC-association-auto(1), AMC-export(1), AMC-annotate(1), AMC-regroupe(1).

6.2 AMC-prepare

AMC-prepare — prepares working documents from LaTeX source file

Synopsis

```
auto-multiple-choice prepare --mode s --prefix project-dir mcq.tex
auto-multiple-choice prepare --mode m --mep-dir project-mep-dir --calage calage.xy mcq.tex
auto-multiple-choice prepare --mode b --bareme scoring.xml mcq.tex
```

Description

The **AMC-prepare.pl** command extracts working documents from the source LaTeX file describing the multiple choice questionnaire. Informations to be extracted depends on the `--mode` argument value. In any mode, the LaTeX source filename must be given as an argument.

- with "`--mode s`", **AMC-prepare.pl** makes the subject file (answer sheet to be printed and given to the students), the correction (single corrected answer sheet) and the positions file (file containing informations about the positions of the boxes on the pages). The following arguments can be used:

`--out-sujet` *subject.pdf* sets the subject file to build.

`--out-corrige` *corrected.pdf* sets the correction to build.

`--out-calage` *calage.xy* sets the positions file to build.

`--prefix` *directory* this directory is only necessary if one or more of the three previous options are not used: default values are then *directory/sujet.pdf*, *directory/corrige.pdf* and *directory/calage.xy*.

- with "`--mode m`", **AMC-prepare.pl** makes the MEP files (XML files with exact positions of the boxes, the marks, the name field on all the pages). In this mode, the following arguments must be used:

`--calage` *calage.xy* sets the positions file to be used.

`--mep` *project-mep-dir* sets the directory to store MEP files into.

- with "`--mode b`", **AMC-prepare.pl** makes the scoring file extracting the scoring strategy defined in the source LaTeX file. In this mode, the following arguments must be used:

`--bareme` *scoring.xml* sets the scoring file to create.

The following optional arguments can be used in any mode:

`--with` *latex-engine* gives the LaTeX engine (command) to be used. *latex-engine* can be **pdflatex** or **xelatex** for exemple.

`--n-copies` *n* sets the number of copies to produce, overriding the number given in the LaTeX source file (first argument of the `\onecopy` command).

`--debug` *file.log* gives a file to fill with debugging information.

6.3 AMC-imprime

AMC-imprime — prints AMC multiple choice answer sheets to be distributed to the students

Synopsis

```
auto-multiple-choice imprime --sujet subject.pdf --fich-nums numbers-file.txt --mep project-mep-dir --methode method [where-to-print-arguments...]
```

Description

The **AMC-imprime.pl** command prints selected copies from a AMC multiple choice answer sheet.

What to print

The following arguments describe what to print:

- sujet** *subject.pdf* sets the subject file (prepared by AMC-prepare(1)).
- fich-nums** *numbers-file.txt* gives a file where the numbers of the copies to be printed are written (one number per line). If this argument is not given, all the copies will be printed.
- mep** *project-mep-dir* gives the directory where MEP files are (see AMC-prepare(1)). The MEP files are used to know at which page of the subject file each copy begins and ends.

Where to print

Several printing methods are currently defined:

- with "**--methode** CUPS", **AMC-imprime.pl** prints to a CUPS printer. One print job is sent for each copy, allowing for exemple to use stapling. Use the following options with this method:
 - imprimante** *printer* sets the CUPS printer name to print to.
 - options** *cups-options* gives CUPS options, in the `opt1=value1,opt2=value2,...` format.
- with "**--methode** file", **AMC-imprime.pl** outputs the answer sheets to files (one for each copy).
 - output** *filename* sets the filename for outputs. The `'%e'` sequence will be replaced by a 4-digits copy number. If *filename* does not contain `'%e'`, the string `'-%e.pdf'` will be added at its end.
- with "**--methode** command", **AMC-imprime.pl** will use a provided command for each copy.
 - print-command** *command* gives the command to be used for printing. The *command* string will be split at each space character (even when using quotes...). The sequence `'%f'` will be replaced by a PDF filename (containing the copy to print), and `'%e'` will be replaced by the copy number.

6.4 AMC-analyse

AMC-analyse — automatic data capture from scans for AMC multiple choice exams.

Synopsis

```
auto-multiple-choice analyse --projet project-dir [--seuil-coche threshold] [--tol-marque tol] [--list-fichiers files-list.txt | scan-files]
```

Description

The **AMC-analyse.pl** command performs automatic data capture from scans of completed answer sheets of an AMC multiple choice questionnaire. Before calling **AMC_analyse.pl**, **AMC-prepare(1)** should have been called to make working documents (`--mode s`) and then MEP files (`--mode m`).

--mep project-mep-dir gives the directory where MEP files (prepared by **AMC-prepare(1)**) can be found.

--cr project-cr-dir gives a directory where to create reports of the data capture.

--projet project-dir When using this option, if **--cr** is not used, *project-cr-dir* will be set to *project-dir/cr*, and if **--mep** is not used, *project-mep-dir* will be set to *project-dir/mep*.

Giving the names of the scan files to process can be done in two ways:

- these names can be given as arguments,
- these names can be written to a plain file (one filename per line), using the `--list-fichiers files-list.txt` to give the name of this file.

Some parameters for data capture may be set using the following options:

--seuil-coche threshold When deciding whether a box is checked or not, **AMC-analyse.pl** compares the black ratio (number of black pixels over total number of pixels) to *threshold*. If the black ratio is greater then *threshold*, the box is declared to be checked. Standard values can be 0.15 in the standard layout, or 0.5 for separate answer sheet layout (in this last case, letters are drawn in the boxes, and the students are told to fill the boxes entirely). The black ratio is written in the data capture reports, so that this threshold value can be refined later without calling **AMC-analyse.pl** again.

--tol-marque tol defines the tolerance when detecting the four marks in the scans corners. These marks are detected looking for black connected components which dimensions are *closed* to the target dimension *target* (exact dimensions of the marks if printing/scanning process where perfectly accurate). If *tol* is a real number, accepted dimensions are those between $(1-tol)*target$ and $(1+tol)*target$. If *tol* is "*tiny,tsup*" (where *tiny* and *tsup* are real numbers), accepted dimensions are those between $(1-tiny)*target$ and $(1+tsup)*target$. A standard value is 0.2.

--debug file.log gives a file to fill with debugging information.

6.5 AMC-note

AMC-note — computes marks after scans data capture for AMC multiple choice exams.

Synopsis

```
auto-multiple-choice note --cr project-cr-dir --bareme scoring.xml -o marks.xml [--seuil threshold] [--grain
granularity] [--arrondi rounding] [--notemin min] [--notemax max] [--no-plafond | --plafond]
```

Description

The **AMC-note.pl** command computes marks for all students from the scoring strategy extracted from the LaTeX source file by **AMC-prepare(1)** and from the data capture reports made by **AMC-analyse(1)**.

--cr project-cr-dir gives the directory where to find data capture reports (see **AMC-analyse(1)**).

--bareme scoring.xml gives the scoring strategy file (see **AMC-prepare(1)**).

--o marks.xml gives the name of the file to create and fill with students' marks.

--seuil threshold gives the black ratio threshold (see **AMC-analyse(1)**) for deciding whether a box is ticked or not.

--grain *granularity* --arrondi *rounding* ask marks to be rounded to a multiple of *granularity*. If *rounding* is 'i', rounding is done from below (as with floor(3)). If *rounding* is 'n', rounding is done to the nearest multiple of *granularity*. If *rounding* is 's', rounding is done from above (as with ceil(3)). For example, with options "**--grain 0.25 --arrondi s**", mark 6.285 is rounded to 6.5.

--notemin *min* with this option, all marks below *min* will be replaced by *min*.

--notemax *max* gives the mark to associate to a sheet where all answers are correct. If not used, marks are not scaled.

--plafond with this option, all marks above *max* will be replaced by *max*.

--debug *file.log* gives a file to fill with debugging information.

6.6 AMC-association-auto

AMC-association-auto — automatic association between students and answer sheets for AMC multiple choice exams.

Synopsis

```
auto-multiple-choice association-auto --notes marks.xml --notes-id id --liste students-list.csv [--encodage-liste list-encoding] --liste-key key --assoc assoc.xml
```

Description

The **AMC-association-auto.pl** command reads report from to associate students with their answer sheet (when there are no errors from students when coding their student number and no error during data capture). See Section 5.6 from english user documentation for details.

--notes *marks.xml* gives the name of the marks file (also containing read codes as student id numbers) produced by AMC-note(1).

--notes-id *id* gives the identification string of the code provided for student numbers (command **\AMCcode** in the LaTeX source file).

--liste *students-list.csv* gives the students list.

--encodage-liste *list-encoding* gives the students list file encoding (default is utf-8).

--liste-key *key* gives the column name where to find the student number in the students list.

--assoc *assoc.xml* gives the name of the file to create and fill with association report.

--debug *file.log* gives a file to fill with debugging information.

6.7 AMC-export

AMC-export — exports marks for AMC multiple choice exams.

Synopsis

```
auto-multiple-choice export --module module --fich-notes marks.xml --fich-assoc assoc.xml --fich-noms students-list.csv [--noms-encodage list-encoding] --o output-file
```

Description

The **AMC-export.pl** command exports marks from an Auto Multiple Choice exam.

- module *module*** selects a module for export. See below for the modules included in the AMC standard distribution.
- fich-notes *marks.xml*** sets the marks file, generated by AMC-note(1).
- fich-assoc *assoc.xml*** sets the association file, generated by AMC-association-auto(1) and maybe modified for manual association.
- fich-noms *students-list.csv*** sets the students list file.
- noms-encodage *list-encoding*** selects an encoding for file *students-list.csv* (default is utf-8).
- o *output-file*** gives the output file name.
- option-out *options*** gives an option for selected module, in the form *key=value* (see below for possible options for each module). To specify multiple options, use **--option** several times.
- sort *sort-type*** sort the students names, depending on *sort-type*. If *sort-type* is *l*, use line number from students list file to sort. If *sort-type* is *m*, use mark (and name if marks are equal) to sort. If *sort-type* is *i*, use student number to sort. If *sort-type* is *n*, use name to sort (or line from students list if equal).
- useall *all*** if *all* is 0 or empty, only students with a scanned answer sheet appears in the output. If *all* is 1, all students in the students list appears in the output.

Modules

OpenDocument

With "**--module ods**", an OpenDocument (for use by OpenOffice or LibreOffice for example) is produced. The following options are recognized:

- nom** gives a name for the exam, to be written on the beginning of the sheet.
- code** gives an short name for the exam, to be used as a tab name.

CSV

With "**--module CSV**", a CSV file is produced. The following options are recognized:

- decimal** sets the decimal point (default is a dot).
- encodage** sets the encoding to use for output (default is utf-8).
- separateur** sets the character used between columns (default is a comma).
- entoure** sets the character used to enclose strings (default is a double quote).
- cochees** if true (value 1 for example), additional columns (with "CHECKED:" prefix) are included to give all the checked boxes on all the sheets. This can be used by an external program to retrieve all the checked boxes when marks are not sufficient.

6.8 AMC-annotate

AMC-annotate — completed answer sheets annotation after marking for AMC multiple choice exams.

Synopsis

`auto-multiple-choice annotate --projet project-dir --notes marks.xml --bareme scoring.xml --fich-assoc assoc.xml [annotation options...]`

Description

The **AMC-annotate.pl** command annotates papers scans with scores for all questions, global score and mark, resulting in JPEG files (one for each page).

--projet *project-dir* sets the project directory.

--cr *project-cr-dir* sets the project reports directory, where to find data capture reports prepared by AMC-analyse(1), and where to output annotated scans. Default value is `project-dir/cr`.

--notes *marks.xml* sets the marks file, prepared by AMC-note(1).

--bareme *scoring.xml* sets the scoring file, prepared by AMC-prepare(1).

--fich-assoc *assoc.xml* sets the association file, prepared by AMC-association-auto(1) and/or modified for manual association.

--fich-noms *students-list.csv* sets the students list file name.

--noms-encodage *encoding* selects an encoding for file *students-list.csv* (default is utf-8).

--qualite *qual* sets JPEG quality for output files. Default value is 65.

--taille-max *maxsize* sets the maximal size for output files (in the format *widthxheight*, in pixels). Default value is 1000x1500.

--pointsize-nl *lines* sets the size of texts requiring that with this size, the number of text lines that fits on the page height must be *lines*. Default value is 60.

--verdict *header* sets the text header to be printed on each first page of the students copies. This text may contain CR characters for multi-line headers. Some sequences are substituted in it:

%S is replaced by the student total score.

%M is replaced by the maximum total score.

%s is replaced by the student mark.

%m is replaced by the maximum mark.

%(ID) is replaced by the student's name.

%(COL) is replaced by the value of column *COL* in the students list for the curent student.

--ch-sign *nc* Sets the number *nc* of significant digits to use when printing global mark.

--symbols *symbols-definition* defines how boxes will be annotated. *symbols-definition* is a comma separated list of *H-A:shape:colour* constructs, where *H* is 0 or 1 depending on wether the box has to be checked or not, *A* is 0 or 1 depending on wether the box is actually checked or not, *shape* is one of `none`, `circle`, `mark`, `box` and *colour* is a colour (name or #RGB, see ImageMagick or GraphicsMagick documentation for details). Default value is "0-0:none-,0-1:circle:red,1-0:mark:red,1-1:mark:blue".

--position *pos* sets the position of individual questions scores. *pos* may be 'none' (do dot write individual scores), 'marge' (write scores in the margin) or 'case' (write scores at the left of the left-most box for the question).

--ecart *dx* sets the horizontal space to let between individual question score and the leftmost box when **--position** case is used.

--ecart-marge *x* sets the x position for individual questions scores when written in the margin (in *em* units).

--line-width *lw* sets the line width for symbols drwan on the scans (in pixels). Default value is 2.

--indicatives *bool* say if indicative questions are to be annotated (use 1 for a true value; default is false).

--debug *file.log* gives a file to fill with debugging information.

6.9 AMC-regroupe

AMC-regroupe — merge JPEG annotated AMC multiple choice answer sheets to get a PDF file per student.

Synopsis

```
auto-multiple-choice regroupe --projet project-dir --sujet subject.pdf --modele file-name-model --fich-assoc assoc.xml --fich-noms students-list.csv [--noms-encodage encoding] [--compose]
```

Description

The command **AMC-regroupe.pl** merges annotated AMC multiple choice answer sheets (there is one per page) to get a single PDF file per student.

--mep *project-mep-dir* gives the directory where MEP files (prepared by AMC-prepare(1)) can be found.

--cr *project-cr-dir* gives the directory where to find individual annotated JPEG files prepared by AMC-annotate(1) and where to write annotated students PDFs.

--projet *project-dir* When using this option, if **--cr** is not used, *project-cr-dir* will be set to *project-dir/cr*, and if **--mep** is not used, *project-mep-dir* will be set to *project-dir/mep*.

--sujet *subject.pdf* gives the subject file (as prepared by AMC-prepare(1)). This helps in getting the page size for the subject to make annotated PDF fit this size.

--fich-assoc *assoc.xml* sets the association file, prepared by AMC-association-auto(1) and/or modified for manual association.

--fich-noms *students-list.csv* sets the students list file name.

--noms-encodage *encoding* selects an encoding for file *students-list.csv* (default is utf-8).

--modele *file-name-model* sets a file name model for annotated PDFs. In this model, some sequences will be substituted:

(N) is replaced by the student's name.

(ID) is replaced by the student number.

(COL) is replaced by the value of column *COL* in the students list for the current student.

The default value is '(N) - (ID) .pdf'.

--compose When using this option, pages for which there is no scan will be replaced by the corresponding page from the corrected answer sheet. This option is for example useful when using the separate answer sheet layout: in this case, the annotated answer sheet will not be readable without the pages with the questions.

When using the **--compose** option, one must also use the **--tex-src** (and optionally **--with**) option.

--tex-src *mcq.tex* gives the LaTeX source file for the subject.

--with *latex-engine* gives the LaTeX engine (command) to be used to process *mcq.tex*. *latex-engine* can be **pdflatex** or **xelatex** for example.

--debug *file.log* gives a file to fill with debugging information.