

The `scrindex` package

Heiko Oberdiek
<heiko.oberdiek at googlemail.com>

2008/08/11 v1.1

Abstract

This package redefines environment ‘theindex’ of package `index`, if a class from KOMA-Script is loaded. Also option `idxtotoc` is supported. Index preambles can be given either by means of package `index` or via the interface provided by KOMA-Script.

Contents

1 Documentation	1
1.1 Usage	2
1.2 Preambles	2
1.2.1 Class <code>scrartcl</code>	2
1.2.2 Classes <code>scrreprt</code> and <code>scrbook</code>	2
2 Implementation	3
3 Installation	6
3.1 Download	6
3.2 Bundle installation	6
3.3 Package installation	6
3.4 Refresh file name databases	7
3.5 Some details for the interested	7
4 History	7
[2008/07/07 v1.0]	7
[2008/08/11 v1.1]	8
5 Index	8

1 Documentation

Package `index`, written by David M. Jones, detects the standard classes `article`, `report`, and `book`. It redefines environment ‘theindex’ for its needs. However, it does not know other classes such as KOMA-Script. This package closes the compatibility gap between KOMA-Script’s classes and package `index`.

Environment `theindex` is redefined to support both package `index` and KOMA-Script’s classes. Thus both the prologue of package `index` and the preamble of KOMA-Script’s classes are available. Also class option `idxtotoc` of KOMA-Script is supported.

1.1 Usage

The package `scrindex` is loaded without options:

```
\usepackage{scrindex}
```

It loads package `index` and requests version 2004/01/20 or later. L^AT_EX's package interface allows multiple calls of the same package. The package is loaded at its first package loading command. At later times L^AT_EX only checks options and a requested version date. Therefore it does not harm to add `\usepackage{index}` before or after `\usepackage{scrindex}`.

Also the class does not matter. Environment `theindex` is only redefined for a supported class:

- `scrartcl`
- `scrreprt`
- `scrbook`

1.2 Preambles

Both the prologue of package `index` and the preamble of KOMA-Script's classes are supported. The position depends on the class.

1.2.1 Class `scrartcl`

```
1 <*example1>
2 \documentclass{scrartcl}
3 \usepackage{scrindex}
4 \setindexpreamble{Preamble of \texttt{scrartcl}\dotfill EOL}
5 \makeindex
6 \begin{document}
7 \section{First Section}
8 \index{first}
9 \index{section}
10 \printindex[default]%
11 [Prologue of package \texttt{index}\dotfill EOL]%
12 \end{document}
13 </example1>
```

The prologue of package `index` is first set straight after the section title spanning both columns. Then the preamble of KOMA-Script follows in the first left column.

Index	
Prologue of package <code>index</code>	EOL
Preamble of <code>scrartcl</code> . . EOL first, 1 section, 1	

1.2.2 Classes `scrreprt` and `scrbook`

```
14 <*example2>
15 \documentclass[openany]{scrbook}% or scrreprt
16 \usepackage{scrindex}
17 \setindexpreamble{Preamble of class \texttt{scrbook}\dotfill EOL}
18 \makeindex
19 \begin{document}
20 \chapter{First Chapter}
21 \index{first}
22 \index{chapter}
23 \printindex[default]%
```

```

24 [Prologue of package \texttt{\index}\dotfill EOL]%
25 \end{document}
26 
```

The order of the two preambles are different for the classes `scrreprt` and `scrbook`. First KOMA-Script's chapter preamble is set, then the prologue of package `index` follows. Both are set spanning both columns.

Index	
Preamble of class <code>scrbook</code> EOL	
Prologue of package <code>index</code>	EOL
chapter, 1	
first, 1	

2 Implementation

```

27 {*package}
28 \NeedsTeXFormat{LaTeXe}
29 \ProvidesPackage{scrindex}
30 [2008/08/11 v1.1 Package index with scr* classes (HO)]%
31 \RequirePackage[index][2004/01/20]%
32 \@ifclassloaded{scrartcl}{%
33   \renewenvironment{theindex}{%
34     \edef\indexname{%
35       \the\@nameuse{idxtitle@\@indextype}%
36     }%
37     \if@twocolumn
38       \restonecolfalse
39     \else
40       \restonecoltrue
41     \fi
42     \idx@heading
43     \thispagestyle{\indexpagestyle}%
44     \columnseprule\z@
45     \columnsep 35\p@
46     \index@preamble\par\nobreak
47     \parindent\z@
48     \parskip\z@ \oplus .3\p@\relax
49     \parfillskip\z@ \oplus 1fil\relax
50     \let\item\@idxitem
51   }%
52   \if@restonecol
53     \onecolumn
54   \else
55     \clearpage
56   \fi
57 }%
58 \@ifclasswith{scrartcl}{idxtotoc}{%
59   \renewcommand*\idx@heading{%
60     \twocolumn[%
61       \addsec{\indexname}%
62       \ifx\index@prologue\empty
63       \else
64         \index@prologue
65         \bigskip
66       \fi
67     ]%
68     \mkboth{\indexname}{\indexname}%
69   }%
70 }%

```

```

71      \renewcommand*{\idx@heading}{%
72          \twocolumn[%
73              \section*{\indexname}%
74              \ifx\index@prologue\empty%
75              \else%
76                  \index@prologue%
77                  \bigskip%
78              \fi%
79          ]%
80          \mkboth{\indexname}{\indexname}%
81      }%
82  }%
83 }{%
84 \@ifclassloaded{scrreprt}{%
85   \renewenvironment{theindex}{%
86     \edef\indexname{%
87       \the\@nameuse{idxtitle@\@indextype}%
88     }%
89     \if@twocolumn%
90       \restonecolfalse%
91     \else%
92       \restonecoltrue%
93     \fi%
94     \setchapterpreamble{\indexpreamble}%
95     \idx@heading%
96     \thispagestyle{\indexpagestyle}%
97     \columnseprule\z@%
98     \columnsep 35\p@%
99     \parindent\z@%
100    \parskip\z@ \oplus .3\p@\relax%
101    \parfillskip\z@ \oplus 1fil\relax%
102    \let\item\idxitem%
103  }%
104  \if@restonecol%
105    \onecolumn%
106  \else%
107    \clearpage%
108  \fi%
109 }%
110 \@ifclasswith{scrreprt}{idxtotoc}{%
111   \renewcommand*{\idx@heading}{%
112     \if@openright%
113       \cleardoublepage%
114     \else%
115       \clearpage%
116     \fi%
117     \twocolumn[%
118       \addchap{\indexname}%
119       \ifx\index@prologue\empty%
120       \else%
121           \index@prologue%
122           \bigskip%
123       \fi%
124     ]%
125     \mkboth{\indexname}{\indexname}%
126   }%
127 }%
128   \renewcommand*{\idx@heading}{%
129     \if@openright%
130       \cleardoublepage%
131     \else%
132       \clearpage%

```

```

133      \fi
134      \twocolumn[%
135          \chapter*\{\indexname\}%
136          \ifx\index@prologue\empty
137          \else
138              \index@prologue
139              \bigskip
140          \fi
141      ]%
142      \mkboth{\indexname}{\indexname}%
143  }%
144 }%
145 }{%
146 \@ifclassloaded{scrbook}{%
147     \renewenvironment{theindex}{%
148         \edef\indexname{%
149             \the\@nameuse{idxtitle@\@indextype}%
150         }%
151         \if@twocolumn
152             \restonecolfalse
153         \else
154             \restonecoltrue
155         \fi
156         \setchapterpreamble{\indexpreamble}%
157         \idx@heading
158         \thispagestyle{\indexpagestyle}%
159         \columnseprule\z@
160         \columnsep 35\p@
161         \parindent\z@
162         \parskip\z@ \oplus .3\p@\relax
163         \parfillskip\z@ \oplus 1fil\relax
164         \let\item\idxitem
165     }%
166     \if@restonecol
167         \onecolumn
168     \else
169         \clearpage
170     \fi
171 }%
172 \@ifclasswith{scrbook}{idxtotoc}{%
173     \renewcommand*\idx@heading{%
174         \if@openright
175             \cleardoublepage
176         \else
177             \clearpage
178         \fi
179         \twocolumn[%
180             \addchap{\indexname}%
181             \ifx\index@prologue\empty
182             \else
183                 \index@prologue
184                 \bigskip
185             \fi
186         ]%
187         \mkboth{\indexname}{\indexname}%
188     }%
189 }%
190     \renewcommand*\idx@heading{%
191         \if@openright
192             \cleardoublepage
193         \else
194             \clearpage

```

```

195      \fi
196      \twocolumn[%
197          \chapter*{\indexname}%
198          \ifx\index@prologue\empty
199          \else
200              \index@prologue
201              \bigskip
202          \fi
203      ]%
204      \mkboth{\indexname}{\indexname}%
205  }%
206 }%
207 }{%
208 </package>

```

3 Installation

3.1 Download

Package. This package is available on CTAN¹:

<CTAN:macros/latex/contrib/oberdiek/scrindex.dtx> The source file.

<CTAN:macros/latex/contrib/oberdiek/scrindex.pdf> Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

<CTAN:install/macros/latex/contrib/oberdiek.tds.zip>

TDS refers to the standard “A Directory Structure for T_EX Files” (<CTAN:tds/tds.pdf>). Directories with `texmf` in their name are usually organized this way.

3.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

Script installation. Check the directory `TDSScripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

3.3 Package installation

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain-T_EX:

```
tex scrindex.dtx
```

¹<ftp://ftp.ctan.org/tex-archive/>

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
scrindex.sty      → tex/latex/oberdiek/scrindex.sty
scrindex.pdf     → doc/latex/oberdiek/scrindex.pdf
scrindex-example1.tex → doc/latex/oberdiek/scrindex-example1.tex
scrindex-example2.tex → doc/latex/oberdiek/scrindex-example2.tex
scrindex.dtx      → source/latex/oberdiek/scrindex.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

3.4 Refresh file name databases

If your `TeX` distribution (`teTeX`, `mikTeX`, ...) relies on file name databases, you must refresh these. For example, `teTeX` users run `texhash` or `mktexlsr`.

3.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk scrindex.pdf unpack_files output .
```

Unpacking with L^AT_EX. The `.dtx` chooses its action depending on the format:

plain-TeX: Run `docstrip` and extract the files.

L^AT_EX: Generate the documentation.

If you insist on using L^AT_EX for `docstrip` (really, `docstrip` does not need L^AT_EX), then inform the autodetect routine about your intention:

```
\latex \let\install=y\input{scrindex.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex scrindex.dtx
makeindex -s gind.ist scrindex.idx
pdflatex scrindex.dtx
makeindex -s gind.ist scrindex.idx
pdflatex scrindex.dtx
```

4 History

[2008/07/07 v1.0]

- First version, also published in newsgroup `de.comp.text.tex`:
“Re: Zähler bei \index”²

²Url: <http://groups.google.com/group/de.comp.text.tex/msg/39575b5e2f29be1e>

[2008/08/11 v1.1]

- Code is not changed.
- URLs updated.

5 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	
\empty	62, 74, 119, 136, 181, 198
\idxitem	50, 102, 164
\ifclassloaded	32, 84, 146
\ifclasswith	58, 110, 172
\indextype	35, 87, 149
\mkboth	68, 80, 125, 142, 187, 204
\nameuse	35, 87, 149
\plus	48, 49, 100, 101, 162, 163
\restonecolfalse	38, 90, 152
\restonecoltrue	40, 92, 154
M	
\makeindex	5, 18
N	
\NeedsTeXFormat	28
\nobreak	46
O	
\onecolumn	53, 105, 167
P	
\p@	45, 48, 98, 100, 160, 162
\par	46
\parfillskip	49, 101, 163
\parindent	47, 99, 161
\parskip	48, 100, 162
\printindex	10, 23
\ProvidesPackage	29
R	
\renewcommand	59, 71, 111, 128, 173, 190
\renewenvironment	33, 85, 147
\RequirePackage	31
S	
\section	7, 73
\setchapterpreamble	94, 156
\setindexpreamble	4, 17
T	
\texttt	4, 11, 17, 24
\the	35, 87, 149
\thispagestyle	43, 96, 158
\twocolumn	60, 72, 117, 134, 179, 196
U	
\usepackage	3, 16
Z	
\z@	44, 47, 48, 49, 97, 99, 100, 101, 159, 161, 162, 163